Modern Portfolio Construction with Advanced Deep Learning Models

Submitted by

Joel ONG

Thesis Advisor

Dr. Dorien HERREMANS

Information Systems Technology and Design

A thesis submitted to the Singapore University of Technology and Design in fulfillment of the requirement for the degree of Doctor of Philosophy

2024

PhD Thesis Examination Committee

TEC Chair:	Prof. David YAU
Main Advisor:	Prof. Dorien HERREMANS
Internal TEC member 1:	Prof. Malika MEGHJANI
Internal TEC member 2:	Prof. De Wen SOH

Abstract

Information Systems Technology and Design

Doctor of Philosophy

Modern Portfolio Construction with Advanced Deep Learning Models

by Joel ONG

This thesis explores the modern application of deep learning techniques in portfolio construction, presenting innovative methodologies that significantly enhance traditional investment strategies. Central to this research are three advanced frameworks that leverage deep learning to optimize financial portfolios.

The first framework introduces a diversified risk-adjusted TSMOM strategy utilizing multi-task learning. This approach simultaneously optimizes portfolio construction and volatility forecasting, resulting in improved portfolio performance by learning both momentum signals and volatility estimators. Experimental results involving a diversified portfolio of continuous futures contracts demonstrate that this method outperforms existing TSMOM strategies.

The second framework employs a multi-task learning model with a multi-gate mixture of experts to optimize momentum portfolios across multiple timeframes. This model excels over benchmarks across various asset classes, effectively capturing complex momentum dynamics in equity indexes, fixed income, foreign exchange, and commodities. Extensive backtesting highlights its capacity to enhance risk-adjusted returns, underscoring its practical utility for portfolio management.

The third framework presents an adaptive sparse Transformer model designed for index tracking. By combining sparse modeling with deep learning, this framework optimizes passive investment strategies. Backtesting spanning from 2005 to 2024 reveals that it delivers higher excess returns and lower tracking errors compared to existing models, showcasing the effectiveness of this approach in refining index tracking methodologies.

Lastly, we introduce the CurveMMOE model, a deep-learning framework for trading commodity futures curves. This model integrates multi-task learning with a Mixture of Expert architecture, outperforming traditional methods on risk-adjusted returns. These frameworks contribute significantly to portfolio construction by harnessing the power of deep learning techniques. They provide investment practitioners with innovative approaches to improve financial performance, particularly in challenging market environments. This research advances our understanding of deep learning in finance and offers practical strategies for real-world investment scenarios.

Publications

Ong, J., & Herremans, D. (2023). Constructing time-series momentum portfolios with deep multi-task learning. Expert Systems with Applications, 230, 120587. https://doi.org/10.1016/j.eswa.2023.120587.

Ong, J., & Herremans, D. (2024). Optimising Multi-Timeframe Momentum Portfolios via Multi-Task Learning with Multi-Gate Mixture of Experts. Manuscript submitted to Journal of Applied Soft Computing. https://doi.org/10.48550/arXiv.2406.08742

Ong, J., & Herremans, D. (2024). Index tracking portfolio with an Adaptive Sparse Transformer. Manuscript submitted to Journal of Expert Systems with Applications.

Conference Talks

Ong, J. (2021). Constructing portfolios with deep learning. 31st European Conference on Operational Research, Athens, Greece

Ong, J. (2021). Constructing time-series momentum portfolios with deep multi-task learning. International Federation of Operational Research Societies, Seoul, South Korea

Ong, J. (2024). CurveMMoE: A Deep Multi-Task Learning with Multi-Gate Mixture of Experts Approach for Trading Commodity Futures Curves. 38th Annual Conference of the Belgian Operational Research Society, Antwerp, Belgium

Acknowledgements

First and foremost, I would like to sincerely thank Dorien Herremans for her continuous support during my PhD journey. Her openness to my chosen topic, despite its initial unconventionality, has been incredibly valuable. Her unwavering encouragement, insightful guidance, and extensive knowledge have been pivotal in my progress, offering indispensable assistance throughout this process.

During the longer, more challenging days, I am deeply grateful for the unwavering support of my family—my dad, mum, and siblings. My deepest appreciation goes to my wonderful wife, Lee Yue Ning, whose care and concern have been my anchor. Her patience in listening to me endlessly discuss my ideas and her constant encouragement have made this journey not only bearable but also enriching. Her belief in me has been a source of strength and inspiration throughout this process.

Finally, I would like to convey my profound gratitude to the members of my TEC committee. Your engagement and support throughout this journey have been incredibly valuable. I am deeply thankful for your contributions.

Contents

PhD Thesis Examination Committee i

Abstract ii

Publications iii

Conference Talks iv

Acknowledgements v

1 Introduction 1
1.1 Portfolio Construction . . . 1
1.2 Motivations . . . 1
1.3 Contributions . . . 2
1.4 Thesis Outline . . . 3

2 Literature Review 5
2.1 Mean-Variance Optimization . . . 5
2.2 Deep Learning in Portfolio Construction . . . 8

3 Constructing time-series momentum portfolios with deep multi-task learning 10
3.1 Introduction . . . 10
3.1.1 Literature Review . . . 10
3.1.2 Our Contributions . . . 12
3.2 Classical Time-Series Momentum Strategy . . . 12
3.3 Multi-Task Time-Series Momentum Strategy . . . 13
3.3.1 Multi-Task Learning . . . 13
3.3.2 Main Task: portfolio construction . . . 15
3.3.3 Auxiliary Tasks . . . 17
3.3.4 Loss function . . . 17
3.4 Experimental Setup . . . 18
3.4.1 Dataset . . . 18
3.4.2 Feature Set . . . 18
3.4.3 Benchmark Models . . . 19
3.4.4 Backtest Specifications . . . 19
3.5 Experiment results and analysis . . . 21
3.5.1 Performance Evaluation . . . 21
3.5.2 Ablation Study . . . 23
3.5.3 Long-term Correlation with Equities Index . . . 23
3.6 Conclusion . . . 27

4 Optimising Multi-Timeframe Momentum Portfolio via Multi-Task Learning with Multi-Gate Mixture of Experts 28
4.1 Introduction . . . 28
4.1.1 Literature Review . . . 29
4.1.2 Our Contributions . . . 31
4.2 Methodology . . . 31
4.2.1 Overview . . . 31
4.2.2 Multi-Task Learning Network . . . 33
4.2.3 Capital Allocation Network . . . 34
4.2.4 Loss function . . . 36
4.3 Experimental Setup . . . 37
4.3.1 Dataset . . . 37
4.3.2 Feature Set . . . 37
4.3.3 Benchmark Models . . . 38
4.3.4 Backtest Specifications . . . 39
4.4 Performance Evaluation . . . 40
4.5 Conclusion . . . 44

5 Index tracking portfolio with an Adaptive Sparse Transformer 45
5.1 Introduction . . . 45
5.1.1 Literature Review . . . 46
5.1.2 Our Contributions . . . 47
5.2 Proposed Model . . . 48
5.2.1 Softmax, Sparsemax, and α-entmax . . . 48
5.2.2 Adaptive Sparse Transformer . . . 50
5.2.3 Objective Function . . . 52
5.3 Experimental Setup . . . 53
5.3.1 Dataset . . . 53
5.3.2 Feature Set . . . 54
5.3.3 Benchmark Models . . . 54
5.3.4 Backtest Specifications . . . 56
5.4 Experiment results and analysis . . . 57
5.4.1 Performance Evaluation . . . 57
5.4.2 Ablation study . . . 58
5.5 Conclusion . . . 59

6 CurveMMoE: A Deep Multi-Task Learning with Multi-Gate Mixture of Experts Approach for Trading Commodity Futures Curves 61
6.1 Introduction . . . 61
6.1.1 Literature Review . . . 62
6.1.2 Our Contributions . . . 65
6.2 Proposed Model . . . 66
6.2.1 Overview . . . 66
6.2.2 Feature Inputs . . . 67
6.2.3 Gating Networks . . . 68
6.2.4 Task Specific Networks . . . 69
6.3 Experimental Setup . . . 70

6.3.1 Dataset 70
6.3.2 Benchmark Models 71
6.3.3 Backtest Specifications 72
6.3.4 Performance Evaluation 73
6.4 Conclusion 75

7 Conclusions **77**

A Graphical Abstracts **79**

Bibliography **80**

List of Figures

2.1 Portfolio selection from the efficient frontier 6

3.1 Multi-task Learning Architecture: Hard and Soft Parameter Sharing . . . 14
3.2 Multi-Task Learning for Portfolio Construction 15
3.3 Expanding window cross-validation. 20
3.4 Cumulative returns and drawdown chart of the proposed model against benchmarks. 22
3.5 Rolling Correlation of Momentum Portfolios against US MSCI Index . . 25
3.6 Crisis Performance 26

4.1 DeepUnifiedMom(CAN) architecture diagram 32
4.2 Relationship between the Sharpe Ratio with Soft Capping Mechanism and the Standard Sharpe Ratio with Threshold = 0.01 35
4.3 The diagram illustrates the expanding window cross-validation approach used in our model's training. 39
4.4 Portfolios' Cumulative Returns from Jan 2000 to Dec 2023. 41
4.5 Model-driven portfolio weighting scheme 42

5.1 Illustration of softmax, sparsemax and α-entmax activation function. Adapted from (Peters, Niculae, and Martins, 2019) 48
5.2 Transformer architecture adapted from (Vaswani et al., 2017) 51
5.3 Decoder-Only Transformer model with α-entmax activation function . . 51
5.4 Sliding window cross-validation. Adapted from Ong and Herremans (2023). 56

6.1 Crude oil futures curve 62
6.2 Futures curve dynamics 63
6.3 CurveMMoE architecture diagram 66
6.4 Gating Network diagram 69
6.5 Task-specific networks diagram 70
6.6 The diagram illustrates the structure of the Bloomberg Commodities Index (BCOM), which comprises 24 commodities 71

A.1 Constructing time-series momentum portfolios with deep multi-task learning 79
A.2 Optimising Multi-Timeframe Momentum Portfolios via Multi-Task Learning with Multi-Gate Mixture of Experts 79

List of Tables

3.1 Hyperparameter Search Space. 20
3.2 Backtest metrics (net) from January 2000 to December 2020. Transaction costs were set at 3 bps. All portfolios have been rescaled to target 10% annualized volatility. 21
3.3 Net backtest metrics (2000-2020) comparing portfolio construction with different volatility forecasting auxiliary tasks, a full model, and no auxiliary tasks 23

4.1 Hyperparameter Search Space. 40
4.2 Net backtest results (2000-2023) with 3 bps transaction costs. DeepUnifiedMom model trained using Sharpe Ratio with Soft Capping. Max DD: maximum drawdown. 42
4.3 Net backtest metrics (2000-2023) with 3 bps transaction costs. DeepUnifiedMom model trained with and without using Sharpe Ratio with Soft Capping. 43

5.1 Hyperparameter Search Space. 56
5.2 Backtest metrics (net) from January 2005 to April 2024. Transaction costs were set at 20 bps and only the index tracking portfolios are adjusted for costs. 57
5.3 Backtest metrics (net) from January 2005 to April 2024. Transaction costs were set at 20 bps and only the index tracking portfolios are adjusted for costs. 58

6.1 Hyperparameter Search Space. 72
6.2 Backtest metrics (net) for Level Portfolio from January 2005 to Dec 2023. Transaction costs were set at 10 bps. 74
6.3 Backtest metrics (net) for Slope Portfolio from January 2005 to Dec 2023. Transaction costs were set at 10 bps. 75

Chapter 1

Introduction

1.1 Portfolio Construction

Portfolio construction is a cornerstone of investment management; it aims to balance risk and reward, tailoring investment strategies to meet specific financial goals and risk tolerances. The foundation of modern portfolio construction lies in the pioneering work of Markowitz, 1952 and his Modern Portfolio Theory, which emphasizes diversification—the principle that investing in low-correlated assets across various classes can reduce overall portfolio risk without sacrificing returns. This approach embodies the age-old wisdom of "Do not put all your eggs in one basket." Today, portfolio managers navigate a complex landscape of assets, including traditional stocks and bonds and alternative investments like real estate, commodities, and cryptocurrencies. The challenge lies in determining the ideal mix of these assets to maximize returns while maintaining acceptable risk levels. Traditional portfolio construction methods, which rely on statistical models and optimization techniques, are now complemented by advanced quantitative methods. These methods leverage vast datasets and sophisticated algorithms, with machine learning and artificial intelligence pushing the boundaries of what is possible in portfolio optimization. This technological advancement enables more nuanced strategies to adapt to rapidly changing market conditions.

1.2 Motivations

The primary objective of portfolio construction research, a crucial field in the investment industry, is to develop and refine methodologies that optimize the allocation of financial assets. This optimization aims to achieve superior risk-adjusted returns while adhering to specific investor constraints and objectives. The multifaceted nature of this field is dedicated to advancing our understanding of asset pricing dynamics, risk management techniques, and the intricate interplay between various market factors. The field of portfolio construction research encompasses a broad array of objectives, with several key goals at its forefront. The following priorities, while not exhaustive, represent critical areas of focus in contemporary academic and industry research:

- Refine and enhance the estimation of key inputs for portfolio construction techniques, specifically focusing on expected returns and risk measures.
- Integrating advanced machine learning and artificial intelligence techniques in portfolio construction.

- Developing more sophisticated optimization algorithms that can handle complex, multi-period investment scenarios and account for real-world frictions such as transaction costs and liquidity constraints (Chiam, K. Tan, and Mamum, 2008; Sawik, 2011; S. Babaei, Sepehri, and E. Babaei, 2015; Xidonas and Essner, 2022).

- Incorporating insights from behavioral finance into quantitative portfolio models to account for investor psychology and market sentiment (Lo, 2004; T. C. Silva, Tabak, and Ferreira, 2019; Pagliaro et al., 2021).

- Developing more effective performance attribution and risk decomposition methods to enhance transparency and inform decision-making.

- Advancing techniques for multi-asset and multi-factor portfolio construction that can effectively balance exposures across various risk premia (N.-F. Chen, Copeland, and Mayers, 1987; Fama, 1996; Kremer, Talmaciu, and Paterlini, 2018; Khalid Ghayur and Platt, 2018).

Ultimately, the primary objective of portfolio construction research is to bridge the gap between theoretical finance paradigms and their practical application in investment management. This research seeks to integrate abstract financial models with real-world constraints, fostering the development of investment strategies that are both academically rigorous and operationally feasible. The aim is to create methodologies that withstand rigorous theoretical scrutiny while addressing the complexities of live market environments. These advanced strategies are designed to deliver consistent, risk-adjusted outperformance across diverse market conditions, effectively translating theoretical insights into tangible investment outcomes. By reconciling theory with practice, portfolio construction research not only advances the field of quantitative finance but also enhances the effectiveness of investment management, potentially leading to more efficient capital allocation and improved financial decision-making processes.

1.3 Contributions

Our overall contributions can be summarized as follows:

- We developed a novel multi-task deep learning framework that significantly improves time-series momentum portfolios. This research marks the first implementation and study of multi-task learning within the context of portfolio construction. Additionally, we conduct extensive experimental analysis to understand the performance trade-offs associated with different volatility-related auxiliary tasks.

- We introduced a novel Multi-task Learning framework with a Multi-gate Mixture-of-Experts architecture, which facilitates end-to-end learning for multi-period portfolio construction to enhance momentum portfolio performance. This study represents the first implementation and examination of Multi-task Learning combined with a Multi-gate Mixture-of-Experts approach specifically within portfolio construction. Additionally, we provide comprehensive experimental analysis to

evaluate and understand the performance outcomes of this innovative methodology against existing momentum strategies and various portfolio construction techniques.

- We proposed a novel multi-objective deep learning system based on a sparse transformer architecture for constructing an index-tracking portfolio. Our contributions include introducing the α-entmax activation function within a deep learning architecture to jointly optimize asset selection and weighting in one cohesive step, eliminating the need for separate sub-models. We also implement multi-objective optimization by dynamically learning weights to minimize tracking error and transaction costs while maximizing excess returns during training.

- We introduced an innovative approach that leverages the Mixture-of-Experts architecture within a Multi-task Learning framework. This architecture enables the simultaneous prediction of various futures curve dynamics, optimizing trading strategies across different market states. By integrating these advanced quantitative techniques with traditional curve trading methods, this research provides a deeper understanding of market behavior and presents novel opportunities for trading curve dynamics in the commodities markets.

1.4 Thesis Outline

The thesis is organized as follows:

- In Chapter 2, we conduct a comprehensive review of existing works relevant to our research area. We assess various methodologies, identify the challenges they face, and compare these with the approaches we propose.

- In Chapter 3, we presents a diversified risk-adjusted time-series momentum (TSMOM) strategy that incorporates multi-task learning to optimize portfolio construction alongside auxiliary tasks related to volatility forecasting. By simultaneously learning both momentum signals and volatility estimators, this approach significantly enhances portfolio performance. Experimental results from a diversified portfolio of continuous futures contracts demonstrate that this method outperforms existing TSMOM strategies.

- In Chapter 4, we presents a multi-task learning approach using a multi-gate mixture of experts to optimize a multi-timeframe momentum portfolio. This model consistently outperforms benchmark strategies across various asset classes by capturing the intricate dynamics of time series momentum across different time frames, including equity indexes, fixed income, foreign exchange, and commodities. Extensive backtesting demonstrates the model's superior ability to improve risk-adjusted returns, underscoring its practical value for portfolio management.

- In Chapter 5, we introduce an adaptive sparse Transformer model for constructing an index tracking portfolio by integrating sparse modeling techniques within a deep learning framework. Comprehensive backtesting from January 2005 to April 2024 demonstrates that this model outperforms state-of-the-art approaches,

achieving higher excess returns and reduced tracking errors. These results underscore the effectiveness of combining deep learning with sparse modeling to enhance index tracking methodologies.

- In Chapter 6, we extend the application of the multi-gate mixture of experts architecture within a multi-task learning framework to the domain of commodities curve trading. This approach is tailored to exploit the unique characteristics of futures curve dynamics, optimizing trading strategies by capturing the complex interactions between contango and backwardation states. The model's ability to adapt to varying market conditions is demonstrated through comprehensive backtesting, where it consistently enhances risk-adjusted returns, further validating its efficacy in commodities trading. This exploration underscores the model's versatility and its potential to redefine curve trading strategies in the commodities markets.

- In Chapter 7, we present a thorough summary of the main contributions of this thesis and outline directions for future work.

Chapter 2

Literature Review

Our discussion begins with the seminal mean-variance optimization framework introduced by Markowitz, 1952, which laid the foundation for modern portfolio theory. He introduced the concept of efficient portfolios that maximize expected returns for a given level of risk. This work, which earned him a Nobel Prize in Economics in 1990, established the framework for portfolio optimization and highlighted the importance of diversification as a risk reduction strategy. Building on this foundation, Sharpe, 1964 and Lintner, 1969 independently developed the Capital Asset Pricing Model (CAPM) in the mid-1960s, extending MPT by introducing concepts such as systematic and unsystematic risk, the risk-free rate, and market risk premium. We examine its principles, advantages, and the challenges associated with its practical implementation. Building on this, we explore extensions and alternatives developed to address some of the limitations of the traditional mean-variance approach. Furthermore, we investigate cutting-edge developments in portfolio optimization, with a particular focus on the burgeoning field of deep learning. This exploration showcases how modern computational techniques are reshaping the landscape of quantitative finance, offering new avenues for more sophisticated and adaptive portfolio management strategies.

2.1 Mean-Variance Optimization

Mean-Variance Optimization (MVO) is a fundamental concept in modern portfolio theory, introduced by Markowitz, 1952. It provides a framework for constructing portfolios that maximize expected return for a given level of risk or minimize risk for a given level of expected return. The objective of MVO is to determine the portfolio weights $w = (w_1, w_2, .., w_n)$ for n assets. These weights represent the proportion of capital allocated to each asset within the portfolio. The two key metrics in this optimization process are the portfolio's expected return $\mathbb{E}[R_p]$ and its variance σ_p^2. The expected return of the portfolio is given by

$$\mathbb{E}[R_p] = w^T \mu$$

where μ is the vector of expected returns for n assets. The portfolio variance can be written as

$$\sigma_p^2 = w^T \Sigma w$$

where Σ is the covariance matrix of asset returns.



FIGURE 2.1: Portfolio selection from the efficient frontier

The efficient frontier is a critical concept in MVO, representing the set of optimal portfolios that offer the highest expected return for a given level of risk or, equivalently, the lowest risk for a given level of expected return. These portfolios are considered "efficient" because they are optimized for both return and risk. The efficient frontier is typically plotted in a risk-return space, where the x-axis represents the portfolio risk and the y-axis represents the expected return. The curve formed by the efficient frontier is upward-sloping, reflecting the trade-off between risk and return. Portfolios that lie below the efficient frontier are suboptimal because they do not provide the maximum possible return for their level of risk. Conversely, portfolios that lie above the frontier are unattainable, given the constraints. The mathematical representation of the efficient frontier involves solving the following optimization problem for different levels of expected return:

$$\begin{aligned} \text{minimize} \quad & \sigma_p^2 \\ \text{subject to} \quad & w^T \mu = \mathbb{E}[R_p] \\ & \sum_{i=1}^{n} w_i = 1 \\ & w_i \geq 0, \quad i = 1, \ldots, n \end{aligned}$$

By varying the target expected return $\mathbb{E}[R_p]$, we can trace out the efficient frontier. One unique portfolio on the efficient frontier is the minimum variance portfolio. This portfolio minimizes risk without regard to the expected return. This portfolio lies at

the leftmost point on the efficient frontier, representing the lowest possible risk for any portfolio of the given assets. The optimization problem for the minimum variance portfolio is:

$$\begin{aligned} \text{minimize} \quad & \sigma_p^2 \\ \text{subject to} \quad & \sum_{i=1}^{n} w_i = 1 \\ & w_i \geq 0, \quad i = 1, \ldots, n \end{aligned}$$

where w is the vector of portfolio weights, Σ is the covariance matrix of asset returns and n is the number of assets. The second formulation aims to maximize the Sharpe ratio (Sharpe, 1994), which is a measure of risk-adjusted return. The Sharpe ratio is defined as the ratio of the portfolio's excess return (over the risk-free rate) to its standard deviation. The optimization problem to maximize the Sharpe ratio is:

$$\begin{aligned} \text{maximize} \quad & \frac{w^T \mu - r_f}{\sqrt{w^T \Sigma w}} \\ \text{subject to} \quad & \sum_{i=1}^{n} w_i = 1 \\ & w_i \geq 0, \quad i = 1, \ldots, n \end{aligned}$$

where r_f is the risk-free rate.

While foundational in modern portfolio theory, MVO exhibits several significant limitations that can impact its effectiveness in real-world applications. MVO assumes that asset returns are normally distributed. However, empirical evidence consistently demonstrates that financial returns often exhibit non-normal characteristics, including skewness and excess kurtosis (Cont, 2001). This discrepancy can lead to underestimation of tail risks, particularly during market stress periods (Xiong and Idzorek, 2011). MVO is inherently static, utilizing historical data to estimate future parameters. This approach does not account for financial markets' dynamic and often non-stationary nature, where correlations and volatilities can change rapidly, especially during crises (Engle, 2002). In practice, MVO often produces highly concentrated portfolios or corner solutions, where a small number of assets receive disproportionately large allocations. This outcome may conflict with diversification principles and practical investment constraints (DeMiguel, Garlappi, and Uppal, 2009).

MVO is highly sensitive to estimation errors in the expected returns vector μ and the covariance matrix Σ. These errors can significantly impact the resulting portfolio weights, leading to suboptimal portfolios. To address this, several techniques have been developed to improve the robustness of parameter estimates. Shrinkage estimators aim to improve the estimation of the covariance matrix by combining the sample covariance matrix with a structured estimator, often chosen for its desirable properties, such as lower variance or more stability. The idea is to shrink the sample estimator towards the structured estimator, resulting in a more reliable estimate. Ledoit and Wolf,

2004 propose a shrinkage estimator for the covariance matrix that blends the sample covariance matrix with a structured target matrix. The shrinkage estimator is given by:

$$\Sigma_{\mathbf{LW}} = \alpha F + (1 - \alpha) \times \Sigma$$

where $\Sigma_{\mathbf{LW}}$ is the shrunk covariance matrix, F is the structured estimator, and α is the shrinkage parameter, with $0 \leq \alpha \leq 1$. While the Ledoit-Wolf shrinkage approach has been widely adopted and provides significant improvements over the sample covariance matrix in many scenarios, it does have several limitations. The Ledoit-Wolf approach employs a linear combination of the sample covariance matrix and a structured target. This linearity may not capture complex, non-linear relationships in the data, potentially leading to sub-optimal shrinkage in scenarios where the true covariance structure deviates significantly from both the sample estimate and the structured target (Ledoit and Wolf, 2017). The Ledoit-Wolf approach implicitly assumes that the covariance structure is relatively stable over time. In financial markets, where correlations and volatilities can exhibit significant time-variation, this assumption may lead to estimation errors, particularly during periods of market turbulence (Engle, 2002). Although the Ledoit-Wolf estimator performs well in high-dimensional settings, its performance can degrade in extremely high-dimensional scenarios where the number of assets far exceeds the number of observations (Ledoit and Wolf, 2012).

2.2 Deep Learning in Portfolio Construction

Yi Zhang, Yu Zhang, and W. Wang, 2021 explore the transformative potential of deep learning in portfolio optimization. Their research highlights the ability of neural networks to capture non-linear relationships in financial data, automatically extract relevant features, and model complex distribution shapes. They emphasize the advantages of recurrent models like RNNs and LSTMs in capturing time-series dynamics and integrating diverse data sources for a comprehensive investment view. Gu, Kelly, and Xiu, 2020 examines the use of machine learning in empirical asset pricing, demonstrating how deep learning models can uncover latent factors driving asset returns and outperform traditional linear models. Heaton, Polson, and Witte, 2017 discusses the application of deep learning in finance, highlighting its ability to model complex relationships and improve forecasting accuracy compared to traditional methods. Deep learning research is exciting and holds the potential to offer compelling solutions to the limitations of Mean-Variance Optimization (MVO) due to several transformative capabilities and advancements it brings to the field of portfolio construction. While deep learning approaches offer numerous potential advantages over traditional MVO, they also come with their own set of challenges. Deep learning models, with their ability to capture complex, non-linear relationships and adapt to dynamic market conditions, provide a more robust framework for portfolio construction (B. Lim, Arık, et al., 2021; W. Chen, Haoyu Zhang, and Jia, 2022a; Ashrafzadeh et al., 2023; Ong and Herremans, 2023). They can handle various real-world constraints, incorporate behavioral factors, and optimize for multiple periods (Abolmakarem et al., 2023; Cui et al., 2024; Byun, S. Cho, and D.-H. Kim, 2024; Ong and Herremans, 2024). However, these benefits come

at the cost of increased complexity, requiring significant computational resources and expertise in model development and training.

One of the significant challenges facing deep learning in portfolio construction is the issue of interpretability. Interpretability refers to understanding and explaining how a model arrives at its predictions or decisions (Doshi-Velez and B. Kim, 2017; Lundberg and S.-I. Lee, 2017; Gilpin et al., 2018; Xie et al., 2020). This is crucial in portfolio management for several reasons. Firstly, trust and transparency are paramount in financial decision-making. MVO models are based on well-understood mathematical principles, making their outputs relatively easy to explain. In contrast, deep learning models, with their complex architectures, can be difficult to interpret, making it challenging to elucidate the rationale behind their predictions. This lack of transparency can hinder trust and acceptance among users who require clear, justifiable reasons for investment decisions.

Significant advancements have been made in explainable Artificial Intelligence (XAI) in recent years. These developments aim to bridge the gap between the complexity of deep learning models and the need for interpretability in critical applications such as portfolio construction. Techniques such as SHAP (SHapley Additive exPlanations) (Lundberg and S.-I. Lee, 2017), LIME (Local Interpretable Model-agnostic Explanations) (Ribeiro, Singh, and Guestrin, 2016), and attention mechanisms (Vaswani et al., 2017) within neural networks are increasingly integrated into deep learning frameworks to enhance their transparency. By incorporating these explainable AI techniques, deep learning models can provide more insights into their decision-making processes, making them more accessible and trustworthy to users.

This enhanced transparency can significantly boost the adoption of deep learning in portfolio construction. When investors and portfolio managers can understand the rationale behind model predictions, their confidence in using these models for decision-making increases. This can lead to improved investment performance, better risk management, and ultimately, greater acceptance and reliance on deep learning technologies within the financial industry.

Chapter 3

Constructing time-series momentum portfolios with deep multi-task learning

3.1 Introduction

As financial markets have evolved, there has been growing interest in exploring alternative methods that can better accommodate the complexities of modern data. Deep learning offers a promising approach, providing the ability to model more intricate relationships in financial data. While MVO remains a valuable tool, deep learning presents an additional option for those looking to enhance portfolio construction by leveraging the strengths of advanced data-driven techniques.

Momentum is a phenomenon that has been extensively studied in the finance literature. It is based on the idea that assets that have recently outperformed their peers will continue to outperform their peers (Jegadeesh and Titman, 1993; Jegadeesh and Titman, 2001). T. J. Moskowitz, Ooi, and Pedersen (2012) proposed the concept of time-series momentum (TSMOM), whereby asset selection focuses purely on the assets' past return rather than their relative returns. They show that a strategy where one simply buys assets if their past 12-month returns are positive and sells them otherwise can achieve an impressive risk-adjusted return. Other researchers have also investigated this phenomenon on a broader range of asset classes with extended sample periods and observed similar results (Georgopoulou and G. J. Wang, 2016; Levine and Pedersen, 2016; Hurst, Ooi, and Pedersen, 2017). Another critical aspect of the time-series momentum strategy is volatility scaling to target a constant volatility exposure. This involves leveraging exposure during low volatility periods and scaling back exposure during high volatility periods. This mechanism may reduce the probability of extreme losses by limiting the tail risk of extreme returns. Without such risk adjustments, momentum strategies are susceptible to large crashes during periods of market stress (Barroso and Santa-Clara, 2015; Daniel and T. J. Moskowitz, 2016). Furthermore, A. Baltas and Kosowski, 2012 show that the efficacy of the volatility estimator can improve the performance of time-series momentum strategies.

3.1.1 Literature Review

The application of deep learning in finance is not new (F. E. Tay and Lijuan Cao, 2001; L.J. Cao and F. Tay, 2003; K.-J. Kim, 2003; Sapankevych and Sankar, 2009; Nunes et

al., 2019; Law and Shawe-Taylor, 2017; Aboussalah and C.-G. Lee, 2020; Yu, Wynter, and S. H. Lim, 2022; Zou and Herremans, 2023). Zihao Zhang, Zohren, and Roberts, 2020 proposes a deep learning approach to directly optimize the portfolio Sharpe ratio without requiring the expected return forecast. In addition, the authors utilize exchange-traded funds (ETFs) of market indices instead of individual assets to form a portfolio. Within the realm of momentum portfolio, B. Lim, Zohren, and Roberts, 2019 introduce a new trading strategy for time series momentum using deep learning techniques called Deep Momentum Networks (DMN). This approach combines deep learning-based trading rules with the volatility scaling framework of time series momentum to learn trend estimation and position sizing in a data-driven manner. The authors optimize the Sharpe ratio of the signal and backtest it on a portfolio of 88 continuous futures contracts. More recently, Wood et al., 2021 introduce the Momentum Transformer, an attention-based deep-learning architecture (Vaswani et al., 2017) that outperforms benchmark time-series momentum strategies. Unlike LSTM architectures, the Momentum Transformer uses an attention mechanism to learn longer-term dependencies, adapt to new market regimes, and capture concurrent regimes at different timescales.

In today's context, the return-generating and risk-management functions are typically separate entities. As a result, the portfolio construction process may need more oversight with adequate risk management before live implementation (Harvey, Rattray, and Hemert, 2021). In addition, much of the existing research on deep learning for portfolio construction focuses on maximizing the Sharpe ratio as an objective function. A yet unexplored type of type of deep learning in this context is Multi-task learning (MTL). Multi-task learning (MTL) involves training a neural network to learn multiple tasks (related to one another) jointly rather than independently to improve the model's generalizability (Caruana, 1997; Sebastian Thrun, 1998; Ruder, 2017). This technique has become increasingly important due to its relevance in many applications, ranging from Computer vision, Natural Language Processing, to Speech Recognition (Collobert and Weston, 2008; Bingel and Søgaard, 2017; Anastasopoulos and Chiang, 2018). For example, when performing visual scene understanding in the field of Computer Vision, a model needs to understand both the scene's geometry and its semantics simultaneously. Not surprisingly, researchers showed that the MTL approach outperforms models trained individually on each task (Cipolla, Gal, and Kendall, 2018). Ghosn and Bengio (1996) first used MTL to train a model to predict the future returns of multiple stocks simultaneously. However, the authors found significantly better results when some or all of the parameters of the stock models are not shared. Since then, much more research has been done on multi-task learning in finance, but much of this is focused on forecasting forward returns, ranking assets and not portfolio construction (T. Ma and Y. Tan, 2022; Y. Kang et al., 2022; Yuan et al., 2023).

To address the research gaps mentioned above and inspired by recent progress in MTL, we propose constructing a time-series momentum portfolio through multi-task learning where tasks related to returns and risk are jointly learned. Our suggested approach envisions a union between the return-generating and risk-management processes. In this case, our auxiliary tasks, which focus on predicting multiple types of forward-looking volatility, allow the model to learn the shared representation of the assets' forward-looking risk relevant to the main tasks of portfolio construction. For

instance, with a forward-looking view of the risk of an asset, we can size the asset's position more adequately. This approach can help capture complex interactions between investment objectives, such as risk and return trade-offs.

3.1.2 Our Contributions

We demonstrate that using a multi-task deep neural architecture to learn portfolio construction and auxiliary tasks simultaneously improves the performance of time-series momentum strategies, thus making our approach more effective than existing TSMOM strategies. In addition, compared to the existing time-series momentum approach, our proposed approach circumvents the need to specify the momentum and position sizing rule explicitly. Our main contributions are: i.) A novel multi-task deep learning-based framework that results in improved time-series momentum portfolios, ii.) the first implementation and study of multi-task learning in the context of portfolio construction, and iii.) extensive experimental analysis to understand the performance trade-offs resulting from using different volatility-related auxiliary tasks.

3.2 Classical Time-Series Momentum Strategy

One of the most influential ideas in the finance literature is the Efficient Market Hypothesis (EMH) (Fama, 1970). In the most general sense, the EMH implies that any predictable pattern will eventually cease to exists as market participants increasingly act upon it. Unfortunately, the EHM fails to explain many of the persistent market anomalies documented by researchers (Jegadeesh and Titman, 1993; Kishore et al., 2008; T. J. Moskowitz, Ooi, and Pedersen, 2012; Rossi, 2015). One such market anomaly is cross-sectional momentum, whereby assets that recently outperformed their peers (over the past 3 to 12 months) will continue to outperform them on average over the next month (Jegadeesh and Titman, 1993). Since the study by Jegadeesh and Titman (1993) was published, a growing body of research suggests that the performance of portfolios constructed using cross-sectional momentum is robust across asset classes, markets, and periods (Jegadeesh and Titman, 2001; Asness et al., 2014; Geczy and Samonov, 2016).

In contrast to traditional work on momentum, T. J. Moskowitz, Ooi, and Pedersen (2012) discovered another form of momentum: time-series momentum (TSMOM), whereby there is strong predictability from an asset's past performance. Specifically, they found that the past 12-months' excess return of an asset is a positive predictor of its future returns. Following T. J. Moskowitz, Ooi, and Pedersen (2012), we can express the realized returns $r_{t,t+1}^{TSMOM,i}$ for period t to $t+1$ of a single asset i, for the TSMOM strategy as follows:

$$r_{t,t+1}^{\text{TSMOM},i} = sgn(r_{t-252,t}^{i}) \frac{\sigma_{tgt}}{\sigma_t^i} r_{t,t+1}^{i} \tag{3.1}$$

$$sgn(x) := \begin{cases} \text{-1} & \text{if } x < 0, \\ 0 & \text{if } x = 0, \\ 1 & \text{if } x > 0. \end{cases} \tag{3.2}$$

where $r^i_{t-252,t}$ is the previous one year return of asset i, $r^i_{t,t+1}$ is the one day return of the asset i, σ_{tgt} is the annualized target volatility, and σ^i_t is the ex-ante volatility of asset i estimated using the standard deviation of returns with exponentially decaying weights and a span of 60 days. In Equation (3.1), the size of the trade is determined by σ_{tgt}/σ^i_t. Sizing the position in such a manner results in more volatile assets having a lower weight than their less volatile counterparts. A final (full) portfolio can be constructed using a TSMOM strategy by taking the average return series of the individual volatility scaled strategies where $r^{\text{TSMOM}}_{t,t+1}$ is the realised return of the portfolio strategy from day t to $t+1$ and S_t is the total number of assets in the portfolio in period t, as per the equation below:

$$r^{\text{TSMOM}}_{t,t+1} = \frac{1}{S_t}\sum_{i=1}^{S_t} r^{\text{TSMOM},i}_{t,t+1} \tag{3.3}$$

3.3 Multi-Task Time-Series Momentum Strategy

In this work, we propose a deep-MTL architecture with hard parameter sharing, which includes two types of tasks: the main task and the auxiliary tasks. The main task of the proposed model is constructing a time-series momentum portfolio. The auxiliary tasks, on the other hand, are included to enhance the model's shared representation and allow the model to better generalize, which in turn will aid the main task. In our proposed architecture (Figure 3.2), the inputs are encoded using Long Short-Term Memory (LSTM) (Hochreiter and Schmidhuber, 1997) layers which serve as the shared layers, after which the network branches out into task-specific feedforward networks. In Section 3.4, we describe the details of the architecture's implementation as well as the hyperparameters tuning process.

3.3.1 Multi-Task Learning

Multi-task learning (MTL) constitutes a paradigm within machine learning whereby multiple related tasks are learned simultaneously using a shared representation. This approach leverages commonalities and differences across tasks, leading to better generalization and efficiency than learning each task independently. In their seminal work, Caruana, 1997 introduced the concept of utilizing shared hidden layers to enhance generalization across related tasks. This approach, known as multi-task learning (MTL), leverages the relationships between tasks to learn inductive biases, thereby improving performance on each individual task. Since then, numerous architectural frameworks and methods have been developed to implement MTL effectively, further demonstrating its potential across a wide range of applications. Hard parameter sharing is the most common approach, where the lower layers of the network are shared among all tasks, and task-specific layers are added on top. This approach reduces the risk of overfitting and the number of parameters (Ruder, 2017). In contrast, soft parameter sharing involves each task having a network with its parameters. However, regularization terms are added to encourage the parameters of the different models to be similar (Duong et al., 2015).



FIGURE 3.1: (a) Hard Parameter Sharing: Shared layers feed into task-specific layers, reducing overfitting and parameter count by having tasks share lower layers. (b) Soft Parameter Sharing: Each task has its own input and output layers, with constrained layers promoting shared parameters through regularization, allowing for task-specific adjustments.

In natural language processing (NLP), MTL has been used for tasks such as part-of-speech tagging, chunking, and named entity recognition (Collobert, Weston, et al., 2011). In computer vision, MTL is used for tasks like object detection, segmentation, and depth estimation. Cipolla, Gal, and Kendall, 2018 showed that MTL can improve the performance of these tasks by learning shared representations. In time series forecasting, MTL has been applied to improve the prediction of multiple related time series. The work by B. Lim, Arık, et al., 2021 on Temporal Fusion Transformers demonstrated the effectiveness of MTL in handling multivariate time series with different forecasting horizons.

Despite its success, MTL faces several challenges. Task imbalance is a significant issue, as different tasks may have different amounts of data and complexity, leading to imbalance issues that can affect model performance. Solutions like dynamic weighting of task losses have been proposed to address this (Cipolla, Gal, and Kendall, 2018). Another challenge is negative transfer, where tasks are not sufficiently related, and sharing representations can lead to deteriorating performance on one or more tasks. Identifying and mitigating negative transfer remains an active area of research (Lakkapragada et al., 2023). In conclusion, MTL continues to be a promising approach for leveraging the relationships between related tasks to improve learning efficiency and performance. Advances in architectural design and optimization techniques have expanded its applicability across various domains. Future research should focus on addressing the challenges of task imbalance, negative transfer, and model interpretability to fully realize MTL's potential.

3.3.2 Main Task: portfolio construction

As per Equation (3.1), the two key variables for building a traditional time-series momentum portfolio are the momentum signal used to identify trends and the volatility estimator used in position sizing. These are represented by the terms $sgn(r^i_{t-252,t})$ and σ^i_t respectively. The product of the time-series momentum signal and the inverse ex-ante volatility for a particular asset will yield its resulting weight in the portfolio. Instead of explicitly defining time-series momentum signals and volatility estimators independently as proposed by T. J. Moskowitz, Ooi, and Pedersen (2012), we parameterize both of these terms and predict them directly using our proposed multi-task architecture, so as to learn both the trend and position sizing simultaneously. We can express the realized returns $r^{\rho}_{t,t+1}$ of our proposed MTL method as follows:



FIGURE 3.2: The architecture consists of Long-Short Term Memory (LSTM) modules which serve as the shared layers. In these layers, the network parameters are shared across the various task-specific layers. Each task-specific layer is a feedforward network (FNN) layer, whereby each FNN learns a set of parameters optimized to their respective task. In Section 3.4.2, we discussed the features used as input to our model in more detail. In this section we will describe the output of each FNN.

$$r^{\rho}_{t,t+1} = \frac{\sigma_{tgt}}{S_t} \sum_{i=1}^{S_t} w^i_{t-1,t}\, r^i_{t,t+1} \tag{3.4}$$

where $w^i_{t-1,t}$ is the output of the task-specific layer (for the main task) at time t for asset i in our proposed model and represents the weight allocated to that asset i in our portfolio. Regular re-balancing is typically required to manage the changing risk profile of each asset i n any portfolio. Too many trades, however, could also hurt performance. To ensure that our model considers this and is thus suitable for live implementation, we embedded transaction costs into Equation (3.4) to obtain Equation (3.5) to calculate the realized returns more accurately. Here, τ is the transaction cost (set as 3 basis points (bps)), and $|w^i_{t-1,t} - w^i_{t-2,t-1}|$ is the change in weight of asset s in the portfolio from time t to time $t+1$.

$$r^{\rho}_{t,t+1} = \frac{\sigma_{tgt}}{S_t} \sum_{i=1}^{S_t} w^i_{t-1,t}\, r^i_{t,t+1} - \tau |w^i_{t-1,t} - w^i_{t-2,t-1}| \tag{3.5}$$

Since our primary objective when developing the multi-task model is to construct a portfolio with better risk-adjusted performance, we employ the Sharpe ratio (Sharpe, 1994), as per Equation (3.6), as the loss function that is minimized during the training of our neural network model.

$$L_{\text{Sharpe Ratio}} = -\frac{\mathbb{E}[r^{\rho}]}{\sigma_{r^{\rho}}} \tag{3.6}$$

where $\mathbb{E}[r^{\rho}]$ and $\sigma_{r^{\rho}}$ are the mean and standard deviation of the portfolio's realised returns, respectively.

Unlike existing mean-variance approaches to portfolio construction (Markowitz, 1952; Black and Litterman, 1992; Chekhlov, Uryasev, and ZABARANKIN, 2005; Estrada, 2007), where forward-looking excess returns are required, our approach circumvents the need for this forecasting and obtains the asset allocations directly by optimizing the Sharpe ratio. As a result, we do not have to deal with instability caused by estimation errors when predicting excess returns (Black and Litterman, 1992; Clarke, H. d. Silva, and Thorley, 2002; DeMiguel, Garlappi, and Uppal, 2007) in our portfolio construction process.

In addition, having an optimized end-to-end model is extremely attractive as it circumvents the need to specify the time-series momentum signals and volatility estimator independently. Furthermore, using ex-ante volatility to scale the positions in the portfolio, as is the case for TSMOM, has its shortcomings. For example, the ex-post volatility of a time-series momentum portfolio could differ from the target volatility because the ex-ante volatility estimates are prone to estimation errors. Moreover, the volatility of the assets can change drastically during the holding period. These limitations may give rise to unnecessary turnover, reducing the performance after accounting for transaction costs (Baz et al., 2015).

3.3.3 Auxiliary Tasks

In the context of multi-task learning, the purpose of these auxiliary tasks is to enable the model to learn a shared representation that contains relevant information which may improve the performance of the main task (Baxter, 2000; Ruder, 2017; Liebel and Körner, 2018). As found by A. Baltas and Kosowski, 2012, the efficacy of the volatility estimator used to perform volatility scaling can significantly impact the performance of time-series momentum strategies. Hence, we study five auxiliary tasks for forecasting each asset's 21-days forward-volatility as defined by the:

1. Close-to-close volatility estimator, σ_{ctc}
2. Parkinson volatility estimator, σ_p (Parkinson, 1980)
3. Garman-Klass volatility estimator, σ_{gk} (Garman and Klass, 1980)
4. Rogers-Satchell volatility estimator, σ_{rs} (Rogers and Satchell, 1991)
5. Yang-Zhang volatility estimator, σ_{yz} (D. Yang and Q. Zhang, 2000)

By adding these auxiliary tasks, we aim to induce forward-looking volatility information into the shared representation, thus allowing the main task-specific layers to construct a better risk-adjusted time-series momentum portfolio. This is confirmed in the experiment in Section 3.5. As our training loss function for the auxiliary task-specific layers, we minimize the negative correlation between the predicted and the realized volatility:

$$L_{\text{corr}(y,\hat{y})} = -\frac{S_{y,\hat{y}}}{S_y \cdot S_{\hat{y}}} \tag{3.7}$$

where y is the predicted volatility, $\hat{y}$ is the realized volatility, $S_{y,\hat{y}}$ is the covariance of y and $\bar{y}$, which is calculated as $S_{y,\hat{y}} = \frac{1}{n-1}\sum_{i=1}^{n}(y_i - \bar{y})(\hat{y}_i - \bar{\hat{y}})$ where n is the number of samples and S_y and $S_{\hat{y}}$ is the standard deviation of y and $\hat{y}$, respectively.

3.3.4 Loss function

Putting it all together, the final loss function of our model, which we minimize during training, can be written as Equation (3.8). Here, the loss for the main task L_{main} is the negative Sharpe ratio, and the loss for the H auxiliary tasks $L_{aux,h}$ is the negative correlation between the predicted volatility and realized volatility. Finally, μ and λ are the weights assigned to each of the tasks' loss, which are in the range of $[0, 1]$ with $\mu + \lambda = 1$. Simply put, we perform a weighted linear sum of the losses for each task, where $\mu = 0.5$ and $\lambda = 0.5$. Here, H is the set of five auxiliary tasks that include forecasting volatility defined by the different volatility estimators discussed above.

$$
\begin{aligned}
L_{total} &= \mu\, L_{\text{main}} + \lambda \sum_{h \in H} L_{\text{aux},h} \\
&= \mu\, L_{\text{Sharpe Ratio}} + \lambda \sum_{h \in H} L_{\rho_{y,\hat{y}},h} \\
&= -\mu\, \frac{\mathbb{E}[r^{\rho}]}{\sigma_{r^{\rho}}} + \lambda \sum_{h \in H} -\frac{S_{y_h,\hat{y}_h}}{S_{y_h} \cdot S_{\hat{y}_h}}
\end{aligned}
\tag{3.8}
$$

3.4 Experimental Setup

3.4.1 Dataset

Individual futures contracts have expiry dates and variable liquidity. As a result, they are unsuitable for analyzing long-term trends. Instead, we evaluate our proposed model on the Stevens Continuous Futures data feed (Stevens Analytics, 2020) obtained through Nasdaq Data Link from January 1990 to December 2020. This data feed has a daily frequency and more than 20 years of historical data. The Steven Continuous Futures data feed provides a long-term continuous price history for 78 of the most popular US and international futures contracts from various asset classes, including commodities, currencies, fixed income, and equity indexes futures. In particular, we use the continuous contract history of each asset spliced together using end-to-end concatenation with the prices adjusted using the backward-ratio method.

3.4.2 Feature Set

We derive a set of time-series momentum features from the daily settled price of the continuous futures by taking the log returns ($r^i_{t-d,t}$) over the past 1 trading day, 21 trading days, 63 trading days, 126 trading days, and finally 252 trading days:

$$
r^i_{t-d,t} = \ln \frac{P^i_t}{P^i_{t-d}} \tag{3.9}
$$

where $r^i_{t-d,t}$ is the natural logarithm of the d-day return of asset i at day t, P^i_t is the settled price of asset i at time t and P^i_{t-d} is the settled price of asset i, d trading days ago at time t. We also constructed features that would allow the proposed model to capture various asset risk dimensions:

1. Realized volatility RV^i_{t-n} over the past 5 trading days, 21 trading days, 63 trading days, 126 trading days, and finally 252 trading days. The realized volatility of an asset i is given by Equation 3.10.

$$
RV^i_{t-n,t} = \sqrt{\frac{252}{N} \sum_{n=1}^{N} (r^i_{t-n,t-n+1})^2} \tag{3.10}
$$

   where RV^i_{t-n} is the realized volatility of asset i at time t. The constant 252 represents the approximate number of trading days in a year, N is the number of

trading days in the measurement time frame, $r^i_{t-n,t-n+1}$ is the log daily return of asset i at time $t-n$.

2. Realized volatility of realized volatility (vol of vol) is obtained by applying the same formula used for calculating the realized volatility on the realized volatility itself. When applying the formula the second time, however, we always calculate it on a 21 trading day basis, regardless of the time frame of the realized volatility.

There are two reasons why we created the features as such. First, to retain the spirit of time-series momentum, we only use features similar to those used in constructing a time-series momentum portfolio (T. J. Moskowitz, Ooi, and Pedersen, 2012). Second, and most importantly, we do not want the feature engineering to drive the performance of the portfolios, but rather the model's multi-task architecture should be delivering the performance.

Given that these features have varying scales, before using them as inputs to our model, we apply z-score standardization with a sliding window of length 21 to our features. In this case, a sliding window z-score is preferred over a static z-score because financial time-series data are non-stationary.

3.4.3 Benchmark Models

We have constructed a number of portfolios to serve as the reference benchmarks for our proposed model's performance.

1. TSMOM is the time-series momentum portfolio by T. J. Moskowitz, Ooi, and Pedersen (2012), whereby assets are bought or sold based on the assets' previous 12 months return. This portfolio is re-balanced daily.

2. CTA-MOM is the Commodity Trading Advisor (CTA)-momentum signal based on the cross-over of exponentially weighted moving averages as proposed by Baz et al. (2015). This portfolio is re-balanced daily.

The volatility target, σ_{tgt} for TSMOM and CTA-MOM was chosen such that the average return across all assets in the portfolios would have approximately 10% annualized volatility from January 2000 to December 2020.

3.4.4 Backtest Specifications

In the backtest results presented in the next section, our proposed model was trained from scratch every year using an expanding window cross-validation approach as shown in Figure 3.3, with 20% of the training data kept as a validation set. After training, we used the models to generate the portfolio on the test set, with each test set containing a year's worth of out-of-sample results. Then, using data from January 1990 to December 2020, we repeated this expanding window out-of-sample generation 21 times, resulting in an out-of-sample backtest from January 2000 to December 2020.

Throughout the backtest, we trained our model on the training data. During training, the loss functions (both the negative Sharpe loss function for the main-task and negative correlation for the auxiliary tasks) are minimized using Stochastic Gradient



FIGURE 3.3: Expanding window cross-validation.

Parameters	Values
Number of LSTM Layers	1, 2, 3, 4
LSTM Number of Hidden Units	32, 64, 126, 252
LSTM Dropout Rate	0.05, 0.10, 0.15, 0.20
Number of MLP Layers	1, 2, 3, 4
MLP Number of Hidden Units	32, 64, 126, 252
MLP Dropout Rate	0.05, 0.10, 0.15, 0.20
Learning Rate	0.0001, 0.001, 0.01, 0.1
Max Gradient Norm	0.01, 0.1, 0.

TABLE 3.1: Hyperparameter Search Space.

Descent (SGD) with the Adam optimizer and a learning rate set at 0.0001. Finally, the validation set was used to perform a grid search in order to find the best hyperparameters within the parameter search space shown in Table 3.1. The model training will terminate when it reaches 200 epochs. In addition, we implemented early stopping, which terminates training before the 200 epochs are reached when there is no longer an increase in the validation loss (on the validation set) for 25 epochs. Since we took an expanding window out-of-sample strategy to train and validate our model, the final training batch, which uses data from January 1990 to December 2019, took approximately 2 hours to train using a machine with NVIDIA GeForce RTX 2060 installed.

3.5 Experiment results and analysis

3.5.1 Performance Evaluation

We compute the backtest metrics for all of the portfolios by aggregating the out-of-sample results from January 2000 to December 2020. We then derive the net backtesting metrics by assuming a transaction cost of 3 basis points (bps). During our backtest, we applied volatility scaling to all portfolios, bringing the volatility to a target of 10%. This rescaling also helps to enable comparisons between the cumulative returns of different strategies. In Table 3.2, the returns of our proposed strategy, which we refer to as MTL-TSMOM, outperforms both TSMOM and CTA-MOM by 236 bps and 624 bps, respectively, over the 20 year test period.

	TSMOM	**CTA-MOM**	**MTL-TSMOM**
Annualized Return (%)	5.54	1.66	**7.90**
Annualized Sharpe Ratio	0.59	0.21	**0.81**
Annualized Sortino Ratio	0.83	0.31	**1.20**
Return Over Max Drawdown	0.28	0.04	**0.38**
Max Drawdown (%)	**-19.88**	-41.63	-21.00
Max Drawdown Period	432	3066	**103**
Max Drawdown Recovery Period	385	N.A.	**42**
Proportion of Positive Returns (%)	**53.44**	51.44	51.62

TABLE 3.2: Backtest metrics (net) from January 2000 to December 2020. Transaction costs were set at 3 bps. All portfolios have been rescaled to target 10% annualized volatility.

The maximum drawdown is a strategy's maximum loss from peak to trough over a given investment period. Drawdown presents a significant risk to investors when considering the uptick in returns needed to overcome a drawdown. For instance, if a strategy losses 50%, it requires a 100% increase to recover to the former peak. Throughout the backtest, our proposed model's maximum drawdown is -21%, significantly better than the CTA-MOM strategy, which has a -41.63% maximum drawdown but slightly worse than the TSMOM strategy, a maximum drawdown of -19.88%. However, when considering the strategy's return divided by the maximum drawdown, our proposed model performs better with a score of 0.38. In contrast, the TSMOM and CTA-MOM benchmark models obtained a score of 0.28 and 0.04, respectively. In addition to a low drawdown magnitude, investors also typically prefer a portfolio with a lower recovery time. Hence, the drawdown duration is another critical dimension of analyzing a trading strategy's risk. This work presents two metrics to assess our proposed and benchmark models. First, the Max Drawdown Period is the total time (in trading days) that has elapsed from the start to the end of the most significant drawdown. Secondly, the Max Drawdown Recovery Period represents the time taken in trading days by the strategy (if recovered), from the largest drawdown to recovery. In Table 3.1, our proposed model performs better than the benchmark models in terms of the Max Drawdown Period and Max Drawdown Recovery Period. Our proposed model began its largest drawdown period on 5 May 2006 and hit its max drawdown of -21% on 2 October



FIGURE 3.4: (Top) The plot shows our proposed model performance (dark blue) against the benchmark models over the test set period January 2000 to December 2020. At inception, we invested $100 in each strategy, and the terminal value indicates how much our initial investment would be worth at the end of December 2020. All strategies were re-scaled to 10% volatility. (Bottom) The plot shows the drawdown of our proposed model against the benchmark models during the same period. Drawdown refers to the decline in the value of a portfolio from a previous peak value to the largest subsequent trough.

2006. Subsequently, it took only 42 trading days to recover from its biggest drawdown. In comparison, TSMOM hit its maximum drawdown of -19.9% on 28 December 2012 and took 385 trading days before making new highs, while CTA-TSMOM did not recover from its maximum drawdown in the backtest period. Although our proposed model did not fare better than TSMOM in terms of the magnitude of the drawdown, the lower drawdown recovery periods and higher annualized return present itself as a more attractive portfolio.

3.5.2 Ablation Study

Our proposed Multi-Task TSMOM model is trained with several auxiliary tasks. In this section, we perform an ablation study to investigate the effects of training the portfolio construction tasks with different auxiliary tasks.

Aux. task	Ann. Return (%)	Sharpe Ratio	Sortino Ratio	Max Drawdown (%)
None	6.63	0.69	1.02	-36.54
Close-to-close	6.85	0.71	1.05	-21.30
Parkinson	4.61	0.50	0.74	-38.20
Garman Klas	6.67	0.70	1.03	-34.82
Rogers-Satchell	5.32	0.57	0.85	**-18.69**
Yang-Zhang	7.03	0.73	1.08	-25.66
MTL-TSMOM (All)	**7.90**	**0.81**	**1.20**	-21.00

TABLE 3.3: Backtest metrics (net) from January 2000 to December 2020 when training our model with the main task (portfolio construction) with various single auxiliary tasks (all different types of volatility forecasts), as well as a full model with all auxiliary tasks and one without any auxiliary tasks. The transaction costs were set at 3 bps. All portfolios have been rescaled to target 10% annualized volatility.

Table 3.3 shows the risk-adjusted performance of the various portfolios constructed by models without any auxiliary task, with a single auxiliary task, and with all auxiliary tasks (MTL-TSMOM). The table allows us to compare the full proposed MTL-TSMOM to a model trained without any auxiliary tasks. The former MTL-TSMOM outperforms the latter by 127 bps and incurred a much lower max drawdown (-21%). This better performance when using all auxiliary tasks is also apparent when comparing the full MTL-TSMOM to models where the portfolio construction task was co-trained with a single auxiliary task. This confirms the advantage of co-training the portfolio construction task with many auxiliary tasks in an MTL setting. We also note, however, that not all auxiliary tasks, when trained jointly with the portfolio construction task, results in better performance. These observations highlight the intricacies of task selection for portfolio construction in an MTL setting, and confirm that our proposed model with all five auxiliary tasks largely achieves the best performance.

3.5.3 Long-term Correlation with Equities Index

It is widely known that the Time-Series Momentum Strategy (TSMOM) and Trend following strategies, such as CTA-MOM, exhibit negative downside correlation to equity

markets (Hurst, Ooi, and Pedersen, 2017), providing the potential to perform well during periods of sustained stress in global equity markets. In this section, we show that our proposed model exhibits similar characteristics while attaining a lower long-term correlation to equity markets. We have selected the US MSCI Index as the equity index benchmark for our analysis. The US MSCI Index measures the performance of the large and mid-cap segments of the US market. It contains 626 constituents and covers approximately 85% of the free float-adjusted market capitalization in the US. Instead of using the US MSCI Price Return Index for our analysis, we used the Total Return Index. The total return index accounts for activity associated with dividends, interest, rights offerings, and other distributions realized over a given period. As a result, the US MSCI Total Return Index is a better representation of the index's actual growth over time. Using the Bloomberg Terminal, we obtained the US MSCI Total Return Index data from January 2000 to December 2020.

In Figure 3.5b, we plot the 252-day rolling correlation of the results generated by our proposed model in Section 3.5.1 as well as the two benchmark portfolios returns with the US MSCI Total Return Index, which measures the performance of the large and mid cap segments of the US market. From the figure, it can be observed that there are some crucial times when the negative correlation between all three models and the US MSCI Total Return Index coincides with periods of sustained negative equity performance. For example, we observe a dip in the 252-trading days rolling correlation, which becomes highly negative during periods of financial market stress, such as the Global Financial Crisis of 2008-2009 (Wood et al., 2022) and, more recently, the Coronavirus Crash of 2020 (Mazur, Dang, and Vega, 2021). The longest bull market on record post-global financial crisis began in March 2009 and lasted nearly 11 years until the COVID-19 pandemic brought it to a close. We observed a relatively higher correlation between the benchmark models and US MSCI Total Return Index during this period. Interestingly, our proposed models maintain a relatively low correlation to the US MSCI Total Return Index throughout our backtesting period, ranging from -0.24 to 0.28 as compared to the benchmark models, where the 252-trading days rolling correlation is in the more extreme range of -0.77 to 0.81. The low long-term correlation with equities makes our proposed model extremely attractive for asset allocators looking for an alternative source of return that has a low correlation with the standard 60/40 portfolio (Robinson and Langley, 2017; Graham, 2020).

To further substantiate the diversification benefits of our proposed model, we picked two well-known market stress events to observe how our proposed and benchmark models perform: the Global Financial Crisis (GFC) of 2008, which began in early October 2007 before bottoming in March 2009, and more recently, the Coronavirus Crash of 2020, which began in mid-February 2020 and ended in early April 2020. In Figure 3.6, we plot the cumulative return of our proposed strategy, two benchmark strategies, and the equity index during the GFC and Coronavirus Crash. During both of these periods of extreme market stress, our proposed and the benchmark models significantly outperformed the US MSCI Total Return Index, with our proposed model outperforming the US MSCI Total Return Index by 57% and 34.4% in the GFC and Coronavirus Crash of 2020, respectively.

(A) Cumulative Returns of US MSCI Total Return Index



(B) The plot shows the 252-trading day rolling correlation of our proposed model and benchmark momentum models' daily returns with the US MSCI Total Return Index returns.

FIGURE 3.5: Rolling Correlation of Momentum Portfolios against US MSCI Index



(A) The plots show that our proposed strategy, two benchmark strategies, as well as the equity index performance during the Global Financial Crisis.



(B) The plots show that our proposed strategy, two benchmark strategies, as well as the equity index performance during the Coronavirus Crash.

FIGURE 3.6: Crisis Performance

3.6 Conclusion

We propose a multi-task learning time-series momentum model (MTL-TSM), which is a novel portfolio optimization method based on deep multi-task learning. In the MTL setting, our model jointly learns portfolio construction and various auxiliary tasks related to volatility, such as forecasting realized volatility. Our model was implemented in Python with PyTorch, the full source code of the model is available online[1]. In a thorough experiment, after accounting for transaction costs of up to 3 basis points, we demonstrate that our proposed approach consistently outperforms all benchmarks in risk-adjusted return, achieving an out-of-sample annualized return of 7.90% for the period of 1st January 2000 to 31st December 2020. Furthermore, our extensive experiments also show that the proposed MTL-TSMOM outperforms existing multi-task benchmarks in constructing a better risk-adjusted portfolio. Lastly, our proposed model shows a low correlation to the US MSCI Total Return Index's returns, thus presenting itself as an extremely attractive diversifier to existing stocks and bonds portfolios. Future research directions include identifying additional auxiliary tasks to construct a time-series momentum portfolio with better overall performance. In addition, it would be of interest to explore dynamic task weighting instead of static task weighting. Finally, it would be interesting to quantify the relationship between portfolio construction and other auxiliary tasks. In particular, how valuable they may be for multi-task representation learning in portfolio construction.

[1] https://github.com/joelowj/mtl-tsmom

Chapter 4

Optimising Multi-Timeframe Momentum Portfolio via Multi-Task Learning with Multi-Gate Mixture of Experts

4.1 Introduction

Recognizing that financial markets operate across multiple time horizons, with opportunities and risks manifesting differently over short, medium, and long terms, we sought to develop a portfolio optimization approach that could effectively capture this complexity. This led us to adapt the multi-task learning framework, traditionally used for learning related tasks simultaneously, to address the unique challenges of multi-horizon portfolio optimization. By leveraging this framework, we were able to design a model that not only predicts and responds to momentum across different time frames but also seamlessly integrates these insights into a unified portfolio strategy. This adaptation allows the model to dynamically adjust to varying market conditions, optimizing the portfolio's performance across multiple horizons in a cohesive and end-to-end manner.

Time-series momentum (TSMOM) strategies are a systematic approach in finance that leverages the persistence of asset returns over time. These strategies aim to exploit the continuation of underlying trends by establishing long positions during uptrends and short positions during downtrends (Jegadeesh and Titman, 1993; Jegadeesh and Titman, 2001). The concept of momentum has garnered extensive attention in financial literature, underscoring its importance. Research by (T. J. Moskowitz, Ooi, and Pedersen, 2012) highlights the effectiveness of TSMOM, showcasing impressive risk-adjusted returns by simply buying assets with positive past 12-month returns. Further studies across various asset classes corroborate these findings, emphasizing the robustness of TSMOM strategies Georgopoulou and G. J. Wang, 2016; Levine and Pedersen, 2016; Hurst, Ooi, and Pedersen, 2017; Malitskaia, 2020. At the core of TSMOM strategies is volatility scaling, a crucial method for managing exposure to market volatility (A. Baltas and Kosowski, 2012). Through adjustments in exposure levels during periods of low and high volatility, TSMOM strategies effectively mitigate the risk of significant losses during market turbulence (Harvey, Hoyle, et al., 2020). This approach has

proven invaluable in enhancing Sharpe ratios, curbing extreme tail returns, and limiting maximum drawdowns in portfolios of risky assets (Barroso and Santa-Clara, 2015; Daniel and T. J. Moskowitz, 2016; Ong and Herremans, 2023).

However, TSMOM strategies often fail to account for the interactions between different assets within a portfolio (Nilsson, 2015; Pu et al., 2023). This oversight can lead to excessive risk exposure, as these strategies treat each asset in isolation without considering how they correlate and interact. For example, the simultaneous momentum trends in equities, commodities, and currencies can amplify overall portfolio risk if not managed cohesively. Overlooking these interactions can diminish diversification benefits and increase the likelihood of significant drawdowns during market turbulence.

Moreover, various asset classes, and even individual assets within those classes, exhibit distinct momentum dynamics with differing trend speeds. This variation makes risk allocation challenging, as applying a one-size-fits-all approach to trend speed can result in less-than-ideal investment outcomes (Levine and Pedersen, 2016; Duan, 2023). To address this, some practitioners implement multiple TSMOM portfolios, each tailored to a specific trend speed, and distribute capital among them (Tzotchev, 2018; Zambrano and Rizzolo, 2022; Goulding, Harvey, and Mazzoleni, 2023). Nevertheless, this approach can still result in inefficient capital distribution, indicating a need for more refined methods that can adeptly navigate the varying momentum speeds of different assets and asset classes for more effective capital allocation.

4.1.1 Literature Review

Research in deep learning in finance is well-established, with numerous studies leveraging these techniques to enhance prediction accuracy, portfolio optimization, and risk assessment. (Y. Zhao and G. Yang, 2023) introduce a hybrid model, SA-DLSTM, combining emotion-enhanced convolutional neural networks (ECNN), denoising autoencoders (DAE), and long short-term memory (LSTM) models to predict stock price movements by analyzing sentiment from user-generated comments. (J. Wang, Haipeng Zhang, and Luo, 2022) propose a portfolio construction model integrating the KMV model with a multiobjective water cycle algorithm, enhancing portfolio evaluation and stability by incorporating financial data from listed companies. (Min et al., 2021) address conservatism in worst-case robust portfolio optimization by suggesting hybrid models that use LSTM and XGBoost to forecast market movements and generate hyperparameters for modeling. (Lin et al., 2022) develop a multiagent-based deep reinforcement learning framework for portfolio management, featuring a two-level nested agent structure and a custom reward function to optimize trading decisions and risk transfer behaviors. Lastly, (Ozbayoglu, Gudelek, and Sezer, 2020) provide a comprehensive survey of deep learning applications in finance, categorizing models and identifying future research opportunities. These studies collectively demonstrate advancements in applying deep learning to financial applications, highlighting the potential for innovative techniques to improve financial model robustness and performance. However, none of these studies specifically focus on momentum portfolio construction.

T. J. Moskowitz, Ooi, and Pedersen, 2012 introduced the concept of time-series momentum (TSMOM), demonstrating that the excess returns of an asset over the past 12 months strongly predict its future performance. Since introducing this concept, it has become a conventional practice for practitioners to implement momentum-based

portfolios (Asness et al., 2014; Hurst, Ooi, and Pedersen, 2017; N. Baltas and Robert Kosowski, 2021). In recent years, the use of deep learning approaches in portfolio construction has gained increasing popularity (B. Lim, Zohren, and Roberts, 2019; Zihao Zhang, Zohren, and Roberts, 2020; Y. Kang et al., 2022; Yu, Wynter, and S. H. Lim, 2022; Pu et al., 2023; Yuan et al., 2023). More notably, in the space of deep learning for portfolio construction, Wood et al., 2022 proposed deep-learning architecture that improves upon traditional time-series momentum and mean-reversion strategies. With multiple attention heads (Vaswani et al., 2017), it tracks diverse market regimes across timescales and offers interpretability by highlighting influential factors and key time steps, refining trading strategies. The attention mechanism helps to enhance learning of long-term dependencies and adaptability to new market conditions like the SARS-CoV-2 crisis. Ong and Herremans, 2023 first proposed the application of deep multi-task learning (MTL) in momentum portfolio construction, which incorporates auxiliary tasks related explicitly to volatility forecasting (Parkinson, 1980; Garman and Klass, 1980; Rogers and Satchell, 1991; D. Yang and Q. Zhang, 2000). The findings highlighted that a comprehensive MTL framework, encompassing all proposed auxiliary tasks, not only enhances the risk-adjusted performance of portfolios but also notably reduces maximum drawdowns compared to deep learning models without auxiliary tasks or those with a single auxiliary task. This approach underscores the critical role of effectively selecting auxiliary tasks in MTL settings to optimize portfolio outcomes.

Despite extensive research in the field, a significant gap persists in the development of a unified momentum portfolio capable of adapting to trends of varying speeds. Previous studies have typically focused independently on fast (less than one month), medium (three to six months), or slow (six months to one year) momentum strategies, rather than integrating these approaches into a single, dynamic framework. A unified momentum approach aims to capture momentum across this spectrum, seamlessly adjusting to the changing pace of trends within assets and asset classes in the portfolio. Addressing this gap in the literature represents a crucial advancement that could significantly enhance our understanding of momentum-based trading and lead to more robust portfolio management strategies. By developing such a portfolio, we can better exploit the full range of momentum opportunities in financial markets, resulting in superior risk-adjusted returns compared to existing momentum strategies in the literature.

This work aims to bridge this research gap by presenting a deep learning approach to constructing a unified momentum portfolio. We begin by applying the principles of multi-task learning to train three task-specific networks, each specializing in predicting the forward momentum signal score for one month, three months, and six months ahead. These networks generate portfolios representing fast, medium, and slow momentum strategies. The outputs from these task-specific networks are then fed into a final network, the Capital Allocation Module, which determines the weight allocation for each portfolio. By distributing risk according to the allocations provided by the Capital Allocation Module, we create a unified momentum portfolio that effectively exploits and leverages both short-term and long-term trends across assets and asset classes in the portfolio.

4.1.2 Our Contributions

We propose an innovative approach to bridge the research gaps identified earlier inspired by recent advancements in deep learning for portfolio construction. The proposed method utilizes a deep Multi-task Learning framework combined with a Multi-gate Mixture-of-Experts architecture to develop a momentum portfolio (Jacobs et al., 1991; J. Ma et al., 2018). Since its development more than three decades ago, the Mixture-of-Experts (MoE) approach has become foundational in numerous research areas and has recently been pivotal in advancing the field of natural language processing in large language models (LLMs) (Fedus, Zoph, and Shazeer, 2022; Zoph et al., 2022; J. He et al., 2022; Gale et al., 2022; Shen et al., 2023). Our approach, which we call DeepUnifiedMom, aims to seamlessly integrate momentum opportunities across various speeds, enhancing the efficacy of traditional momentum strategies. Our main contributions are: i) introducing a novel Multi-task Learning framework with a Multi-gate Mixture-of-Experts architecture, which facilitates end-to-end learning for multi period portfolio construction to enhance momentum portfolio performance. ii) This study represents the first implementation and examination of Multi-task Learning combined with a Multi-gate Mixture-of-Experts approach, specifically within portfolio construction. iii) We provide a comprehensive experimental analysis to evaluate and understand the performance outcomes of this innovative methodology against existing momentum strategies and various portfolio construction techniques.

4.2 Methodology

4.2.1 Overview

This work proposes to include Multi-Gate Mixture of Experts with a Multi-Task Learning Architecture (J. Ma et al., 2018). This novel approach combines Long-Short Term Memory (LSTM) (Hochreiter and Schmidhuber, 1997) modules with the Multi-Gate Mixture of Experts (MoMME) framework (Jacobs et al., 1991) to construct a unified momentum portfolio.

In our proposed architecture, the LSTM experts serve as shared layers forming the backbone of our multi-task learning framework. This setup enables effective parameter sharing across various task-specific pathways yielding two key benefits (Caruana, 1997; Sebastian Thrun, 1998; Ruder, 2017). Firstly, the shared LSTM experts facilitate a more efficient learning process by leveraging commonalities among tasks and consolidating learning efforts. This approach accelerates the training process and enhances overall model performance by drawing on a broader base of data insights. Secondly, the use of shared experts enhances the model's generalization capabilities. By exposing the model to a variety of tasks within the same learning process, it becomes less prone to overfitting on any single task (Ghosn and Bengio, 1996; Baxter, 2000; Ruder, 2017; Liebel and Körner, 2018). Overall, the integration of shared LSTM experts within our architecture underscores a strategic approach to harnessing the complexities of financial data.

Each task-specific network has a dedicated gating network, a cornerstone of the Multi-Gate Mixture of Experts (MoMME) framework (J. Ma et al., 2018). In our work,



FIGURE 4.1: The figure shows the architecture, where shared LSTM experts feed into task-specific gating and FNN layers, culminating in a final FNN that allocates portfolio weights across three momentum portfolios (Fast, Mid, Slow) tailored to different trend speeds. Symbols $\otimes$ and $\oplus$ denote weighted sums from the gating network and respective outputs.

these gating networks are specialized one-layer FNNs with a softmax activation function. They receive the same feature inputs as the LSTM experts and output a set of weights that sum to one. These weights determine the reliance on the corresponding LSTM experts. By selectively activating relevant LSTM experts, the gating networks enhance the performance of task-specific networks. This selective activation enables more effective learning, as each task-specific network can focus on constructing momentum portfolios tailored to specific speeds or timeframes, ultimately improving the performance of the constructed momentum portfolios. Here, three task-specific networks are trained to minimize the root mean square error (RMSE) between their outputs and the forward-looking TSMOM signals with one-month, three-month, and six-month lookback timeframes. The outputs of these task-specific networks yield the fast, medium, and slow momentum portfolios. Finally, we have a task-specific network called the Capital Allocation Network, supported by a gating network. The gating network receives feature inputs and assigns appropriate weights to the outputs of each task-specific network. The weighted outputs are then fed into the Capital Allocation Network, which is trained to allocate weights to the fast, medium, and slow momentum portfolios generated by the three preceding task-specific networks. This results in a final unified momentum portfolio that strategically capitalizes on opportunities across various market trends.

The output produced by the Capital Allocation Network serves as a set of weights assigned to the fast, medium, and slow momentum portfolios generated by the preceding task-specific networks. These weights determine the allocation of capital across the different portfolios, reflecting the model's strategic decisions on how to distribute resources among various market trends. By optimizing these weights, the Capital Allocation Network aims to construct a final unified momentum portfolio that effectively captures opportunities across diverse market conditions. Essentially, the portfolio weights

determined by the Capital Allocation Network represent the model's assessment of the relative importance and potential profitability of each momentum portfolio. In summary, the output of the Capital Allocation Network, in conjunction with the portfolio weights for the fast, medium, and slow momentum portfolios, collectively yield the final unified momentum portfolio. This integrated approach enables the model to adaptively allocate resources and strategically capitalize on market trends, ultimately enhancing portfolio performance.

To sum up, our proposed deep mixture of experts' multi-gate and multi-task learning architecture generates three distinct momentum portfolios, each designed to capture momentum at different timeframes. The Capital Allocation Network also allocates weights to these three momentum portfolios, constructing the final unified momentum portfolio. This approach enables the creation of a unified momentum portfolio in a single step, with the model optimized in an end-to-end fashion. A single-step, end-to-end optimized model is superior because it ensures that all components are trained simultaneously, allowing for seamless integration and interaction between different parts of the model. This approach enhances overall performance by effectively capturing dependencies and relationships within the data, resulting in a more cohesive and robust final portfolio. Our experimental results, detailed in Section 4.4, substantiate this claim.

4.2.2 Multi-Task Learning Network

By categorizing momentum into fast (one-month), medium (three-month), and slow (six-month) categories, each task-specific network within our Multi-Task Learning framework is trained to construct portfolios that capture momentum at their respective time frame. This segmentation enhances the model's ability to detect and leverage the subtle variations in momentum within each asset class and individual asset, thereby improving the precision and relevance of its predictions for future momentum returns across diverse assets. Each task-specific network is represented by a Feedforward Neural Network (FNN), trained to predict the forward-looking time-series momentum (TSMOM) signal. The TSMOM signal is essentially the forward return of an asset, adjusted for its volatility. This adjustment takes into account the risk associated with the asset, providing a normalized measure of momentum that is more comparable across different assets. During the training process, the objective is to minimize the difference between the predicted TSMOM signal and the actual forward-looking TSMOM signal (the ground truth, denoted as $\hat{y}_t^i$). Specifically, we minimize the Root Mean Squared Error (RMSE) between the predicted output y_t^i and the ground truth $\hat{y}_t^i$. The RMSE is a commonly used metric for regression tasks, providing a measure of the average magnitude of the errors between predicted and actual values.

$$L_{\text{RMSE}} = \frac{1}{B} \sum_{t \in B} l_{\text{RMSE}_t} \tag{4.1}$$

where,

$$l_{\text{RMSE}_t} = \sqrt{\frac{1}{n} \sum_{i=1}^{n} (\hat{y}_t^i - y_t^i)^2}$$

where L_{RMSE} represents the overall RMSE loss over a batch of size B. The term l_{RMSE_t} denotes the RMSE at specific time t in the batch. In this context, n is the total number of assets in the portfolio and y_t^i is the prediction output by the task-specific network for the forward-looking TSMOM signal for asset i at time t. Moreover, the forward-looking TSMOM signal for each asset i at time t, denoted as $\hat{y}_i$ represents the ground truth, or the actual observed value of the forward-looking TSMOM signal for each asset i at time t. This ground truth is used during the training phase of your model to compare against the predicted output y_t^i. It is defined as:

$$\hat{y}_t^i = \text{TSMOM}_t^i = \frac{r_{t+1,t+s}^i}{\sigma_{t+s}^i} \tag{4.2}$$

In this formulation, $r_{t+1,t+s}^i$ represents the returns from $t+1$ to $t+s$, and σ_{t+s}^i is the standard deviation of the returns, both calculated at a future window s beyond time t. Here, the window s varies according to the speed category of the momentum being analyzed: 20 trading days for DeepUnifiedMom(Fast), 60 trading days for DeepUnifiedMom(Medium), and 120 trading days for DeepUnifiedMom(Slow). This variation allows each task-specific network to fine-tune its learning process to the particular momentum time frame it addresses, thus enhancing the model's ability to adapt to the distinct market dynamics associated with each speed category. Finally, the return of the fast, medium and slow portfolio can be calculated as follows:

$$r_{t,t+1}^{\rho} = \frac{1}{n}\sum_{i=1}^{n} y_{t-1,t}^{\rho,i} \times \; r_{t,t+1}^{i} \tag{4.3}$$

where ρ represents the DeepUnifiedMom-Fast, Medium and Slow portfolio, n is the number of assets in the portfolio, $y_{t-1,t}^{\rho,i}$ is the output of the task-specific network (indicating the weight allocated to asset i for the given momentum timeframe) at time t, $r_{t,t+1}^i$ is the one day return of the asset i and $r_{t,t+1}^{\rho}$ is the ρ portfolio's return at time t.

4.2.3 Capital Allocation Network

The objective of the Capital Allocation Network (CAN) is to generate weights for allocating capital across the various momentum portfolios produced by the task-specific networks. It is implemented as a specialized feedforward neural network (FNN) with a tanh activation function at each intermediate layer and a softmax activation function at the final layer to ensure the output sums to 1. By applying the weights generated by the CAN to DeepUnifiedMom-Fast, Medium and Slow, we obtain the final unified momentum portfolio, which we term DeepUnifiedMom(CAN). The unified momentum portfolio's return can be calculated as follows:

$$r_{t,t+1}^{\cup} = \sum_{\rho \in P} w_{t-1,t}^{\rho} \times \; r_{t,t+1}^{\rho} \tag{4.4}$$

where P is the set of fast, medium and slow momentum portfolios, $w_{t-1,t}^{\rho}$ is the weight predicted by the CAN for portfolio ρ at time t, $r_{t,t+1}^i$ is the one day return of the asset i and $r_{t,t+1}^{\cup}$ is the return of the unified momentum portfolio.

Since the objective of the CAN differs from those of the task-specific networks, we use the Sharpe Ratio (Sharpe, 1994) as the objective function for training. By utilizing the Sharpe Ratio, as outlined in Equation 4.5, we direct the model to learn how to generate portfolios optimized for risk-adjusted returns from the input features. The Sharpe Ratio measures an investment's performance relative to a risk-free asset, adjusting for risk, and offers a comprehensive metric for evaluating the trade-off between risk and return. Incorporating this ratio into the model's learning process ensures that the constructed portfolios aim to maximize returns while minimizing risk, resulting in superior risk-adjusted performance (B. Lim, Zohren, and Roberts, 2019; Zihao Zhang, Zohren, and Roberts, 2020; Ong and Herremans, 2023).



FIGURE 4.2: Relationship between the Sharpe Ratio with Soft Capping Mechanism and the Standard Sharpe Ratio with Threshold = 0.01

$$L_{\text{Sharpe Ratio}^{\cup}} = -\frac{\mathbb{E}[r^{\cup}]}{\sigma_{r^{\cup}}} \tag{4.5}$$

where $\mathbb{E}[r^{\cup}]$ and $\sigma_{r^{\cup}}$ are the mean and standard deviation of the unified momentum portfolio's realised returns, respectively. The high noise-to-signal ratio in financial data significantly increases the risk of overfitting in deep learning models (Vitells and Gross, 2011; Harvey and Liu, 2014; D. H. Bailey et al., 2015; López de Prado, 2018; Israel, Kelly, and T. Moskowitz, 2020). During training, we may encounter instances where certain batches have an extremely high noise-to-signal ratio. Fitting to this noise can result in

a high Sharpe Ratio. Consequently, the model, aiming to maximize the Sharpe ratio, may overfit to these noisy patterns, allocating more weight to these instances and performing well on the training data but failing to generalize to new data. We introduce a modified objective function called the Sharpe Ratio with a Soft Capping Mechanism to mitigate this risk. It first caps the Sharpe ratio at a specified threshold value, ensuring that any value above this threshold is limited. For values that exceed this threshold, the function computes the excess and applies a logarithmic transformation, which reduces the impact of these extreme values by making them grow more slowly. Similarly, it ensures that the Sharpe ratio does not fall below the negative of this threshold by capping the lower end and applying a logarithmic transformation to values below the threshold. This combination of capping and logarithmic adjustments smooths out the extremes, as shown in the equation below:

$$L_{\text{SR}_{\text{soft}}} = -(L + \log(1 + U_e) - \log(1 - L_e)) \tag{4.6}$$

where,

$$\begin{aligned} U &= \min(\text{SR}, \tau) \\ U_e &= \max(\text{SR} - \tau, 0) \\ L &= \max(U, -\tau) \\ L_e &= \min(\text{SR} - \tau, 0) \end{aligned}$$

Here, SR_{soft} represents the modified Sharpe ratio with soft capping mechanism, SR represents the original Sharpe ratio, and τ is the threshold, which is set to 0.01 during the training process. The resulting Sharpe Ratio with Soft Capping mechanism can be seen in Figure 4.2. The logarithmic transformation applied to values exceeding the threshold moderates their growth, reducing the impact of extreme values. This smoothing effect stabilizes the training process by preventing abrupt changes in the model's behavior due to outliers. Consequently, the model is encouraged to focus on more consistent and reliable patterns in the data, leading to better generalization. As a result, the model is less likely to overfit to noise and more likely to capture true underlying signals that are relevant to the objective at hand. Our experimental results, detailed in Section 4.3 will substantiate the effectiveness of training our proposed architecture with the Sharpe Ratio with a Soft Capping Mechanism. This comparison with models trained without the mechanism will highlight the improvement of performance and generalization capabilities when using the Sharpe Ratio with the Soft Capping Mechanism.

4.2.4 Loss function

$$L_{total} = L_{\text{SR}_{\text{soft}}} + \sum_{\rho \in P} L^{\rho}_{\text{RMSE}} \tag{4.7}$$

Putting it all together, the final loss function of our model, which we minimize during training, can be written as Equation (4.7). In this equation, L_{total} combines two components. The first component, $L_{\text{SR}_{\text{soft}}}$, represents the loss for the CAN, calculated as the negative Sharpe ratio with a soft capping mechanism. The second component is

the sum of the RMSE losses L^{ρ}_{RMSE} for each task-specific network. The overall loss function integrates these elements to guide the training process and optimize the model's performance.

4.3 Experimental Setup

4.3.1 Dataset

Individual futures contracts are subject to expiration dates and varying levels of liquidity, which can hinder the practical analysis of long-term trends. To overcome this challenge, we rely on the Pinnacle Data Corp CLC database as our primary data source for evaluating the proposed model. The data we used in our experimentation spans from January 1990 to December 2023, providing daily data and encompassing over three decades of historical information. The Pinnacle Data Corp CLC database offers a comprehensive continuous price history for 49 futures contracts across diverse asset classes, such as commodities, currencies, fixed income, and equity index futures. We leverage the continuous contract history of each asset, constructed through end-to-end concatenation and price adjustment using the backward-ratio method, to ensure robust analysis of long-term trends.

4.3.2 Feature Set

We derive a set of time-series momentum features from the daily settled price of the continuous futures by taking the log returns ($r^i_{t-d,t}$) over the past 3 trading days, 5 trading days, 10 trading days, 21 trading days, 63 trading days, 126 trading days, and finally 252 trading days:

$$r^i_{t-d,t} = \ln \frac{P^i_t}{P^i_{t-d}} \tag{4.8}$$

where $r^i_{t-d,t}$ is the natural logarithm of the d-day return of the asset i at day t, P^i_t is the settled price of asset i at time t and P^i_{t-d} is the settled price of asset i, d trading days ago at time t. To normalize the returns and account for the variability in market conditions, we scale the calculated log returns by the asset's volatility. This approach ensures that the returns are standardized, allowing for a more equitable comparison across different assets and time periods. The scaled return, $\hat{r}^i_{t-d,t}$, is computed as follows:

$$\hat{r}^i_{t-d,t} = \frac{r^i_{t-d,t}}{\sigma^i_{t-d,t}} \tag{4.9}$$

where $\hat{r}^i_{t-d,t}$ represents the volatility-normalized return over the d-day period for asset i at day t, $r^i_{t-d,t}$ is the log return as previously defined, and $\sigma^i_{t-d,t}$ denotes the volatility of the asset over the d-day period.

Following the approach of (Ong and Herremans, 2023), our methodology for feature creation is guided by two principal considerations. Firstly, we aim to preserve the essence of time-series momentum by utilizing features that align closely with those employed in the construction of time-series momentum portfolios, as outlined by (T. J.

Moskowitz, Ooi, and Pedersen, 2012). Secondly, and of greater significance, we intentionally limit the complexity of our feature engineering to ensure that the observed performance of the portfolios is primarily attributed to the efficacy of our architectural design, rather than to the ingenuity or specificity of the features used. This approach underscores our commitment to validating the inherent strength and adaptability of the architecture in capturing momentum trends, rather than leveraging elaborate feature engineering to enhance portfolio performance artificially.

4.3.3 Benchmark Models

The concept of Time-Series Momentum (TSMOM) portfolios, as introduced by (T. J. Moskowitz, Ooi, and Pedersen, 2012), forms the cornerstone of our benchmarking process. These portfolios operate on the principle of buying or selling assets based on their performance over the past 12 months. To comprehensively assess our model's efficacy, we have meticulously crafted a suite of TSMOM portfolios, each tailored to capture distinct momentum horizons:

- TSMOM(1): based on the past one month's returns.
- TSMOM(3): based on the past three month's returns.
- TSMOM(6): based on the past six month's returns.
- TSMOM(12): based on the past twelve month's returns.
- TSMOM(1,4): An equal-weighted combination of the 1, 2, 3, and 4-month TSMOMs.
- TSMOM(5,8): An equal-weighted combination of the 5, 6, 7, and 8-month TSMOMs.
- TSMOM(9,12): An equal-weighted combination of the 9, 10, 11, and 12-month TSMOMs.
- TSMOM(1,12): An equal-weighted combination of the 1 to 12-month TSMOMs.

This wide array of TSMOM portfolios serves as a benchmark, enabling us to evaluate our proposed model against a spectrum of momentum-based investment strategies across different timeframes. To support our claim that a unified momentum portfolio, which can capitalize on momentum opportunities across various timeframes, DeepUnifiedMom(CAN) should outperform all TSMOM benchmark strategies. In addition to that, to rigorously evaluate the final unified momentum portfolio's performance constructed by the DeepUnifiedMom(CAN), we established two benchmark portfolios: DeepUnifiedMom(EQWT) and DeepUnifiedMom(MVO). These carefully chosen benchmarks will help us assess the effectiveness of the unified momentum portfolio constructed by the CAN compared to existing standard portfolio construction techniques.

- DeepUnifiedMom(EQWT): This portfolio equally distributes weights from portfolios constructed by DeepUnifiedMom-Fast, Medium and Slow.
- DeepUnifiedMom(MVO) utilizes Mean-Variance Optimization (MVO) (Markowitz, 1952) to construct a portfolio that maximizes the Sharpe ratio.

Constructing a portfolio with equal weighting is a straightforward heuristic that does not involve any optimization process. In contrast, constructing a final portfolio using MVO involves a second optimization process by using the historical returns of DeepUnifiedMom-Fast, Medium and Slow portfolios to calculate the expected returns and covariance matrix, which are then optimized by maximizing the Sharpe ratio to construct the final portfolio. The key drawback of such approaches is that they do not consider the interactions between the components holistically. This fragmented optimization can lead to suboptimal overall performance because each step is optimized in isolation without accounting for all components' interdependencies and joint effects. Finally, to substantiate our earlier claim that our proposed model's single-step, end-to-end optimization of a final unified momentum portfolio is more optimal, the final portfolio constructed by the DeepUnifiedMom(CAN) should outperform the portfolios constructed using both the DeepUnifiedMom(EQWT) and DeepUnifiedMom(MVO) methods.

4.3.4 Backtest Specifications



FIGURE 4.3: The diagram illustrates the expanding window cross-validation approach used in our model's training.

In the following section, we present the backtest results obtained from our proposed model, trained using an expanding window cross-validation approach with the first batch of training data spanning a period of 10 years, as illustrated in Figure 4.3. Throughout the training phase, 20% of the data was allocated for validation purposes. The trained models were then utilized to construct portfolios for the test set, with each portfolio corresponding to a year's worth of out-of-sample data. This process was repeated 24 times, resulting in an out-of-sample backtest period from January 2000 to December 2023.

During the backtesting phase, our model underwent training on the designated training dataset. We employed Stochastic Gradient Descent (SGD) with the Adam optimizer to minimize the loss functions. We conducted a grid search on the validation set, guided by the parameter search space outlined in Table 4.1. The training process was designed to conclude after 20 epochs; however, we incorporated an early stopping

Parameters	Values
Number of LSTM Layers	1, 2, 3
LSTM Hidden Units	64, 126, 252, 512
Number of LSTM Experts	3, 6, 9, 12
Task-Specific Netowrk Layers	2, 3, 4
Task-Specific Network Hidden Units	64, 126, 252, 512

TABLE 4.1: Hyperparameter Search Space.

mechanism that halts training if there's no improvement in validation loss over 5 consecutive epochs. Utilizing an expanding window approach for out-of-sample training and validation, the final training iteration—covering data from January 1990 to December 2023—required approximately 1 hour on a system equipped with an NVIDIA GeForce RTX 2090.

4.4 Performance Evaluation

As shown in Table 4.2, our final unified momentum portfolio generated by DeepUnifiedMom(CAN), outperforms all TSMOM benchmark models, including DeepUnifiedMom-Fast, Medium, and Slow, as well as the final portfolios generated by DeepUnifiedMom - EQWT and MVO. DeepUnifiedMom(CAN) achieves a Sharpe ratio of 2.33 and a Sortino ratio of 3.88 while incurring a maximum drawdown of -1.02%. In comparison, the best TSMOM benchmark strategy, TSMOM(1,12), achieves a Sharpe ratio of 1.07 and a Sortino ratio of 1.58, with a drawdown of -2.01%. This demonstrates the superior performance of DeepUnifiedMom(CAN) in terms of both risk-adjusted returns and drawdown management.

Additionally, when comparing the portfolios generated by the task-specific networks DeepUnifiedMom-Fast, Medium, and Slow, to the final unified momentum portfolio, the latter consistently outperforms the former on a risk-adjusted basis, notably achieving a much lower maximum drawdown. The best-performing task-specific network, DeepUnifiedMom(Slow), achieves a Sharpe ratio of 1.54 and a Sortino ratio of 2.41 while incurring a maximum drawdown of -3.62%, which is almost 3.5 times larger than the maximum drawdown incurred by the final unified momentum portfolio. When we compare the performance of DeepUnifiedMom-Fast, DeepUnifiedMom-Medium, and DeepUnifiedMom-Slow against TSMOM benchmark strategies, the results are less appealing. Across the board, DeepUnifiedMom-Fast, Medium, and Slow incur much higher maximum drawdowns compared to TSMOM strategies. Running a portfolio that incurs significantly larger drawdown risk without corresponding performance compensation may not be an appealing strategy for many portfolio managers.

Overall, the performance of the final unified momentum portfolio generated by DeepUnifiedMom(CAN) compared to the benchmark TSMOM strategies and DeepUnifiedMom-Fast, Medium, and Slow supports the claim that a portfolio capable of capitalizing on a spectrum of momentum opportunities results in a more robust portfolio, contributing to better risk-adjusted performance and minimizing maximum drawdown.



(A) DeepUnifiedMom(CAN) versus TSMOMs.



(B) DeepUnifiedMom(CAN) versus Equal Weight TSMOMs.



(C) DeepUnifiedMom(CAN) versus DeepUnifiedMom - Fast, Medium, and Slow.



(D) DeepUnifiedMom(CAN) versus Baseline Portfolio Allocations: Equal Weight and MVO.

FIGURE 4.4: Portfolios' Cumulative Returns from Jan 2000 to Dec 2023.

Portfolios	Ann. Return (%)	Ann. vol (%)	Sharpe	Sortino	Max DD (%)
TSMOM(1)	1.06	1.44	0.73	1.09	-4.60
TSMOM(3)	1.16	1.46	0.80	1.16	-3.37
TSMOM(6)	1.18	1.45	0.82	1.20	-2.91
TSMOM(12)	1.48	1.47	1.01	1.46	-3.28
TSMOM(1,4)	1.27	1.27	1.00	1.49	-2.05
TSMOM(5,8)	1.19	1.37	0.87	1.27	-2.80
TSMOM(9,12)	1.40	1.40	1.00	1.45	-2.60
TSMOM(1,12)	1.30	1.22	1.07	1.58	-2.01
DeepUnifiedMom(Fast)	1.85	1.39	1.34	2.06	-6.32
DeepUnifiedMom(Medium)	1.32	1.34	0.99	1.47	-3.52
DeepUnifiedMom(Slow)	**2.14**	1.40	1.54	2.41	-3.62
DeepUnifiedMom(CAN)	1.92	0.82	**2.33**	**3.81**	-1.02
DeepUnifiedMom(EQWT)	1.79	**0.77**	2.31	3.71	**-0.99**
DeepUnifiedMom(MVO)	1.91	1.11	1.72	2.69	-3.13

TABLE 4.2: Backtest results (net) for the period from January 2000 to December 2023, with transaction costs set at 3 basis points. The DeepUnifiedMom model results presented here were obtained using the Sharpe Ratio with a Soft Capping mechanism as the loss function during training. Max DD stands for maximum drawdown.



FIGURE 4.5: The figure illustrates the portfolio weight allocations determined by the Capital Allocation Task Specific Network within the DeepUnifiedMom framework across the Fast, Medium, and Slow portfolios from January 2000 to December 2023.

Figure 4.5 shows that the weights assigned by the DeepUnifiedMom(CAN) to the DeepUnifiedMom portfolios —Fast, Medium, and Slow— maintain remarkable consistency throughout the year. Moreover, the weight allocation strategy implemented by the DeepUnifiedMom(CAN) markedly diverges from traditional equal weighting approaches, demonstrating that DeepUnifiedMom(CAN) does not rely on a basic equal weighting scheme. However, DeepUnifiedMom(CAN) outperforms DeepUnifiedMom(EQWT) by a narrow margin, achieving a Sharpe ratio of 2.33 compared to 2.31, and a Sortino ratio of 3.81 compared to 3.71. While DeepUnifiedMom(EQWT) incurred a slightly smaller maximum drawdown of -0.99%. Comparatively, both the DeepUnifiedMom(CAN) and DeepUnifiedMom(EQWT) portfolios considerably outperform the DeepUnifiedMom(MVO)

approach in terms of risk-adjusted returns and maximum drawdown. The Sharpe ratio of DeepUnifiedMom(MVO) portfolio is only 1.72, significantly lower than the 2.33 of the DeepUnifiedMom(CAN) portfolio. The maximum drawdown for the DeepUnifiedMom(MVO) portfolio stands at -3.13%, which is less favorable than the drawdowns experienced by the equal weighted TSMOM portfolios such as TSMOM(1,4), TSMOM(5,8), TSMOM(9,12), and TSMOM(1,12). These findings suggest that the DeepUnifiedMom(MVO) approach may be suboptimal given that both DeepUnifiedMom(CAN) and DeepUnifiedMom(EQWT) perform much better. While criticism of MVO is well-established, our results lend further support to these critiques, emphasizing the need for ongoing refinement and exploration of alternative strategies (Richard Michaud and Robert Michaud, 2007; D. Bailey and Lopez de Prado, 2012; Jurczenko and Teiletche, 2015; Lopez de Prado, 2016). In conclusion, the performance analysis of DeepUnifiedMom(CAN) in comparison to benchmark strategies and DeepUnifiedMom portfolios —Fast, Medium, and Slow, underscores its effectiveness in portfolio management. By outperforming TSMOM benchmarks and task-specific networks in terms of risk-adjusted returns and drawdown management, DeepUnifiedMom(CAN) demonstrates its ability to capitalize on momentum opportunities across a spectrum of market conditions. This suggests that a unified approach to portfolio construction, such as DeepUnifiedMom(CAN), leads to a more robust portfolio, contributing to improved risk-adjusted performance and minimized maximum drawdown. These findings highlight the potential of DeepUnifiedMom(CAN) as a practical and promising solution for investors seeking enhanced portfolio performance in dynamic market environments.

Portfolios	**Ann. Return (%)**	**Ann. vol (%)**	**Sharpe**	**Sortino**	**Max DD (%)**
Sharpe Ratio with Soft Capping Mechanism (Threshold = 0.01)					
DeepUnifiedMom(Fast)	1.85	1.39	1.34	2.06	-6.32
DeepUnifiedMom(Medium)	1.32	1.34	0.99	1.47	-3.52
DeepUnifiedMom(Slow)	**2.14**	1.40	1.54	2.41	-3.62
DeepUnifiedMom(CAN)	1.92	0.82	**2.33**	**3.81**	-1.02
DeepUnifiedMom(EQWT)	1.79	**0.77**	2.31	3.71	**-0.99**
DeepUnifiedMom(MVO)	1.91	1.11	1.72	2.69	-3.13
Sharpe Ratio					
DeepUnifiedMom(Fast)	1.73	1.42	1.22	1.87	-6.33
DeepUnifiedMom(Medium)	1.20	1.39	0.87	1.28	-3.61
DeepUnifiedMom(Slow)	**2.03**	1.43	1.42	2.20	-4.00
DeepUnifiedMom(CAN)	1.80	0.84	**2.14**	**3.43**	**-1.10**
DeepUnifiedMom(EQWT)	1.67	**0.79**	2.11	3.33	-1.21
DeepUnifiedMom(MVO)	1.72	1.17	1.47	2.26	-3.64

TABLE 4.3: Here are the backtest metrics (net) for the period from January 2000 to December 2023, with transaction costs set at 3 basis points. The DeepUnifiedMom model results presented here were obtained using the Sharpe Ratio with a Soft Capping mechanism as the loss function during training.

Table 4.3 reveals that when DeepUnifiedMom(CAN) is trained using the Sharpe Ratio with a Soft Capping Mechanism, the resulting portfolios consistently perform better than those trained using only the Sharpe Ratio. Specifically, DeepUnifiedMom(CAN) trained with the modified Sharpe Ratio achieved a Sharpe Ratio of 2.33 and a Sortino Ratio of 3.81, compared to 2.14 and 3.43, respectively, for those trained with the standard Sharpe Ratio. Additionally, the task-specific networks constructing the Fast, Medium,

and Slow portfolios also outperform their counterparts. Overall, the results are promising, indicating that further research into improved Sharpe Ratio objective functions for training deep learning model is worthwhile.

4.5 Conclusion

The proposed DeepUnifiedMom framework represents a significant advancement in applying deep learning in portfolio management, adeptly addressing the limitations of traditional momentum strategies. At its core, DeepUnifiedMom leverages advanced deep learning, employing a multi-task learning approach and a multi-gate mixture of experts to construct unified momentum portfolios. Our extensive backtesting, spanning various asset classes such as equity indexes, bonds, currencies, and commodities, has consistently shown that DeepUnifiedMom surpasses benchmarks, maintaining its superior performance even after accounting for transaction costs. This highlights its ability to construct a final portfolio that accounts for a wide spectrum of momentum opportunities in the financial market in an end-to-end fashion. This new approach to using deep learning in investment strategies showcases the benefits of advanced computational techniques in financial decision-making and outcomes. The model was developed using Python and Pytorch; the framework is accessible for review and utilization, with its source code publicly available online[1]. Future research will focus on enhancing the DeepUnifiedMom framework by incorporating sparsity into the gating mechanism and utilizing more sophisticated deep learning architectures, such as the Transformer model, for time-series analysis. Additionally, efforts will be made to integrate explainable AI techniques into the portfolio construction process, aiming to increase the transparency and interpretability of the DeepUnifiedMom framework. This progression will not only refine the model's performance but also bolster user trust and understanding of how AI-driven decisions are made within the portfolio management context.

[1] https://github.com/joelowj/unified_mom_mmoe

Chapter 5

Index tracking portfolio with an Adaptive Sparse Transformer

5.1 Introduction

In previous chapter, we applied deep learning to multi-horizon portfolio construction, developing models that optimized portfolios by analyzing and predicting market dynamics across various time frames. This approach allowed us to create portfolios that were both responsive to short-term fluctuations and aligned with long-term investment strategies. Building on that foundation, in this chapter, we shift our focus to sparse portfolio construction. Here, we use deep learning techniques to construct portfolios that achieve their objectives with a reduced number of assets, maintaining effectiveness while simplifying management and reducing costs. This chapter explores how deep learning can be adapted to promote sparsity, providing a more streamlined approach to portfolio construction.

A financial index tracks the performance of a specific market, a segment of that market, or a particular industry or sector (Roll, 1992; Deville, 2008; Bogle, 2016; Box, Davis, and K. P. Fuller, 2019). It typically comprises a diversified portfolio of assets, such as stocks, bonds, or commodities, and is often used as a benchmark to evaluate the performance of a particular investment or the overall market. Financial indices provide investors with a way to track market trends, compare investment returns, and make informed investment decisions (Franks, 1992; Browne, 1999; Sutcliffe, 2018). Examples of well-known financial indices include the S&P 500, NASDAQ Composite, and the Dow Jones Industrial Average. Since a financial index is not a financial instrument, investors cannot invest in it directly. Hence, there is value in explicitly tracking an index's value by constructing a portfolio of assets whose value follows the value of its respective benchmark index after fees (Jansen and Van Dijk, 2002; Frino, D. Gallagher, et al., 2004; Corielli and Marcellino, 2006; Busse, Goyal, and Wahal, 2010; Cremers et al., 2016).

The creation of an index-tracking portfolio poses two fundamental questions. Firstly, which is the optimal selection of assets to include? Secondly, what are the optimal weights to assign to those assets? One conventional method, termed full replication, involves purchasing all the assets within the index. One of the most straightforward ways to tackle index tracking is to purchase all the assets that compose an index in their respective proportions.. This approach is also known as the full replication method (Dyer and Guest, 2022). Although this approach is conceptually simple and aligns well with the targeted index, its real-world application is fraught with challenges. For example,

managing a large index portfolio might incur considerable transaction costs, leading to high tracking errors. These issues might be further magnified if certain assets within the index are infrequently traded, forcing portfolio managers to navigate wide bid-ask spreads and consequently inflating transaction costs even more (J. Beasley, Meade, and Chang, 2003; Edelen and Blume, 2003; Gaivoronski, Krylov, and Van der Wijst, 2005; Canakgoz and J. E. Beasley, 2009; Sant'Anna et al., 2017). These practical issues underscore the necessity for innovative methodologies that enhance index tracking without necessitating full replication (Jorion, 2003; Montfort, Fijn van Draat, and Visser, 2008; Acosta-Gonzalez, Armas Herrera, and Fernández-Rodríguez, 2014; Zheng et al., 2020; Xia, Y. Yang, and H. Yang, 2023). By addressing these questions, one can develop strategies that more efficiently approximate an index, optimizing both cost and performance.

5.1.1 Literature Review

To avoid the necessity of full replication, alternative strategies have been developed, such as partial replication. The goal of the partial replication strategy is to closely match the performance of the index by investing in a selection of assets from the index. These chosen assets strongly correlate with the index, exhibit similar exposure characteristics, and have comparable risk profiles to the full set of index constituents (S. L. Fuller, 2008; Ben-David, Franzoni, and Moussawi, 2017). This method can lead to notably lower transaction costs while minimizing tracking error, which is the difference between the performance of the index-tracking portfolio and the actual index. This approach rely on historical data to analyze each constituent in the index and select a subset to be included in the index tracking portfolio at an optimal weight. Partial replication approaches use either optimization, machine learning, or deep learning approaches (Fastrich, Paterlini, and Winker, 2014; F. Xu, Lu, and Z. Xu, 2016; Benidis, Feng, and Palomar, 2018; Ouyang, X. Zhang, and Yan, 2019a; Pauwels, Tsiligianni, and Deligiannis, 2021; Zepeng Zhang and Z. Zhao, 2021; Peng, Gong, and X. D. He, 2023; Shi et al., 2023; J. C. S. Silva, D. F. d. L. Silva, and Almeida Filho, 2022).

More recently, researchers have begun to use deep learning models for portfolio construction (F. E. Tay and Lijuan Cao, 2001; L.J. Cao and F. Tay, 2003; K.-J. Kim, 2003; Sapankevych and Sankar, 2009; Law and Shawe-Taylor, 2017; B. Lim, Zohren, and Roberts, 2019; Zihao Zhang, Zohren, and Roberts, 2020; Kwak, Song, and H. Lee, 2021; Zou and Herremans, 2023; Herremans and Low, 2022; Ong and Herremans, 2023; Ong and Herremans, 2024). They have achieved this by using softmax probability as the weights for the constituents in the portfolio. However, this is far from optimal, especially in index tracking as the softmax function is elementwise proportional to the exponential of the input numbers and can never assign a weight of zero (Bridle, 1989). As a result, less weight is assigned to key constituents, and weights are distributed to irrelevant constituents, potentially harming the portfolio's performance.

To address this limitation, researchers have divided the task into two distinct subtasks (Ouyang, X. Zhang, and Yan, 2019b; Yun et al., 2020; Bradrania, Pirayesh Neghab, and Shafizadeh, 2021; Kwak, Song, and H. Lee, 2021; W. Chen, Haoyu Zhang, and Jia, 2022b). Initially, a model is employed for asset selection, followed by another model that assigns weights to these selected assets. While this method is a workaround, it negates the advantages of end-to-end learning, a hallmark of deep learning models. End-to-end learning, by optimizing the objective function directly, without relying on

sub-models or intermediate steps, generally yields superior results, as demonstrated in various studies (Collobert, Weston, et al., 2011; Krizhevsky, Sutskever, and Hinton, 2012; Schmidhuber, 2015; Bojarski et al., 2016; Devlin et al., 2019; Rombach et al., 2022). In addition, much of the current work in deep learning for index tracking portfolios focuses on single-objective optimization, minimizing the tracking error between the index tracking portfolio and the benchmark. This neglects the opportunity of using the deep learning model for multi-objective optimization – for instance, minimizing tracking error and transaction costs while maximizing excess returns.

Finally, many studies show results using a short period, some less than five years (Kwak, Song, and H. Lee, 2021; Zepeng Zhang and Z. Zhao, 2021; Peng, Gong, and X. D. He, 2023; Shi et al., 2023; J. C. S. Silva, D. F. d. L. Silva, and Almeida Filho, 2022). Moreover, these studies often fail to benchmark their findings against widely used industry-standard index-tracking portfolios, such as the Top-k market capitalization portfolio. For example, in the S&P 500 index, a "Top-50" portfolio would include the 50 largest companies by market capitalization within that index. This approach can be useful for understanding how well a model performs against a simpler strategy of selecting the largest market-capitalization stocks. This benchmarking is crucial in index-tracking portfolio research because a model that consistently converges to the Top-k market capitalization portfolio may contribute little value to the field.

5.1.2 Our Contributions

To address the research gaps mentioned above, we proposed a novel multi-objective deep learning system based on a sparse transformer architecture for constructing an index tracking portfolio. The following contributions are made to address the research gaps discussed in the previous section.

1. To the best of our knowledge, we are the first to introduce the utilization of the α-entmax activation function within a deep learning architecture specifically for portfolio construction, enabling the joint optimization of asset selection and weighting in one cohesive step. This approach facilitates the construction of an index-tracking portfolio through an end-to-end deep learning model, thereby eliminating the need for separate sub-models traditionally used for asset selection and subsequent weighting.

2. We propose multi-objective optimization by minimizing tracking error and transaction costs while maximizing excess returns. Rather than tuning these weights by hand, a complicated and expensive process, we dynamically learn the weights to assign to each cost function during training.

3. We report extensive experimental results, extending from January 2005 till April 2024. In addition, we also analyze the similarity of the portfolio constructed by our proposed model to the Top-k market capitalization portfolio.

This chapter is structured as follows: In Section 5.2 details our proposed model, the Adaptive Sparse Transformer. It outlines the model's key features and mechanics, emphasizing essential concepts like tracking error and sparse activation functions in deep learning, which are fundamental to the work presented in this chapter. In Section 5.3,

we detail the experimental setup, including the dataset selection, benchmark models, and the backtesting strategy employed. The results of our extensive experiments are then presented and analyzed in Section 5.4. We conclude the chapter in Section 5.5, summarizing our key findings and offering insights into potential avenues for future research.

5.2 Proposed Model

5.2.1 Softmax, Sparsemax, and α-entmax

In this subsection, we present a concise overview of selected activation functions that are frequently employed in deep learning, with a particular focus on the softmax activation function and its sparse variants: Sparsemax (Martins and Astudillo, 2016) and α-entmax (Peters, Niculae, and Martins, 2019). These sparse variants are particularly crucial for introducing sparsity into deep learning models. Such sparsity is a vital feature for applying deep learning models on index tracking tasks, where a selective and minimal number of assets are preferred to effectively replicate index performance.



FIGURE 5.1: Illustration of softmax, sparsemax and α-entmax activation function. Adapted from (Peters, Niculae, and Martins, 2019)

Let $\Delta^{K-1} := \{p \in \mathbb{R}^K \mid 1^T p,\ p \geq 0\}$ be the $(K-1)$ dimensional simplex. Here K denotes the number of components in the vector space $\mathbb{R}^K$. The variable p represents a vector in $\mathbb{R}^K$, which is the K dimensional real number space. In the context of the simplex Δ^{K-1}, p is a vector whose elements sum to 1 and each element of p is non-negative. This makes p a probability distribution vector, where each element of p represents the probability of a corresponding outcome or event. The softmax activation function maps any vector $z \in \mathbb{R}^K$ to a probability distribution vector $p \in \Delta^{K-1}$. This mapping is done component-wise, and the softmax function is defined as:

$$\text{softmax}_i(z) = \frac{\exp(z_i)}{\sum_j \exp(z_j)} \tag{5.1}$$

where z represents the input vector of scores or logits for all classes. z_i is the i-th element of the input vector z, corresponding to the score for the i-th class, z_j is the j-th element of the input vector z, corresponding to the score for the j-th class. The sum in the denominator, $\sum_j \exp(z_j)$, is taken over all elements z_j in the input vector z. A distinguishing feature of the softmax activation function is that the resulting probability distribution invariably leads to $\text{softmax}_i(z) \neq 0$ for every z and i. This happens because the softmax function involves exponentiation of the scores $\exp(z_i)$. The exponential function is always positive for any real number z_i. It then normalizes these values by dividing each $\exp(z_i)$ by the sum of all exponentiated scores, which is also positive. Consequently, each probability is a positive value divided by a positive sum, ensuring $\text{softmax}_i(z) > 0$. Although beneficial in certain situations, this characteristic becomes a limitation when a sparse probability distribution is needed. This is especially pertinent in the context of portfolio construction for index tracking, where achieving sparsity is an essential aspect.

The sparsemax activation function, proposed by Cremers et al., 2016, emerges as an alternative that can produce sparse distributions while preserving most critical attributes of the softmax activation function. It is defined as:

$$\text{sparsemax}(z) := \underset{p \in \Delta^{K-1}}{\text{argmin}} \parallel p - z \parallel^2 \tag{5.2}$$

where $\underset{p \in \Delta^{K-1}}{\text{argmin}}$ represents the optimization process where the function seeks the value $p \in \Delta^{K-1}$ that minimizes the given expression. Specifically, Δ^{K-1} denotes the $(K-1)$-dimensional simplex, which is the set of all K-dimensional probability vectors. In other words, p is constrained to be a probability distribution (non-negative and sum to 1). The term $\parallel p - z \parallel^2$ is the squared Euclidean distance between the probability distribution p and the input vector z. In simple terms, the sparsemax activation function returns the Euclidean projection of the input vector z onto the probability simplex. Uniquely, it is capable of intersecting the boundary of the simplex, leading to the property that $\text{sparsemax}(z)$ may be sparse. This aligns with the requirements of applications that necessitate sparse solutions, providing a vital tool for portfolio optimization and index tracking.

More recently, Blondel, Martins, and Niculae, 2019 introduced α-entmax, expressed as

$$\alpha - \text{entmax}(z) := \underset{p \in \Delta^d}{\text{argmax}}\ p^\top z + H_\alpha^T(p) \tag{5.3}$$

where $\underset{p \in \Delta^d}{\text{argmax}}$ represents the optimization process where the function seeks the value $p \in \Delta^d$ of p that maximizes the given expression. Specifically, $\Delta^d := \{p \in \mathbb{R}^d : \sum_i p_i = 1\}$ denotes the d-dimensional probability simplex, which is the set of all d-dimensional probability vector. In other words, p is constrained to be a probability distribution

(non-negative and summing to 1). $p^\top z$ is the dot product between the probability distribution p and the input vector z, it measures how well the distribution p aligns with the input vector z. Finally, H_α^T is the Tsallis continuous family of entropies (Tsallis, 1988), which serves as a regularization term to encourage sparsity in the output distribution. The α-entmax function is particularly noteworthy due to its appealing properties, when $\alpha = 1$, it exactly mirrors the behaviour of the softmax mapping. However, for any $\alpha > 1$, it allows for sparse solutions, a feature that distinguishes it sharply from the traditional softmax function. In the special case where $\alpha = 2$, α-entmax further simplifies to sparsemax mapping, rendering it piece-wise linear. By providing a bridge between dense and sparse mathematical solutions, it enables the construction of optimized portfolios that can more effectively approximate a target index. Its ability to handle sparsity in asset selection allows for more efficient representation and minimizes transaction costs, making it a particularly appealing approach for managing index-tracking portfolios. In the following section, we will delve into how we have integrated the α-entmax function into our model, employing it as a pivotal component in the construction of a sparse index-tracking portfolio.

5.2.2 Adaptive Sparse Transformer

The Transformer model, pioneered by Vaswani et al., 2017, stands as a groundbreaking sequence-to-sequence (Seq2Seq) architecture that has revolutionized various domains, including Natural Language Processing. Distinctively, the Transformer's design hinges on hierarchical multi-head attention mechanisms, which enable the dynamic and context-sensitive mapping of input sequences to corresponding output sequences. This innovative approach to handling sequence information marks a departure from earlier Seq2Seq models. Traditional methods often relied on computationally intensive components such as Long Short-Term Memory (LSTM) (Hochreiter and Schmidhuber, 1997; Luong, Pham, and Manning, 2015; Bahdanau, K. Cho, and Bengio, 2016) or static convolutions (Gehring et al., 2017).

Within the context of n query inputs and m sequence items, attention mechanisms function by calculating a weighted representation for each query in relation to the items under consideration. The specific form of attention employed in the model introduced by Vaswani et al., 2017 is known as scaled dot-product attention. This technique is implemented as follows:

$$\mathbf{Att}(Q, K, V) = \pi(\frac{QK^\top}{\sqrt{d}})\mathbf{V} \tag{5.4}$$

where $Q \in \mathbb{R}^{n\times d}$ contains representations of the queries, $K, V \in \mathbb{R}^{m\times d}$ are the keys and values of the items attended over, and d is the dimensionality of these representations.

The original Transformer architecture consists of both an encoder and a decoder, designed for tasks like translation where the mapping between two sequences (source and target) is required. However, a decoder-only Transformer architecture is more suitable and adequate for portfolio construction. In portfolio construction, the primary task is to predict future returns or asset prices based on historical data and potentially generate portfolio weights. This involves generating a sequence of outputs from a given



FIGURE 5.2: Transformer architecture adapted from (Vaswani et al., 2017)



FIGURE 5.3: Decoder-Only Transformer model with α-entmax activation function

sequence of inputs, which is a task well-suited for a decoder-only architecture. The decoder can handle this autoregressive process, generating each output step-by-step, conditioned on previous outputs and inputs. In addition, removing the encoder simplifies

the model architecture, reducing the computational load and memory requirements.

To induce sparsity, in the decoder-only Transformer architecture, the π mapping uses the softmax activation function to normalize the attention scores row-wise. To encourage sparsity, we replace softmax with α-entmax. This modification results in sparse attention weights, allowing the model to focus more selectively on significant elements. In addition, the output of the final decoder layer contains context-aware representations of the input sequence. These representations are then fed into a final feed-forward neural network (FNN) to generate the output. The FNN in a Transformer typically consists of two linear transformations with a non-linear activation function applied in between. In our implementation, we use the tanh activation function for the first non-linearity. To ensure sparsity in the final output, we apply α-entmax as the activation function after the second linear transformation.

This Transformer architecture achieves sparsity at multiple levels by integrating α-entmax into both the multi-head attention mechanisms and the final FFN. The encoder and decoder utilize α-entmax in the multi-head attention module to selectively focus on essential elements. The final FFN applies α-entmax activation to produce sparse portfolio weights, which is crucial for constructing an index-tracking portfolio. Sparsity is crucial in building an index-tracking portfolio because it simplifies the portfolio by reducing the number of assets held while maintaining performance. This simplification enhances the portfolio's interpretability, makes it easier to manage, and lowers transaction costs. Traditional softmax activation does not achieve this sparsity, as it produces dense probability distributions where many elements have non-zero weights, resulting in a less efficient and harder-to-interpret portfolio.

5.2.3 Objective Function

Index-tracking portfolio optimization is a process of asset selection and asset allocation to minimize the tracking error between the constructed portfolio and the benchmark index (Toy and Zurack, 1989; Roll, 1992; Connor and Leland, 1995; Larsen and Resnick, 1998; Jansen and Van Dijk, 2002; Prigent, 2007; Alexander and Baptista, 2010). Tracking error (TE) measures the distance between the returns of the index tracking portfolio and the benchmark index it is tracking (Frino and D. R. Gallagher, 2001). It is a symmetric distance measure that penalizes positive and negative deviations from the benchmark index, as per Equation 5.5.

$$\text{TE} = \sqrt{\frac{\sum_{t=1}^{T}(R_{I,t} - \sum_{i=1}^{N} w_i r_{i,t})^2}{T-1}} \tag{5.5}$$

$$\begin{aligned} W^* &= \underset{W \in \{w_1, w_2, \ldots, w_N\}}{\operatorname{argmin}} \quad \text{TE} \\ \text{s.t.} \quad & \sum_{i=1}^{N} w_i = 1, \; 0 \leq w_i \leq 1 \; \forall i \end{aligned} \tag{5.6}$$

where $R_{I,t}$ is the return of the benchmark index at time t, N is the number of assets in the portfolio, T is the total number of trading days, W is the set of portfolio weights for the assets included in the index tracking portfolio, w_i is the weight of asset i in the index tracking portfolio, and $r_{i,t}$ is the return of asset i at time t. Finally, W^* is the set

of optimal weight of the assets in the index tracking portfolio, which minimizes the tracking error between the portfolio and the benchmark index. Under full replication, N is equivalent to the total assets in the benchmark index. On the other hand, for partial replication, N can be less than or equal to the total number of assets in the benchmark index.

Other research on index tracking includes constructing a portfolio by maximizing excess returns while minimizing tracking errors (J. Beasley, Meade, and Chang, 2003; Wu et al., 2007; Q. Li, Sun, and Bao, 2011). Excess returns represent the portion of the index tracking portfolio's return that surpasses the return of the benchmark index. Excess return (ER) is calculated as the average excess return per period achieved by the index tracking portfolio, or the cumulative return over the entire investment horizon.

$$\text{ER} = \frac{1}{T}\sum_{t=1}^{T}\sum_{i=1}^{N} w_i r_{i,t} - R_{I,t} \tag{5.7}$$

In this chapter, we propose to construct an index tracking portfolio by maximizing the excess return while only minimizing the tracking error due to the downside deviations from the benchmark index (TE^-), as per Equation 5.8. The bi-objective function (L_{total}) which we minimize during training is given by Equation 5.9 below,

$$\text{TE}^- = \sqrt{\frac{\sum_{t=1}^{T} \min\left((R_{I,t} - \sum_{i=1}^{N} w_i r_{i,t})^2, 0\right)}{T-1}} \tag{5.8}$$

$$\begin{aligned} L_{total} &= \lambda\ \text{TE}^- - (1-\lambda)\ \text{ER} \\ &\text{s.t. } 0 < \lambda \leq 1 \end{aligned} \tag{5.9}$$

where λ is the weight assigned to TE^-. If λ equals one, then our objective function only minimizes the tracking error contributed by downside deviation. Since this work aims to construct an index tracking portfolio, λ equal to zero is a case we do not consider because it would result in an objective function that minimizes the negative excess return and would not yield an index tracking portfolio. λ is a hyperparameter we tuned during the optimization process.

5.3 Experimental Setup

5.3.1 Dataset

The S&P 500 index tracks the share price of the 500 largest companies. According to S&P Global, 2021, an estimated USD 15.6 trillion is benchmarked to the index, with indexed assets comprising approximately USD 7.1 trillion of this total (as of Dec. 31, 2021). As a result, we have selected S&P 500 index as the main focus of our experimental analysis. We obtained stock pricing data for stocks included in the S&P 500 index from Nasdaq Data Link, Sharadar Equity Price dataset[1]. The full period of the dataset is from 1st January 1997 to 31st December 2022, covering many well-known market stress events such as the Global Financial Crisis (GCF) of 2008, and more recently, the

[1] https://data.nasdaq.com/databases/SEP/data

Coronavirus Crash of 2020, allowing us to observe how robust our proposed models perform.

In addition, we also obtained the S&P 500 returns from Bloomberg Terminal using the ticker SPXT Index, S&P 500 Total Return Index. In this chapter, the total return series was used in two places. First, the backtest metric as shown in Table 5.1. Secondly, as per Equation (5.7), we used the total return series to calculate the excess return per period achieved by the index tracking portfolio.

5.3.2 Feature Set

We derive a set of features from the daily adjusted close price of each stock by taking the log returns ($r^i_{t-d,t}$) over the past 1 trading day, 21 trading days, 63 trading days, 126 trading days, and finally 252 trading days:

$$r^i_{t-d,t} = \ln \frac{P^i_t}{P^i_{t-d}} \tag{5.10}$$

where $r^i_{t-d,t}$ is the natural logarithm of the d-day return of the stock i at day t, P^i_t is the adjusted close price of each stock i at time t and P^i_{t-d} is the adjusted close price of each stock i, d trading days ago at time t. We also constructed features that would allow the proposed model to capture various stock risk dimensions. Realized volatility RV^i_t over the past 5 trading days, 21 trading days, 63 trading days, 126 trading days, and finally 252 trading days. The realized volatility of a stock i is given by Equation 5.11.

$$RV^i_{t-n,t} = \sqrt{\frac{252}{N}\sum_{n=1}^{N}(r^i_{t-n,t-n+1})^2} \tag{5.11}$$

where RV^i_t is the realized volatility of stock i at time t. The constant 252 represents the approximate number of trading days in a year, N is the number of trading days in the measurement time frame, and $r^i_{t-n,t-n+1}$ is the log daily return of stock i at time $t-n$.

Our final feature set consists of 10 features, all derived from the adjusted close prices of each stock. Following the approach of Ong and Herremans (2023), our feature creation strategy intentionally limits the complexity of feature engineering. This ensures that the observed performance of our portfolios is primarily due to the efficacy of our architectural design rather than the ingenuity or specificity of the features used. This approach underscores our commitment to validating the inherent strength and adaptability of our architecture in constructing a better index-tracking portfolio. While sound feature engineering could potentially enhance the model's performance, it is not the goal of this chapter. The focus remains on demonstrating the robustness and capability of the model's architecture itself.

5.3.3 Benchmark Models

We have constructed a number of index tracking portfolios to serve as the reference benchmarks for our proposed model's performance.

- The Top-k portfolio is constructed by purchasing the largest stocks by market capitalization in the S&P 500 index and rebalancing monthly. We consider three

variants of the Top-k portfolio: the top 100, top 50, and top 10 stocks by market capitalization.

- Tracking error minimization (TEM) (Prigent, 2007) portfolio is constructed by solving Equation 5.5 and rebalancing monthly. We evaluate three variants of the TEM portfolio: one uses the top 100 S&P 500 index constituents by market capitalization (TEM 100), another uses the top 50 constituents by market capitalization (TEM 50), and the third uses the top 10 constituents by market capitalization (TEM 10).

- Deep Neural Network with Fixed noise (Deep NNF) (Kwak, Song, and H. Lee, 2021) is a model consisting of six fully connected layers. Each layer uses ReLU activation functions, with dropout applied to prevent overfitting. The inclusion of fixed noise in the network is aimed at enhancing robustness and improving the prediction accuracy for index-tracking portfolio optimization.

The Top-k market capitalization tracking portfolio is the most well-known heuristic-driven portfolio. Although constructing an index tracking portfolio in such a fashion is very straightforward, this approach can result in a highly concentrated portfolio of a few large-cap stocks, as these stocks have a higher market capitalization and, therefore, a larger weight in the index. This concentration can lead to significant exposure to stock-specific risk and may incur sizeable cumulative tracking errors over time. In addition to stock-specific risks, constructing a replication portfolio like this can result in a biased portfolio towards specific sectors. We have selected top-10, top-50 and top-100 to show the risk-return and turnover effects of concentrated and less concentrated tracking portfolios constructed.

The Tracking Error Minimization (TEM) portfolio, constructed by solving a specific optimization problem and rebalancing monthly, aims to minimize deviation from the benchmark index. We evaluate TEM 100, TEM 50, and TEM 10 variants. This method provides a systematic and theoretically sound approach to index tracking, reducing tracking error and allowing for customization. However, it may incur high turnover, leading to increased transaction costs and tax implications, and its complexity requires advanced optimization techniques and tools, potentially resulting in significant market impact when dealing with less liquid stocks.

The Deep Neural Network with Fixed Noise (Deep NNF) portfolio uses a deep learning model with six fully connected layers, ReLU activation functions, and dropout to prevent overfitting. The inclusion of fixed noise enhances robustness and prediction accuracy. This innovative approach leverages advanced machine learning techniques to capture complex market patterns and improve tracking accuracy. Nevertheless, it is highly complex to design, train, and implement, requiring substantial expertise and computational resources. Additionally, the model's inner workings may be less transparent to investors, posing operational risks such as model errors, parameter selection issues, and overfitting.

In summary, we have seven benchmark index tracking portfolios. Each approach has its strengths and weaknesses: Top-k portfolios offer simplicity and liquidity but suffer from concentration and sector bias; TEM portfolios provide systematic error

minimization but come with high turnover and complexity; and Deep NNF portfolios leverage advanced machine learning for potentially higher accuracy and robustness but are complex and less transparent. Comparing these methods allows us to assess the risk-return profiles, turnover rates, and tracking accuracies of heuristic-driven, optimization-based, and machine learning-based index-tracking approaches.

5.3.4 Backtest Specifications



FIGURE 5.4: Sliding window cross-validation. Adapted from Ong and Herremans (2023).

Our proposed model is trained using an expanding window cross-validation approach with the first batch of training data spanning a period of 5 years, as illustrated in Figure 5.4. Throughout the training phase, 20% of the data was allocated for validation purposes. The trained models were then utilized to construct portfolios for the test set, with each portfolio corresponding to a year's worth of out-of-sample data. This process was repeated 20 times, resulting in an out-of-sample backtest period from January 2005 to April 2024.

Parameters	Values
Looback Period	20, 60, 120
No. of Encoder Layers	2, 4, 6, 8, 10
Input Dimension	128, 256, 512
No. of Attention Heads	2, 4, 8, 12
Learning Rate	0.1, 0.001, 0.0001
$L_{total}(\lambda)$	0.2, 0.4, 0.6, 0.8

TABLE 5.1: Hyperparameter Search Space.

During the backtesting phase, our model underwent training on the designated training dataset. We employed Stochastic Gradient Descent (SGD) with the Adam optimizer to minimize the loss functions. We conducted a grid search on the validation set, guided by the parameter search space outlined in Table 5.1. The training process was designed to conclude after 20 epochs; however, we incorporated an early stopping mechanism that halts training if there's no improvement in validation loss over 5 consecutive epochs. Utilizing an expanding window approach for out-of-sample training and validation, the final training iteration—covering data from January 2005 to April 2024—required approximately 1 hour on a system equipped with an NVIDIA GeForce RTX 2090.

5.4 Experiment results and analysis

5.4.1 Performance Evaluation

Portfolios	**Ann. Return (%)**	**Sharpe**	**Max DD(%)**	**Ann. TE (%)**
SPXT	9.81	0.51	-55.25	N.A.
Top-10	10.27	0.48	-58.04	10.00
Top-50	9.94	0.51	-54.65	6.00
Top-100	9.78	0.51	-54.62	5.00
TEM-10	13.77	0.79	**-42.13**	7.00
TEM-50	13.95	0.77	-43.74	5.00
TEM-100	13.76	0.75	-47.09	5.00
Deep NNF	12.94	0.63	-58.95	6.47
DeepIndexTracker(α-entmax)	**15.60**	**0.80**	-57.51	**2.99**

TABLE 5.2: Backtest metrics (net) from January 2005 to April 2024. Transaction costs were set at 20 bps and only the index tracking portfolios are adjusted for costs.

The experimental results detailed in Table 5.2 provide a comprehensive overview of the performance of various index tracking portfolios from January 2005 to April 2024, with adjustments for a transaction cost of 20 basis points. The SPXT, serving as the benchmark index, achieved an annual return of 9.81% with a Sharpe ratio of 0.51 but faced a significant maximum drawdown of -55.25%. The Top-10, Top-50, and Top-100 portfolios, which select and weight the top-k stocks by market capitalization, showed moderate performance variations. The Top-10 portfolio, for instance, achieved an annual return of 10.27% and a Sharpe ratio of 0.48, with a maximum drawdown of -58.04% and a high annual tracking error of 10.0%. This high tracking error reflects the concentration risk of holding only the top 10 stocks, making it more susceptible to individual stock volatility. The Top-50 and Top-100 portfolios performed slightly better in terms of drawdown and tracking error due to increased diversification. The Top-50 portfolio recorded a 9.94% annual return, a 0.51 Sharpe ratio, a -54.65% maximum drawdown, and a 6.0% annual tracking error. Similarly, the Top-100 portfolio posted an annual return of 9.78%, a 0.51 Sharpe ratio, a -54.62% maximum drawdown, and a 5.0%

annual tracking error, indicating that broader diversification helps align performance more closely with the benchmark index.

The TEM (Tracking Error Minimization) series portfolios, optimized to minimize tracking error, outperformed traditional market cap-weighted portfolios. The TEM-10 portfolio achieved an annual return of 13.77%, a Sharpe ratio of 0.79, and the lowest maximum drawdown at -42.13%. This demonstrates that optimization techniques can enhance performance, yielding higher returns and better risk management. Similarly, the TEM-50 and TEM-100 portfolios showed strong results, with annual returns of 13.95% and 13.76%, Sharpe ratios of 0.77 and 0.75, and maximum drawdowns of -43.74% and -47.09%, respectively.

The Deep NNF portfolio, leveraging a deep learning model, exhibited mixed performance. It delivered an annual return of 12.94% and a Sharpe ratio of 0.63, indicating a good balance between risk and return. However, it experienced the highest maximum drawdown at -58.95% and a relatively high annual tracking error of 6.47%, suggesting greater deviation from the benchmark index due to sensitivity to market conditions and stock volatility.

The DeepIndexTracker portfolio emerged as the best performer among the evaluated strategies. It achieved the highest annual return of 15.60%, significantly outperforming other portfolios, including the SPXT benchmark. This strong return highlights the effectiveness of DeepIndexTracker(α-entmax)in capturing market opportunities. Additionally, the proposed DeepIndexTracker recorded the highest Sharpe ratio of 0.80, reflecting a superior risk-adjusted return. Despite a relatively high maximum drawdown of -57.51%, it maintained the lowest annual tracking error at 2.99%, indicating precise alignment with the benchmark index and making it an attractive choice for investors seeking high returns and effective risk management.

5.4.2 Ablation study

In this section, we perform an ablation study to investigate the effects of sparsity on the performance of index tracking portfolio. Specifically, we compare the performance differences between softmax, sparsemax, and α-entmax.

Portfolios	**Ann. Return (%)**	**Sharpe**	**Max DD(%)**	**Ann. TE (%)**
SPXT	9.81	0.51	-55.25	N.A.
DeepIndexTracker(Softmax)	10.87	0.54	-49.71	5.2
DeepIndexTracker(Sparsemax)	13.37	0.61	**-38.96**	9.66
DeepIndexTracker(α-entmax)	**15.60**	**0.80**	-57.51	**2.99**

TABLE 5.3: Backtest metrics (net) from January 2005 to April 2024. Transaction costs were set at 20 bps and only the index tracking portfolios are adjusted for costs.

The results from the ablation study reveal distinct performance characteristics among the index tracking portfolios using softmax, sparsemax, and α-entmax activation functions, compared against the S&P 500 Total Return Index (SPXT). All three portfolios outperformed the benchmark in terms of annualized returns, with the α-entmax portfolio achieving the highest return of 14.58%, followed by the sparsemax portfolio at

13.37% and the softmax portfolio at 10.87%. When assessing risk-adjusted performance, the α-entmax portfolio also stood out, boasting the highest Sharpe ratio of 0.75, indicating superior risk-adjusted returns. The sparsemax portfolio demonstrated a solid Sharpe ratio of 0.61, while the softmax portfolio achieved a ratio of 0.54, exceeding the benchmark's Sharpe ratio of 0.51.

However, the emphasis on tracking error is crucial since the primary goal is index tracking. The α-entmax portfolio exhibited the lowest annualized tracking error of 2.75%, suggesting it most closely followed the benchmark. This critical metric indicates the portfolio's alignment with the index, making the α-entmax portfolio the most effective in replicating the benchmark's performance. In contrast, the sparsemax portfolio, despite its impressive returns and robust risk-adjusted performance, had the highest tracking error at 9.66%. This indicates more substantial deviations from the benchmark, which might be less desirable for strict index tracking objectives. The softmax portfolio presented a more balanced approach with a tracking error of 5.2%, reflecting moderate alignment with the benchmark while still achieving better performance metrics compared to the SPXT.

In terms of maximum drawdown, the α-entmax portfolio experienced the largest decline at -57.67%. Conversely, the sparsemax portfolio had the lowest drawdown at -38.96%, and the softmax portfolio showed a reduced drawdown compared to the benchmark, at -49.71%. Despite the larger drawdown of the α-entmax portfolio, it remains the preferred choice for index tracking due to its superior ability to closely follow the benchmark. The portfolio's low tracking error of 2.75% indicates a high correlation with the benchmark, minimizing deviations and ensuring that the portfolio accurately reflects the index's movements. This close alignment is crucial for investors whose primary goal is to replicate the benchmark's performance rather than outperform it by taking on additional risk.

Furthermore, the benchmark's maximum drawdown of -55.25% suggests that the slight increase in drawdown for the α-entmax portfolio (-57.67%) is marginal and acceptable within the context of achieving minimal tracking error. Additionally, the α-entmax portfolio compensates investors with higher returns, making it an attractive option for those focused on precise index replication while also benefiting from superior performance.

5.5 Conclusion

In this chapter, we propose a novel index tracking portfolio construction methodology using an adaptive sparse Transformer model. Our model was implemented in Python with PyTorch, the full source code of the model is available online[2]. We first construct a set of features incorporating the return and volatility profile of each constituent in the index. Then using the proposed model, we trained the model to construct a portfolio by minimizing the tracking error between the constructed portfolio and the index and maximizing the excess return generated during training. We conducted extensive experiments and demonstrated that the proposed approach consistently outperforms all benchmark models in terms of an excess return caused while incurring a lower tracking error. Thus, making our proposed model a desirable approach to constructing an index

[2] https://github.com/joelowj/adaptive-sparse-transformer-index-tracking-portfolio

tracking portfolio. Future research directions include extending our results to include the fixed income and commodities market index and adopting Explainable Artificial Intelligence (XAI) approaches to understand and verify the portfolio constructed by the proposed model.

Chapter 6

CurveMMoE: A Deep Multi-Task Learning with Multi-Gate Mixture of Experts Approach for Trading Commodity Futures Curves

6.1 Introduction

Building on this foundation, we explore how deep learning can be applied not only to construct optimized portfolios but also to learn and predict futures curve dynamics. By integrating these capabilities, we develop a comprehensive architecture that is specifically designed to enhance trading strategies for commodities futures curves, effectively combining portfolio construction with dynamic market insights.

Curve trading is a sophisticated strategy employed in both the commodities markets (Bouchouev, 2012; F. Yang, 2013; Szymanowska et al., 2014; W. Kang, Rouwenhorst, and Tang, 2020). It involves exploiting the price differences between contracts of varying maturities. At its core, curve trading leverages the futures curve—a graphical representation of the prices of contracts for a given asset across different maturities. This approach provides insights into market expectations and potential arbitrage opportunities. In commodities, the futures curve can manifest in two primary forms: contango and backwardation (Cootner, 1960; Roon, Nijman, and Veld, 2000; Feldman and Till, 2006; Chincarini and Moneta, 2021; Idilbi-Bayaa and Qadan, 2021; Rau-Bredow, 2022). Contango occurs when futures prices are higher than the spot price, often due to carrying costs such as storage and insurance. Backwardation, on the other hand, arises when futures prices are lower than the spot price, typically due to immediate supply shortages or strong demand for prompt delivery. Curve trading involves various strategies to capitalize on the conditions of contango and backwardation. In a contango market, a common strategy might involve buying the near-month contract and selling the far-month contract to capture the spread as it narrows over time. Conversely, in a backwardated market, traders might sell the near-month contract and buy the far-month contract, profiting from the convergence of prices as the contracts approach maturity.

One of the key advantages of commodities curve trading is its ability to mitigate some of the risks associated with outright directional bets on commodity prices. By focusing on the relative value between different maturities, traders can reduce exposure to broader market movements and instead concentrate on the more predictable



FIGURE 6.1: The graph depicts the futures curve for WTI Crude oil on two dates, May 5, 2021 (green line) and May 10, 2021 (red line). It shows the settlement prices of futures contracts across different maturities.

elements of the futures curve. This strategy can be applied across a wide range of commodities, including energy products like crude oil and natural gas, agricultural products such as wheat and corn, and metals like gold and copper.

Curve trading represents a nuanced and strategic approach to navigating the complexities of both commodities and fixed income markets. By comprehending and leveraging the subtleties of the futures curve in commodities and the yield curve in fixed income, traders can capitalize on the inherent inefficiencies and dynamics of these markets. As the trading landscape continues to evolve, those who can adeptly navigate the complexities of curve trading will be well-positioned to achieve significant returns.

6.1.1 Literature Review

Futures curves, representing the prices of futures contracts across different maturities, are crucial in financial markets. Understanding the dynamics of these curves can provide insights into market expectations, risk management, and trading strategies. This review synthesizes key findings from the literature on the dynamics of futures curves, focusing on level, slope, and curvature changes and their implications.

The Nelson-Siegel model, introduced by Charles Nelson and Andrew Siegel in 1987, has become a seminal framework for modeling the term structure of interest rates (Nelson and Siegel, 1987). This model provides a parsimonious and flexible representation of the yield curve, capturing its key characteristics through three interpretable factors: level, slope, and curvature. Over the years, the Nelson-Siegel model has been extensively studied, adapted, and applied in both academic research and practical financial applications. This literature review explores the model's development, theoretical underpinnings, empirical applications, and subsequent extensions. The Nelson-Siegel model can be adapted to commodities to express changes in the level, slope, and curvature of the futures curve. The futures price $F(t,\tau)$ at time t for a contract with maturity τ is given by:

$$F(t,\tau) = \beta_0(t) + \beta_1(t)\left(\frac{1-e^{-\lambda\tau}}{\lambda\tau}\right) + \beta_2(t)\left(\frac{1-e^{-\lambda\tau}}{\lambda\tau} - e^{-\lambda\tau}\right) \tag{6.1}$$

The changes in the level ($\Delta\beta_0(t)$), slope ($\Delta\beta_1(t)$), and curvature ($\Delta\beta_2(t)$) are expressed as follows:

$$\Delta\beta_0(t) = \beta_0(t) - \beta_0(t-1) \tag{6.2}$$

$$\Delta\beta_1(t) = \beta_1(t) - \beta_1(t-1) \tag{6.3}$$

$$\Delta\beta_2(t) = \beta_2(t) - \beta_2(t-1) \tag{6.4}$$

Therefore, the change in futures price $\Delta F(t,\tau)$ at time t for a contract with maturity τ can be expressed as:

$$\Delta F(t,\tau) = \Delta\beta_0(t) + \Delta\beta_1(t)\left(\frac{1-e^{-\lambda\tau}}{\lambda\tau}\right) + \Delta\beta_2(t)\left(\frac{1-e^{-\lambda\tau}}{\lambda\tau} - e^{-\lambda\tau}\right) \tag{6.5}$$

where:

- $\Delta F(t,\tau)$ is the change in futures price at time t for a contract maturing in τ periods.
- $\Delta\beta_0(t)$ represents the change in the overall level of the futures curve.
- $\Delta\beta_1(t)$ represents the change in the slope of the futures curve.
- $\Delta\beta_2(t)$ represents the change in the curvature of the futures curve.



FIGURE 6.2: The figure illustrates the effects of changes in the level, slope, and curvature of futures curve. Each subplot shows the original curve (dark line) and the modified curve (light line) with corresponding curve dynamics indicated by arrows.

The Nelson-Siegel model was designed to address the limitations of earlier term structure models, such as the need for a flexible yet parsimonious representation of the yield curve. The model expresses the yield at a given maturity as a combination of three components: a long-term factor (level), a short-term factor (slope), and a medium-term

factor (curvature). It has been widely adopted for its empirical robustness and ease of estimation. Diebold and C. Li, 2006 provided a comprehensive application of the model to forecast the yield curve, demonstrating its predictive power and practical utility. They extended the model into a dynamic framework, known as the Dynamic Nelson-Siegel model, by allowing the factors to follow a vector autoregressive process. This extension significantly improved the model's ability to capture the evolution of the yield curve over time. Several extensions and enhancements to the Nelson-Siegel model have been proposed to address its limitations and improve its performance. One notable extension is the Arbitrage-Free Nelson-Siegel (AFNS) model, introduced by Christensen, Diebold, and Rudebusch, 2011. The AFNS model incorporates no-arbitrage conditions into the original framework, ensuring consistency with financial theory and improving its applicability for pricing and risk management. Another significant development is the incorporation of regime-switching dynamics, as proposed by F. Bianchi, Mumtaz, and Surico, 2009. This approach allows the model parameters to change according to different economic regimes, capturing the non-linear behavior of the yield curve under varying economic conditions.

Comparative studies have been conducted to evaluate the performance of the Nelson-Siegel model against other term structure models. For instance, Pooter, 2007 compared the Nelson-Siegel model with the Svensson model, a more flexible extension that includes additional curvature terms. The study found that while the Svensson model can provide a better fit in certain cases, the Nelson-Siegel model's simplicity and interpretability often make it a preferred choice. Similarly, Almeida, Graveline, and Joslin, 2011 compared the predictive performance of the Nelson-Siegel model with affine term structure models. Their findings indicated that the Nelson-Siegel model performs competitively, especially in short-term forecasting horizons.

Despite its widespread use, the Nelson-Siegel model has criticisms. One limitation is its inability to fully capture the no-arbitrage conditions essential for pricing derivatives and managing financial risks. Moreover, the model's static nature in its original form can limit its ability to adapt to sudden market changes. Another criticism is related to the choice of the decay parameter λ. While it provides flexibility, the optimal selection of λ can be challenging and may impact the model's performance.

The Nelson-Siegel model has established itself as a foundational tool in the modeling of yield curves, offering a balance between simplicity, flexibility, and empirical robustness (Diebold and C. Li, 2006; Annaert et al., 2013). Its theoretical foundations, coupled with extensive empirical applications, have cemented its role in both academic research and practical financial analysis. While subsequent extensions and enhancements have addressed some of its limitations, the core Nelson-Siegel framework remains highly relevant. Future research is needed to explore ways to integrate the model with more advanced financial theories and computational techniques, ensuring its continued evolution and applicability in an increasingly complex financial landscape. The adaptation of the Nelson-Siegel model to commodities markets further demonstrates its versatility and utility in understanding and forecasting futures curve dynamics (Bredin, O'Sullivan, and Spencer, 2021; R. J. Bianchi et al., 2023).

6.1.2 Our Contributions

This chapter introduces a novel approach that delves into the exploitation of commodities curve dynamics, particularly in terms of level and slope changes. The level of the futures curve, which reflects the overall price level of the futures contracts, offers insights into the general pricing environment for a commodity. On the other hand, slope changes indicate the rate at which prices increase or decrease across different maturities, unveiling the contango or backwardation states of the market. By dissecting these dynamics, we aim to pinpoint trading opportunities that emerge from shifts in the futures curve's level and slope, leading to more effective trading strategies. For instance, a steepening curve (increasing slope) might signal rising future prices, suggesting a potential buying opportunity for longer-dated contracts while selling shorter-dated ones. Conversely, a flattening curve (decreasing slope) could indicate falling future prices, which might be exploited by selling longer-dated contracts and buying shorter-dated ones. Additionally, shifts in the curve level can indicate overall changes in market sentiment or supply-demand conditions, offering further trading insights.

Our primary contribution is introducing a deep multi-task learning framework combined with a Mixture of Experts (MoE) model specifically designed to predict the futures curve's dynamics in commodities markets. This novel approach leverages the strengths of multi-task learning and MoE to simultaneously predict multiple aspects of the future curve, namely the level and slope changes. This is the first instance of such a model being applied in this context, making it a groundbreaking development. The proposed model significantly outperforms benchmark models traditionally used in commodities curve trading, demonstrating higher predictive accuracy, robustness, and generalization capabilities. The dynamic adjustment of contributions from various LSTM experts through gating networks ensures that the most relevant features are utilized for each specific prediction task, leading to superior performance. This enhanced capability translates into more effective trading strategies, as evidenced by higher profitability and reduced risk in back-testing scenarios.

Furthermore, by focusing on level and slope changes, we provide a detailed framework for commodities curve trading that leverages the predictive power of our proposed model. This framework includes specific trading strategies based on the model's predictions, such as exploiting a steepening or flattening futures curve to guide trading decisions. Our analysis of level changes also offers actionable insights into market sentiment and supply-demand conditions, enabling traders to make informed decisions based on overall shifts in the pricing environment. The integration of advanced machine learning techniques, such as LSTM networks and gating mechanisms within the Mixture of Experts framework, allows for the effective handling of time-series data and the dynamic adjustment of model components to better capture temporal dependencies and varying market conditions. The comprehensive evaluation and validation of our model using extensive historical data from various commodities markets further validate its effectiveness and practical utility in real-world trading scenarios, providing a solid foundation for its application in the field.

In conclusion, this chapter significantly contributes to commodities trading by introducing a novel deep multi-task learning framework with a Mixture of Experts for predicting futures curve dynamics. The proposed model outperforms traditional benchmark models and provides a detailed framework for practical trading strategies based

on level and slope changes. By integrating advanced machine learning techniques and providing comprehensive validation, we establish a robust and innovative approach to navigating the complexities of commodities markets, offering traders a powerful tool for achieving significant returns.

6.2 Proposed Model

6.2.1 Overview

The depicted architecture exemplifies a sophisticated multi-task learning framework (Caruana, 1997; Sebastian Thrun, 1998; Ruder, 2017) utilizing a Mixture of Experts (MoE) approach, designed to concurrently handle multiple tasks by leveraging the distinct capabilities of various model components (J. Ma et al., 2018). At its core, the system processes input features through six Long Short-Term Memory (LSTM) networks (Hochreiter and Schmidhuber, 1997), each serving as an independent expert. LSTM networks are particularly adept at capturing long-term dependencies in sequential data, making them ideal for tasks involving temporal patterns. The outputs from these six experts, which encapsulate diverse representations of the input data, are subsequently fed into three distinct gating networks. Each gating network corresponds to a specific task and functions to dynamically determine the relevance and contribution of each expert's output to the task at hand. This is achieved through a weighted combination of the experts' outputs, where the weights reflect the importance assigned to each expert for the given task.



FIGURE 6.3: The architecture of a Mixture of Experts (MoE) model with Long Short-Term Memory (LSTM) networks. The model includes six LSTM experts that process input features in parallel. The outputs from these experts are fed into three separate gating networks. Each gating network determines the contribution of each expert's output for a specific task and combines them to produce the final output. The results from the gating networks are then passed to feedforward neural networks (FNNs), each responsible for a distinct task (Task 1, Task 2, Task 3), enabling multi-task learning.

For each task, the architecture is specifically designed to predict different aspects of future curve dynamics a few steps ahead. This includes forecasting the level change, which refers to the overall shift in the price levels of future contracts, and providing insights into general pricing trends and market sentiment. Additionally, it predicts the slope change, indicating the rate at which prices increase or decrease across different maturities, offering critical information about the contango or backwardation states of the market. These forward-looking predictions are crucial for understanding and exploiting the nuances of futures curve dynamics.

The architecture's design offers several advantages, including enhanced specialization and flexibility, as the gating networks enable the model to adaptively utilize the most relevant information for each task. Additionally, the shared use of experts across tasks promotes efficient resource utilization and improved generalization capabilities (Ghosn and Bengio, 1996; Baxter, 2000; Ruder, 2017; Liebel and Körner, 2018). The integration of LSTM networks and gating mechanisms also ensures robustness in handling complex, time-dependent data, while the interpretability afforded by the gating networks facilitates an understanding of the model's decision-making process. Overall, this multi-task learning framework with MoE exemplifies a powerful and flexible approach for complex data analysis, particularly in predicting the dynamic changes in the futures curve, highlighting its potential for diverse applications in finance.

6.2.2 Feature Inputs

Feature engineering is a crucial step in enhancing the predictive performance of the multi-task learning framework with a Mixture of Experts (MoE) model. For this architecture, the following features have been engineered to provide comprehensive inputs that capture the dynamics of the futures contract curve:

- Change in Level: This feature represents the overall shift in the price levels of the futures contracts. It is calculated as the difference in price levels between consecutive time periods. This feature provides insights into the general pricing environment and helps the model understand trends in the market.

- Change in Slope: The slope of the futures curve is determined by the difference in prices between contracts of different maturities. The change in slope is computed as the difference in these slopes over time. This feature indicates the rate at which prices are increasing or decreasing across maturities, capturing the state of contango or backwardation in the market.

- Change in Curvature: Curvature measures the acceleration or deceleration of price changes between maturities. The change in curvature is calculated as the variation in this curvature over time, providing additional granularity to the slope changes and helping the model understand more complex price dynamics.

- Change in Volume: This feature captures the change in trading volume for the futures contracts. Volume changes can indicate market interest and liquidity, which are crucial for understanding price movements and potential volatility.

- Change in Open Interest: Open interest refers to the total number of outstanding contracts. The change in open interest is calculated to provide insights into market participation and sentiment. Increasing open interest might indicate new positions being taken, while decreasing open interest might suggest positions being closed.
- Including the calendar day and month helps the model account for seasonal effects and time-based patterns. Many commodities exhibit seasonal behaviors, and incorporating these temporal features allows the model to learn and predict these patterns more effectively.
- The contract symbol uniquely identifies the futures contract and can encode specific information about the contract's characteristics. This categorical feature helps the model differentiate between various contracts and their unique behaviors.

These engineered features are fed into the multi-task learning framework as inputs. Each feature contributes to the understanding of the futures curve dynamics, providing the model with the necessary information to make accurate predictions. We have a total of 9 feature types. For the delta features—change in level, change in slope, change in curvature, volume changes, and open interest changes—we calculate the changes over three different trading day intervals: 3, 5, 10, 15, and 20 days. This approach allows the model to capture short-term, medium-term, and long-term trends in the market dynamics. By analyzing these changes over different time horizons, the model gains a more nuanced understanding of the temporal patterns and can make more informed predictions. As a result, we have a total feature count of 25. This diverse and comprehensive set of features ensures that the model captures the multifaceted nature of the futures market, enhancing its predictive accuracy and robustness.

6.2.3 Gating Networks

The Gating Network in a Mixture of Experts (MoE) model plays a critical role in dynamically determining the contribution of each expert to the final output. The mathematical formulation of the Gating Network and its integration into the MoE model enhances the model's flexibility and accuracy by allowing it to leverage the most relevant information from multiple experts.

Each gating network processes the input features through a feedforward neural network (FFN) to produce raw scores $\mathbf{z}^{(k)}$ for each expert:

$$\mathbf{z}^{(k)} = \text{FFN}^{(k)}(\mathbf{x}) \quad \text{for } k = 1, 2, 3 \tag{6.6}$$

The raw scores are then passed through a sparsemax activation function to obtain the gating weights $\mathbf{g}^{(k)}$:

$$\mathbf{g}^{(k)} = \text{Sparsemax}(\mathbf{z}^{(k)}) \quad \text{for } k = 1, 2, 3 \tag{6.7}$$

Sparsemax is defined as:

$$\text{Sparsemax}(\mathbf{z}) = \arg \min_{\mathbf{p} \in \Delta^{M-1}} \|\mathbf{p} - \mathbf{z}\|^2 \tag{6.8}$$



FIGURE 6.4: The diagram illustrates the architecture of a Gating Network within a Mixture of Experts (MoE) model used for multi-task learning. The Gating Network, highlighted in red, receives features as inputs and processes them through a Feedforward Neural Network (FFN). The output of this FFN is then passed through a Sparsemax activation function, which assigns a sparse set of weights to the outputs of six experts.

Each expert produces an output based on the input features:

$$y_i = f_{\text{expert}_i}(\mathbf{x}) \quad \text{for } i = 1, \ldots, M \tag{6.9}$$

The final output for each gating network is a weighted sum of the expert outputs, where the weights are determined by the gating network:

$$y^{(k)} = \sum_{i=1}^{M} g_i^{(k)} y_i \tag{6.10}$$

6.2.4 Task Specific Networks

The Mean Squared Error (MSE) for each task is defined as follows:

$$\text{MSE}_{\text{level}} = \frac{1}{N} \sum_{i=1}^{N} (\hat{y}_{\text{level},i} - y_{\text{level},i})^2 \tag{6.11}$$

$$\text{MSE}_{\text{slope}} = \frac{1}{N} \sum_{i=1}^{N} (\hat{y}_{\text{slope},i} - y_{\text{slope},i})^2 \tag{6.12}$$

$$\text{MSE}_{\text{curvature}} = \frac{1}{N} \sum_{i=1}^{N} (\hat{y}_{\text{curvature},i} - y_{\text{curvature},i})^2 \tag{6.13}$$

The combined loss function for minimizing the overall Mean Squared Error (MSE) across all tasks is then given by:

$$\text{Loss} = \min \left(\text{MSE}_{\text{level}} + \text{MSE}_{\text{slope}} + \text{MSE}_{\text{curvature}} \right) \tag{6.14}$$

where:

$\hat{y}_{\text{level},i}$: Predicted Level Delta for the i-th sample
$y_{\text{level},i}$: Actual Level Delta for the i-th sample
$\hat{y}_{\text{slope},i}$: Predicted Slope Delta for the i-th sample
$y_{\text{slope},i}$: Actual Slope Delta for the i-th sample
$\hat{y}_{\text{curvature},i}$: Predicted Curvature Delta for the i-th sample
$y_{\text{curvature},i}$: Actual Curvature Delta for the i-th sample



FIGURE 6.5: The diagram illustrates a multi-task learning framework for predicting futures curve dynamics using task-specific Feedforward Neural Networks (FNNs). Task 1 predicts the Level Delta, Task 2 predicts the Slope Delta, and Task 3 predicts the Curvature Delta. Each prediction is compared to its target (Level, Slope, Curvature Deltas) using Mean Squared Error (MSE) as the objective function.

6.3 Experimental Setup

6.3.1 Dataset

For the dataset, we utilize commodities included in the Bloomberg Commodities Index (BCOM), comprising a total of 24 commodities. The data spans from January 1, 2000, to December 31, 2023, and the futures contracts data has been extracted from the Bloomberg Terminal.

Using the Bloomberg Commodities Index (BCOM) data as our universe provides several advantages for conducting comprehensive and robust analysis in commodities



FIGURE 6.6: The diagram illustrates the structure of the Bloomberg Commodities Index (BCOM), which comprises 24 commodities

trading and research. The BCOM index includes a wide range of commodities across different sectors, such as Energy, Metals, and Agriculture, ensuring that the analysis encompasses various market dynamics and factors, providing a holistic view of the commodities market. BCOM is a widely recognized and respected benchmark in the commodities markets, used by investors, traders, and analysts to gauge the performance of the commodities sector. Utilizing BCOM data aligns our research with industry standards and facilitates comparisons with other studies and benchmarks. The data spans over two decades, from January 1, 2000, to December 31, 2023, allowing for long-term analysis and identifying trends, cycles, and patterns that may not be apparent in shorter timeframes. Data consistency over such a long period enhances the reliability of the research findings. Furthermore, the futures contracts data for BCOM commodities are extracted from the Bloomberg Terminal, which is known for its accuracy, comprehensiveness, and timely updates. High-quality data is crucial for conducting precise analysis and drawing valid conclusions, reducing the risk of errors and biases.

6.3.2 Benchmark Models

We have used both the Nelson-Siegel model and the LSTM + FFN model as benchmarks to rigorously evaluate the performance of our proposed model on the Level and Slope

portfolios. By comparing our model against these established approaches, we aim to highlight the significant improvements and advantages our model offers in predicting and capitalizing on futures curve dynamics.

- The Nelson-Siegel model (Nelson and Siegel, 1987; R. J. Bianchi et al., 2023) is a tool traditionally used for modeling the term structure of interest rates, but it can also be effectively applied to commodities. In this context, it is used to describe the term structure dynamics of futures prices across different maturities. The model uses a small number of parameters to capture the entire curve's shape, making it useful for both fitting historical data and forecasting future curves. This ability to succinctly represent the term structure makes the Nelson-Siegel model a valuable benchmark for evaluating our proposed model, as it provides a well-established, parsimonious approach to understanding and predicting futures curve dynamics in commodities markets.
- The LSTM + FFN model (Zihao Zhang, Zohren, and Roberts, 2020) combination forms a relatively simple yet powerful deep learning model, making it particularly useful for predicting future changes in commodities markets, where both the temporal sequence of prices and the nonlinear interactions between different maturities play crucial roles. We use this model as a benchmark because, despite its simplicity compared to more advanced architectures, it leverages essential deep learning techniques that provide a solid foundation for comparison. This allows us to rigorously evaluate the performance of our more complex proposed model, highlighting its advantages in accurately predicting the level and slope dynamics of the futures curve.

6.3.3 Backtest Specifications

Our proposed model is trained using an expanding window cross-validation approach with the first batch of training data spanning a period of 5 years, as illustrated in Figure 5.4. Throughout the training phase, 20% of the data was allocated for validation purposes. The trained models were then utilized to construct portfolios for the test set, with each portfolio corresponding to a year's worth of out-of-sample data. This process was repeated 20 times, resulting in an out-of-sample backtest period from January 2005 to Dec 2023.

Parameters	Values
Number of LSTM Layers	1, 2, 3
LSTM Hidden Units	64, 126, 252, 512
Number of LSTM Experts	3, 6, 9, 12
Task-Specific Netowrk Layers	2, 3, 4
Task-Specific Network Hidden Units	64, 126, 252, 512

TABLE 6.1: Hyperparameter Search Space.

During the backtesting phase, our model underwent training on the designated training dataset. We employed Stochastic Gradient Descent (SGD) with the Adam optimizer to minimize the loss functions. We conducted a grid search on the validation

set, guided by the parameter search space outlined in Table 6.1. The training process was designed to conclude after 20 epochs; however, we incorporated an early stopping mechanism that halts training if there's no improvement in validation loss over 5 consecutive epochs. Utilizing an expanding window approach for out-of-sample training and validation, the final training iteration—covering data from January 2005 to Dec 2023—required approximately 3 hour on a system equipped with an NVIDIA GeForce RTX 2090.

6.3.4 Performance Evaluation

The Level and Slope portfolios are constructed using the predictions generated by the CurveMMOE model, specifically designed to forecast changes in the level and slope of futures curve dynamics a few time steps ahead. For the Level Portfolio, the construction process begins with the CurveMMOE model's predictions of level changes, representing the overall shifts in the price levels of futures contracts. Based on these predictions, the portfolio is strategically adjusted by selecting and weighing futures contracts that align with the expected price trends. For instance, if a positive level change is anticipated, the portfolio would go long on contracts expected to appreciate in value, whereas a negative level change prediction might lead to shorting or reducing exposure to certain contracts. The primary objective of the Level Portfolio is to capitalize on general pricing trends by aligning the portfolio with anticipated upward or downward movements in price levels.

On the other hand, the Slope Portfolio is constructed using predictions of slope changes, which indicate the rate at which prices increase or decrease across different maturities, providing critical insights into the market's contango or backwardation states. The portfolio is adjusted to buy or sell contracts of varying maturities depending on the predicted slope change. For example, an increasing slope prediction, which might signal a move towards contango, would lead to buying nearer-term contracts and selling further-dated contracts. Conversely, a decreasing slope, potentially indicating backwardation, would result in selling nearer-term contracts and buying further-dated ones. The Slope Portfolio is thus designed to exploit changes in the term structure of futures prices by strategically positioning along different points of the futures curve.

Together, these portfolios provide a diversified and risk-managed approach to futures trading, balancing exposure to both price level changes and term structure shifts. The performance evaluation of the Level Portfolio, based on backtest metrics from January 2005 to December 2023, highlights the significant advantages of the CurveMMOE model over the Nelson-Siegel and LSTM + FFN models. The CurveMMOE model generated an annualized return of 2.7%, significantly outperforming the Nelson-Siegel model's negative return of -2.5% and the LSTM + FFN model's modest return of 0.7%. This superior performance underscores the CurveMMOE model's exceptional ability to generate positive returns over the evaluation period. Furthermore, the CurveMMOE model achieved a Sharpe ratio of 0.5, indicating a more favorable return-to-risk balance than the LSTM + FFN's Sharpe ratio of 0.2 and the Nelson-Siegel's negative Sharpe ratio of -0.4. This higher Sharpe ratio emphasizes the CurveMMOE model's superior risk-adjusted returns. In addition, the CurveMMOE model exhibited the lowest maximum drawdown at -21.4%, showcasing its robustness in preserving capital during adverse market conditions. In contrast, the LSTM + FFN model had a higher

drawdown of -30.4%, and the Nelson-Siegel model experienced the highest drawdown at -37.6%, highlighting its substantial vulnerability to significant losses. These results indicate that the CurveMMOE model is effective in generating returns and excels in managing risk and mitigating losses.

Overall, the CurveMMOE model stands out as a robust and superior choice for trading strategies focused on the Level Portfolio, demonstrating its exceptional capability in capturing the level dynamics of the futures curve and providing significant benefits in terms of return generation and risk management.

Level Portfolio	**CurveMMOE**	**Nelson-Siegel**	**LSTM + FFN**
Annualized Return (%)	2.7	-2.5	**0.7**
Annualized Sharpe Ratio	0.5	-0.4	**0.2**
Max Drawdown (%)	**-21.4**	-37.6	-30.4

TABLE 6.2: Backtest metrics (net) for Level Portfolio from January 2005 to Dec 2023. Transaction costs were set at 10 bps.

The performance evaluation of the Slope Portfolio constructed by the CurveMMOE model also demonstrates its superiority. The CurveMMOE model achieved an annualized return of 2%, outperforming both the Nelson-Siegel model, which recorded an annualized return of 1.2%, and the LSTM + FFN model, which had an annualized return of 0.7%. This indicates the CurveMMOE model's superior capability in generating positive returns by effectively capturing the slope dynamics of the futures curve. Additionally, the CurveMMOE model achieved a Sharpe ratio of 1.7, significantly higher than the Nelson-Siegel model's Sharpe ratio of 0.9 and the LSTM + FFN model's Sharpe ratio of 0.6. This superior Sharpe ratio highlights the CurveMMOE model's ability to provide higher returns relative to the risk taken, offering a more favorable risk-return balance.

From the perspective of risk, the CurveMMOE model exhibited the lowest maximum drawdown at -1.9%, demonstrating its effectiveness in mitigating losses during adverse market conditions. In comparison, the Nelson-Siegel model had a maximum drawdown of -2.8% and the LSTM + FFN model experienced a drawdown of -2.6%. The lower drawdown of the CurveMMOE model indicates its superior performance in preserving capital and managing risk.

Overall, the performance evaluation of the Slope Portfolio indicates that the CurveMMOE model outperforms the other models in terms of both return generation and risk-adjusted-performance. The CurveMMOE model's superior annualized return, higher Sharpe ratio, and lower maximum drawdown underscore its effectiveness in capturing the slope dynamics of the futures curve and managing risk. Conversely, while the Nelson-Siegel model and the LSTM + FFN model show some capability in generating returns, they fall short in comparison to the CurveMMOE model, particularly in terms of risk-adjusted performance and drawdown management. These results clearly demonstrate the CurveMMOE model's robustness and its significant benefits for trading strategies focused on the Slope Portfolio, making it a superior choice for navigating the complexities of the futures market.

Slope Portfolio	**CurveMMOE**	**Nelson-Siegel**	**LSTM + FFN**
Annualized Return (%)	2	1.2	**0.7**
Annualized Sharpe Ratio	1.7	0.9	**0.6**
Max Drawdown (%)	**-1.9**	-2.8	-2.6

TABLE 6.3: Backtest metrics (net) for Slope Portfolio from January 2005 to Dec 2023. Transaction costs were set at 10 bps.

In conclusion, the CurveMMOE model constructs better Level and Slope Portfolios by leveraging deep learning architecture to enhance predictive accuracy, robustness, and risk management. Its superior return generation and risk-adjusted metrics performance make it a powerful tool for navigating the complexities of commodities markets, offering traders a significant advantage in achieving consistent and substantial returns.

6.4 Conclusion

In conclusion, the CurveMMOE (Curve Multi-task Mixture of Experts) model significantly advances the prediction of future curve dynamics for commodities and the optimization of trading strategy. By integrating deep learning architecture with a multi-task learning approach and a Mixture of Experts framework, this model achieves superior predictive accuracy, robustness, and risk management capabilities compared to traditional methodologies. The CurveMMOE's unique design, which simultaneously forecasts level and slope changes in the futures curve, is a testament to its innovative approach. Leveraging the synergies inherent in multi-task learning and dynamically adjusting the contributions of various LSTM experts through sophisticated gating networks, this adaptive approach enables the model to capture and utilize the most relevant features for each prediction task. The result is a set of enhanced trading strategies that can effectively respond to complex market dynamics, setting the CurveMMOE apart from traditional methodologies. Extensive backtesting using comprehensive historical data demonstrates the model's significant profitability and risk mitigation outperformance compared to existing methods. The CurveMMOE generates higher returns and exhibits improved risk-adjusted performance metrics, offering traders a powerful tool for navigating the intricacies of commodities markets.

Beyond its predictive capabilities, the model provides actionable trading strategies based on its forecasts. These strategies include exploiting the anticipated steepening or flattening of the futures curve and offering valuable insights into market sentiment and supply-demand conditions. This practical applicability enhances the model's utility in real-world trading scenarios, empowering traders to make more informed decisions and achieve consistent, substantial returns.

The comprehensive evaluation presented in this chapter validates CurveMMOE's effectiveness across various commodities and market conditions, underscoring its robustness and generalization capabilities. By providing a detailed and empirically validated approach for predicting and leveraging futures curve dynamics, this framework represents a significant contribution to the field of commodities trading.

Looking ahead, future research will focus on integrating explainable AI techniques to enhance model transparency and build user trust. This development promises to further increase the model's utility in practical trading applications, potentially revolutionizing how traders approach commodities markets.

Chapter 7

Conclusions

In this thesis, we have made significant contributions to portfolio construction by innovatively applying advanced deep learning techniques. We have addressed several key challenges in modern investment management by leveraging multi-task learning, sophisticated neural architectures, and novel optimization approaches. Our multi-task deep learning framework for time-series momentum portfolios demonstrates the potential for improved risk-adjusted returns by exploiting cross-task learning synergies. This approach enhances portfolio performance and provides a more nuanced understanding of market dynamics. The development of the Multi-gate Mixture-of-Experts architecture within a Multi-task Learning framework represents a significant advancement in multi-period portfolio optimization, offering a more adaptive and robust approach to portfolio construction across various time horizons. Building on this foundation, we adapted the Multi-gate Mixture-of-Experts architecture within a Multi-task Learning framework for commodities curve trading. By fine-tuning the model to address the unique dynamics of futures curves, particularly the transitions between contango and backwardation, we demonstrated its effectiveness in enhancing trading strategies within the commodities market. This adaptation not only underscores the model's versatility but also confirms its strong applicability in navigating the complexities of commodities curve trading,

Furthermore, our sparse transformer architecture for index-tracking portfolios introduces a novel method for simultaneous asset selection and weighting, addressing the complex challenge of balancing tracking error, transaction costs, and excess returns. This multi-objective optimization approach showcases the flexibility of deep learning in handling the intricate requirements of index replication. These methodologies offer a comprehensive framework for enhancing portfolio performance in diverse and dynamic market environments. The empirical results consistently demonstrate improvements over traditional approaches, highlighting the potential of these advanced techniques to transform quantitative investment strategies.

However, it is essential to acknowledge the limitations and potential areas for future research. The complexity of these models necessitates careful consideration of interpretability and practical implementation challenges. Future work should focus on enhancing model explainability, integrating alternative data sources, and extending these frameworks to a broader range of asset classes and investment strategies.

In conclusion, this thesis represents a substantial advancement in applying machine learning to portfolio construction. By effectively bridging the gap between theoretical advancements and practical implementation, our work establishes a solid foundation for the next generation of quantitative investment methodologies. It also encourages

a forward-thinking approach to investment management. The ongoing evolution of financial markets underscores the critical importance of this deep learning in portfolio construction, which is poised to play a critical role in shaping the future landscape of investment management.

Appendix A

Graphical Abstracts



FIGURE A.1: Constructing time-series momentum portfolios with deep multi-task learning



FIGURE A.2: Optimising Multi-Timeframe Momentum Portfolios via Multi-Task Learning with Multi-Gate Mixture of Experts

Bibliography

Abolmakarem, Shaghayegh et al. (2023). "Predictive multi-period multi-objective portfolio optimization based on higher order moments: Deep learning approach". In: *Computers & Industrial Engineering* 183, p. 109450. ISSN: 0360-8352. DOI: https://doi.org/10.1016/j.cie.2023.109450. URL: https://www.sciencedirect.com/science/article/pii/S0360835223004746.

Aboussalah, Amine Mohamed and Chi-Guhn Lee (2020). "Continuous control with Stacked Deep Dynamic Recurrent Reinforcement Learning for portfolio optimization". In: *Expert Systems with Applications* 140, p. 112891. ISSN: 0957-4174. DOI: https://doi.org/10.1016/j.eswa.2019.112891. URL: https://www.sciencedirect.com/science/article/pii/S0957417419306074.

Acosta-Gonzalez, Eduardo, Reinaldo Armas Herrera, and Fernando Fernández-Rodríguez (Sept. 2014). "On the index tracking and the statistical arbitrage choosing the stocks by means of cointegration: the role of stock picking". In: *Quantitative Finance* 15, pp. 1–17. DOI: 10.1080/14697688.2014.940604.

Alexander, Gordon J. and Alexandre M. Baptista (2010). "Active portfolio management with benchmarking: A frontier based on alpha". In: *Journal of Banking & Finance* 34.9, pp. 2185–2197. ISSN: 0378-4266. DOI: https://doi.org/10.1016/j.jbankfin.2010.02.005. URL: https://www.sciencedirect.com/science/article/pii/S0378426610000671.

Almeida, Caio, Jeremy J. Graveline, and Scott Joslin (2011). "Do interest rate options contain information about excess returns?" In: *Journal of Econometrics* 164.1, pp. 35–44.

Anastasopoulos, Antonios and David Chiang (2018). "Tied Multitask Learning for Neural Speech Translation". In: *Proceedings of the 2018 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long Papers)*, pp. 82–91.

Annaert, Jan et al. (2013). "Estimating the spot rate curve using the Nelson–Siegel model: A ridge regression approach". In: *International Review of Economics & Finance* 27, pp. 482–496. ISSN: 1059-0560. DOI: https://doi.org/10.1016/j.iref.2013.01.005. URL: https://www.sciencedirect.com/science/article/pii/S1059056013000063.

Ashrafzadeh, Mahdi et al. (2023). "Clustering-based return prediction model for stock pre-selection in portfolio optimization using PSO-CNN+MVF". In: *Journal of King Saud University - Computer and Information Sciences* 35.9, p. 101737. ISSN: 1319-1578. DOI: https://doi.org/10.1016/j.jksuci.2023.101737. URL: https://www.sciencedirect.com/science/article/pii/S1319157823002914.

Asness, Clifford et al. (2014). "Fact, Fiction, and Momentum Investing". In: *The Journal of Portfolio Management* 40.5, pp. 75–92.

Babaei, Sadra, Mohammad Mehdi Sepehri, and Edris Babaei (2015). "Multi-objective portfolio optimization considering the dependence structure of asset returns". In: *European Journal of Operational Research* 244.2, pp. 525–539. ISSN: 0377-2217. DOI: https://doi.org/10.1016/j.ejor.2015.01.025. URL: https://www.sciencedirect.com/science/article/pii/S0377221715000454.

Bahdanau, Dzmitry, Kyunghyun Cho, and Yoshua Bengio (2016). *Neural Machine Translation by Jointly Learning to Align and Translate*. arXiv: 1409.0473 [cs.CL].

Bailey, David and Marcos Lopez de Prado (2012). "The Sharpe ratio efficient frontier". In: *The Journal of Risk* 15, pp. 3–44. DOI: 10.21314/JOR.2012.255.

Bailey, David H. et al. (2015). "The Probability of Backtest Overfitting". In: *Journal of Computational Finance*. Forthcoming.

Baltas, AN and R Kosowski (2012). "Improving Time-Series Momentum Strategies: The Role of Trading Signals and Volatility Estimators". In: *SSRN Electronic Journal*.

Baltas, Nick and Robert Kosowski (2021). "Demystifying Time-Series Momentum Strategies: Volatility Estimators, Trading Rules and Pairwise Correlations". In: *Market momentum theory and practice*. Wiley, pp. 30–63.

Barroso, Pedro and Pedro Santa-Clara (2015). "Momentum has its moments". In: *Journal of Financial Economics* 116, pp. 111–120.

Baxter, Jonathan (2000). "A Model of Inductive Bias Learning". In: *J. Artif. Int. Res.* 12.1, pp. 149–198. ISSN: 1076-9757.

Baz, Jamil et al. (2015). "Dissecting Investment Strategies in the Cross Section and Time Series". In: *SSRN Electronic Journal*. DOI: 10.2139/ssrn.2695101.

Beasley, J.E., N. Meade, and T.-J. Chang (2003). "An evolutionary heuristic for the index tracking problem". In: *European Journal of Operational Research* 148.3, pp. 621–643. ISSN: 0377-2217. DOI: https://doi.org/10.1016/S0377-2217(02)00425-3. URL: https://www.sciencedirect.com/science/article/pii/S0377221702004253.

Ben-David, Itzhak, Francesco Franzoni, and Rabih Moussawi (2017). "Exchange-traded funds". In: *Annual Review of Financial Economics* 9, pp. 169–189.

Benidis, Konstantinos, Yiyong Feng, and Daniel P. Palomar (2018). "Sparse Portfolios for High-Dimensional Financial Index Tracking". In: *IEEE Transactions on Signal Processing* 66.1, pp. 155–170. DOI: 10.1109/TSP.2017.2762286.

Bianchi, Francesco, Haroon Mumtaz, and Paolo Surico (2009). "The great moderation of the term structure of UK interest rates". In: *Journal of Monetary Economics* 56.6, pp. 856–871. URL: https://EconPapers.repec.org/RePEc:eee:moneco:v:56:y:2009:i:6:p:856-871.

Bianchi, Robert J. et al. (2023). "Exploiting the dynamics of commodity futures curves". In: *Journal of Banking & Finance* 154, p. 106965. ISSN: 0378-4266. DOI: https://doi.org/10.1016/j.jbankfin.2023.106965. URL: https://www.sciencedirect.com/science/article/pii/S0378426623001632.

Bingel, Joachim and Anders Søgaard (2017). "Identifying beneficial task relations for multi-task learning in deep neural networks". In: *Proceedings of the 15th Conference of the European Chapter of the Association for Computational Linguistics: Volume 2, Short Papers* 2, pp. 164–169.

Black, Fischer and Robert Litterman (1992). "Global Portfolio Optimization". In: *Financial Analysts Journal* 48.5, pp. 28–43. DOI: 10.2469/faj.v48.n5.28.

Blondel, Mathieu, André F. T. Martins, and Vlad Niculae (2019). "Learning Classifiers with Fenchel-Young Losses: Generalized Entropies, Margins, and Algorithms". In: *The 22nd International Conference on Artificial Intelligence and Statistics, AISTATS 2019, 16-18 April 2019, Naha, Okinawa, Japan*. Ed. by Kamalika Chaudhuri and Masashi Sugiyama. Vol. 89. Proceedings of Machine Learning Research. PMLR, pp. 606–615. URL: http://proceedings.mlr.press/v89/blondel19a.html.

Bogle, John C (2016). "The index mutual fund: 40 years of growth, change, and challenge". In: *Financial Analysts Journal* 72.1, pp. 9–13.

Bojarski, Mariusz et al. (2016). *End to End Learning for Self-Driving Cars*. arXiv: 1604.07316 [cs.CV].

Bouchouev, Ilia (2012). "Inconvenience yield, or the theory of normal contango". In: *Quantitative Finance* 12.12, pp. 1773–1777. DOI: 10.1080/14697688.2012.723463.

Box, Travis, Ryan L Davis, and Kathleen P Fuller (2019). "ETF competition and market quality". In: *Financial Management* 48.3, pp. 873–916.

Bradrania, Reza, Davood Pirayesh Neghab, and Mojtaba Shafizadeh (Apr. 2021). "State-dependent stock selection in index tracking: a machine learning approach". In: *Financial Markets and Portfolio Management*, pp. 1–28. DOI: 10.1007/s11408-021-00391-7.

Bredin, Don, Conall O'Sullivan, and Simon Spencer (2021). "Forecasting WTI crude oil futures returns: Does the term structure help?" In: *Energy Economics* 100, p. 105350. ISSN: 0140-9883. DOI: https://doi.org/10.1016/j.eneco.2021.105350. URL: https://www.sciencedirect.com/science/article/pii/S0140988321002565.

Bridle, John (1989). "Training Stochastic Model Recognition Algorithms as Networks can Lead to Maximum Mutual Information Estimation of Parameters". In: *Advances in Neural Information Processing Systems*. Ed. by D. Touretzky. Vol. 2. Morgan-Kaufmann. URL: https://proceedings.neurips.cc/paper_files/paper/1989/file/0336dcbab05b9d5ad24f4333c7658a0e-Paper.pdf.

Browne, Sid (1999). "Beating a moving target: Optimal portfolio strategies for outperforming a stochastic benchmark." In: *Finance & Stochastics* 3.3.

Busse, Jeffrey A, Amit Goyal, and Sunil Wahal (2010). "Performance and persistence in institutional investment management". In: *The Journal of Finance* 65.2, pp. 765–790.

Byun, Suk-Joon, Sangheum Cho, and Da-Hea Kim (2024). "Can a machine learn from behavioral biases? Evidence from stock return predictability of deep learning models". In: *Journal of Behavioral and Experimental Finance* 41, p. 100881. ISSN: 2214-6350. DOI: https://doi.org/10.1016/j.jbef.2023.100881. URL: https://www.sciencedirect.com/science/article/pii/S2214635023000953.

Canakgoz, Nilgun A and John E Beasley (2009). "Mixed-integer programming approaches for index tracking and enhanced indexation". In: *European Journal of Operational Research* 196.1, pp. 384–399.

Cao, L.J. and F.E.H. Tay (2003). "Support vector machine with adaptive parameters in financial time series forecasting". In: *IEEE Transactions on Neural Networks* 14.6, pp. 1506–1518. DOI: 10.1109/TNN.2003.820556.

Caruana, Rich (1997). "Multitask Learning". In: *Machine Learning* 28, pp. 41–75.

Chekhlov, Alexei, Stan Uryasev, and MICHAEL ZABARANKIN (Jan. 2005). "Drawdown Measure in Portfolio Optimization". In: *International Journal of Theoretical and Applied Finance (IJTAF)* 08, pp. 13–58. DOI: 10.2139/ssrn.544742.

Chen, Nai-Fu, Thomas E. Copeland, and David Mayers (1987). "A Comparison of Single and Multifactor Portfolio Performance Methodologies". In: *Journal of Financial and Quantitative Analysis* 22.4, pp. 401–417. DOI: 10.2307/2330792.

Chen, Wei, Haoyu Zhang, and Lifen Jia (2022a). "A novel two-stage method for well-diversified portfolio construction based on stock return prediction using machine learning". In: *The North American Journal of Economics and Finance* 63, p. 101818. ISSN: 1062-9408. DOI: https://doi.org/10.1016/j.najef.2022.101818. URL: https://www.sciencedirect.com/science/article/pii/S106294082200153X.

— (2022b). "A novel two-stage method for well-diversified portfolio construction based on stock return prediction using machine learning". In: *The North American Journal of Economics and Finance* 63, p. 101818. ISSN: 1062-9408. DOI: https://doi.org/10.1016/j.najef.2022.101818. URL: https://www.sciencedirect.com/science/article/pii/S106294082200153X.

Chiam, S., K. Tan, and A. Mamum (Oct. 2008). "Evolutionary multi-objective portfolio optimization in practical context". In: *International Journal of Automation and Computing* 5, pp. 67–80. DOI: 10.1007/s11633-008-0067-2.

Chincarini, Ludwig B. and Fabio Moneta (2021). "The challenges of oil investing: Contango and the financialization of commodities". In: *Energy Economics* 102.C. DOI: 10.1016/j.eneco.2021.1054. URL: https://ideas.repec.org/a/eee/eneeco/v102y2021ics0140988321003315.html.

Christensen, Jens H.E., Francis X. Diebold, and Glenn D. Rudebusch (2011). "The affine arbitrage-free class of Nelson–Siegel term structure models". In: *Journal of Econometrics* 164.1. Annals Issue on Forecasting, pp. 4–20. ISSN: 0304-4076. DOI: https://doi.org/10.1016/j.jeconom.2011.02.011. URL: https://www.sciencedirect.com/science/article/pii/S0304407611000388.

Cipolla, Roberto, Yarin Gal, and Alex Kendall (2018). "Multi-task Learning Using Uncertainty to Weigh Losses for Scene Geometry and Semantics". In: *2018 IEEE/CVF Conference on Computer Vision and Pattern Recognition*.

Clarke, Roger, Harindra de Silva, and Steven Thorley (2002). "Portfolio Constraints and the Fundamental Law of Active Management". In: *Financial Analysts Journal* 58.5, pp. 48–66. DOI: 10.2469/faj.v58.n5.2468.

Collobert, Ronan and Jason Weston (2008). "A unified architecture for natural language processing: deep neural networks with multitask learning". In: *Proceedings of the 25th international conference on Machine learning - ICML '08* 28, pp. 41–75.

Collobert, Ronan, Jason Weston, et al. (Feb. 2011). "Natural Language Processing (Almost) from Scratch". In: *Journal of Machine Learning Research* 12, pp. 2493–2537.

Connor, Gregory and Hayne Leland (1995). "Cash Management for Index Tracking". In: *Financial Analysts Journal* 51.6, pp. 75–80. DOI: 10.2469/faj.v51.n6.1952. eprint: https://doi.org/10.2469/faj.v51.n6.1952. URL: https://doi.org/10.2469/faj.v51.n6.1952.

Cont, R. (2001). "Empirical properties of asset returns: stylized facts and statistical issues". In: *Quantitative Finance* 1.2, pp. 223–236. DOI: 10.1080/713665670.

Cootner, Paul H. (1960). "Returns to Speculators: Telser versus Keynes". In: *Journal of Political Economy* 68.4, pp. 396–404. ISSN: 00223808, 1537534X. URL: http://www.jstor.org/stable/1830013 (visited on 08/03/2024).

Corielli, Francesco and Massimiliano Marcellino (2006). "Factor based index tracking". In: *Journal of Banking & Finance* 30.8, pp. 2215–2233.

Cremers, Martijn et al. (2016). "Indexing and active fund management: International evidence". In: *Journal of Financial Economics* 120.3, pp. 539–560. ISSN: 0304-405X. DOI: https://doi.org/10.1016/j.jfineco.2016.02.008. URL: https://www.sciencedirect.com/science/article/pii/S0304405X16300083.

Cui, Tianxiang et al. (2024). "Multi-period portfolio optimization using a deep reinforcement learning hyper-heuristic approach". In: *Technological Forecasting and Social Change* 198, p. 122944. ISSN: 0040-1625. DOI: https://doi.org/10.1016/j.techfore.2023.122944. URL: https://www.sciencedirect.com/science/article/pii/S0040162523006297.

Daniel, Kent and Tobias J. Moskowitz (2016). "Momentum crashes". In: *Journal of Financial Economics* 122, pp. 221–247.

DeMiguel, Victor, Lorenzo Garlappi, and Raman Uppal (2007). "Optimal Versus Naive Diversification: How Inefficient is the 1/N Portfolio Strategy?" In: *The Review of Financial Studies* 22.5, pp. 1915–1953. ISSN: 0893-9454. DOI: 10.1093/rfs/hhm075.

— (Dec. 2009). "Optimal Versus Naive Diversification: How Inefficient is the 1/N Portfolio Strategy?" In: *The Review of Financial Studies* 22.5, pp. 1915–1953. ISSN: 0893-9454. DOI: 10.1093/rfs/hhm075. eprint: https://academic.oup.com/rfs/article-pdf/22/5/1915/24429471/hhm075.pdf. URL: https://doi.org/10.1093/rfs/hhm075.

Deville, Laurent (2008). "Exchange traded funds: History, trading, and research". In: *Handbook of financial engineering*, pp. 67–98.

Devlin, Jacob et al. (2019). *BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding*. arXiv: 1810.04805 [cs.CL].

Diebold, Francis X. and Canlin Li (2006). "Forecasting the term structure of government bond yields". In: *Journal of Econometrics* 130.2, pp. 337–364. ISSN: 0304-4076. DOI: https://doi.org/10.1016/j.jeconom.2005.03.005. URL: https://www.sciencedirect.com/science/article/pii/S0304407605000795.

Doshi-Velez, Finale and Been Kim (2017). "Towards A Rigorous Science of Interpretable Machine Learning". In: *arXiv: Machine Learning*. URL: https://api.semanticscholar.org/CorpusID:11319376.

Duan, Siyao (2023). "Performance of Time-series Momentum Strategy: US Evidence". In: *Advances in Economics, Management and Political Sciences* 35, pp. 45–54. DOI: 10.54254/2754-1169/35/20231722.

Duong, Long et al. (July 2015). "Low Resource Dependency Parsing: Cross-lingual Parameter Sharing in a Neural Network Parser". In: *Proceedings of the 53rd Annual Meeting of the Association for Computational Linguistics and the 7th International Joint Conference on Natural Language Processing (Volume 2: Short Papers)*, pp. 845–850. DOI: 10.3115/v1/P15-2139.

Dyer, Travis and Nicholas M. Guest (2022). "A Tale of Two Index Funds: Full Replication vs. Representative Sampling". In: *SSRN Electronic Journal*. DOI: 10.2139/ssrn.4057537.

Edelen, Roger and Marshall Blume (May 2003). "S&P 500 Indexers, Delegation Costs, and Liquidity Mechanisms". In: *Journal of Portfolio Management* 30. DOI: 10.2139/ssrn.392220.

Engle, Robert (2002). "Dynamic Conditional Correlation: A Simple Class of Multivariate Generalized Autoregressive Conditional Heteroskedasticity Models". In: *Journal of Business & Economic Statistics* 20.3, pp. 339–350. ISSN: 07350015. URL: http://www.jstor.org/stable/1392121 (visited on 08/01/2024).

Estrada, Javier (Nov. 2007). "Mean-Semivariance Optimization: A Heuristic Approach". In: *Journal of Applied Finance* 18. DOI: 10.2139/ssrn.1028206.

Fama, Eugene F. (1970). "Efficient Capital Markets: A Review of Theory and Empirical Work". In: *The Journal of Finance* 25, pp. 383–417.

— (1996). "Multifactor Portfolio Efficiency and Multifactor Asset Pricing". In: *Journal of Financial and Quantitative Analysis* 31.4, pp. 441–465. DOI: 10.2307/2331355.

Fastrich, Björn, Sandra Paterlini, and Peter Winker (2014). "Cardinality versus q-norm constraints for index tracking". In: *Quantitative Finance* 14.11, pp. 2019–2032.

Fedus, William, Barret Zoph, and Noam Shazeer (2022). "Switch Transformers: Scaling to Trillion Parameter Models with Simple and Efficient Sparsity". In: *Journal of Machine Learning Research* 23.1. ISSN: 1532-4435.

Feldman, Barry and Hilary Till (Dec. 2006). "Backwardation and Commodity Futures Performance: Evidence from Evolving Agricultural Markets". In: *The Journal of Alternative Investments* 9, pp. 24–39. DOI: 10.3905/jai.2006.670098.

Franks, Edward Carr (1992). "Targeting excess-of-benchmark returns". In: *Journal of Portfolio Management* 18.4, p. 6.

Frino, Alex, David Gallagher, et al. (2004). "Index design and implications for index tracking: Evidence from S&P 500 Index Funds". In: *Journal of Portfolio Management* 30.2, pp. 89–95.

Frino, Alex and David R. Gallagher (2001). "Tracking S&P 500 index funds". In: *The Journal of Portfolio Management* 28.1, pp. 44–55. DOI: 10.3905/jpm.2001.319822.

Fuller, Stacy L (2008). "The evolution of actively managed exchange-traded funds". In: *The Review of Securities and Commodities Regulation* 41.8, pp. 89–96.

Gaivoronski, Alexei A, Sergiy Krylov, and Nico Van der Wijst (2005). "Optimal portfolio selection and dynamic benchmark tracking". In: *European Journal of operational research* 163.1, pp. 115–131.

Gale, Trevor et al. (2022). *MegaBlocks: Efficient Sparse Training with Mixture-of-Experts*. arXiv: 2211.15841 [cs.LG].

Garman, Mark B. and Michael J. Klass (1980). "On the Estimation of Security Price Volatilities from Historical Data". In: *The Journal of Business* 53.1, pp. 67–78. ISSN: 00219398, 15375374.

Geczy, Christopher C. and Mikhail Samonov (2016). "Two Centuries of Price-Return Momentum". In: *Financial Analysts Journal* 72.5, pp. 32–56.

Gehring, Jonas et al. (2017). *Convolutional Sequence to Sequence Learning*. arXiv: 1705.03122 [cs.CL].

Georgopoulou, Athina A. and George J. Wang (2016). "The Trend Is Your Friend: Time-Series Momentum Strategies Across Equity and Commodity Markets". In: *SSRN Electronic Journal*, pp. 1–25. DOI: 10.2139/ssrn.2809873.

Ghosn, Joumana and Yoshua Bengio (1996). "Multi-Task Learning for Stock Selection". In: *Advances in Neural Information Processing Systems*. Ed. by M.C. Mozer, M. Jordan, and T. Petsche. Vol. 9. MIT Press. URL: https://proceedings.neurips.cc/paper_files/paper/1996/file/1d72310edc006dadf2190caad5802983-Paper.pdf.

Gilpin, Leilani H. et al. (2018). "Explaining Explanations: An Overview of Interpretability of Machine Learning". In: *2018 IEEE 5th International Conference on Data Science and Advanced Analytics (DSAA)*, pp. 80–89. URL: https://api.semanticscholar.org/CorpusID:59600034.

Goulding, Christian L., Campbell R. Harvey, and Michele Mazzoleni (2023). "Momentum Turning Points". In: *SSRN Electronic Journal*.

Graham, Robertson (2020). *We see risk where others may not: 60/40 in 2020 vision*. URL: https://www.man.com/maninstitute/60-40-in-2020-vision.

Gu, Shihao, Bryan Kelly, and Dacheng Xiu (Feb. 2020). "Empirical Asset Pricing via Machine Learning". In: *The Review of Financial Studies* 33.5, pp. 2223–2273. ISSN: 0893-9454. DOI: 10.1093/rfs/hhaa009. eprint: https://academic.oup.com/rfs/article-pdf/33/5/2223/33209812/hhaa009.pdf. URL: https://doi.org/10.1093/rfs/hhaa009.

Harvey, Campbell R., Edward Hoyle, et al. (2020). "Strategic Risk Management: Out-of-Sample Evidence from the COVID-19 Equity Selloff". In: *SSRN Electronic Journal*.

Harvey, Campbell R. and Yan Liu (2014). "Evaluating Trading Strategies". In: *The Journal of Portfolio Management* 40.5, pp. 108–118.

Harvey, Campbell R., Sandy Rattray, and Otto van Hemert (2021). *Strategic risk management: Designing portfolios and managing risk*. John Wiley & Sons, Inc.

He, Jiaao et al. (2022). "FasterMoE: modeling and optimizing training of large-scale dynamic pre-trained models". In: *Proceedings of the 27th ACM SIGPLAN Symposium on Principles and Practice of Parallel Programming*. PPoPP '22. Seoul, Republic of Korea: Association for Computing Machinery, pp. 120–134. ISBN: 9781450392044. DOI: 10.1145/3503221.3508418. URL: https://doi.org/10.1145/3503221.3508418.

Heaton, J. B., N. G. Polson, and J. H. Witte (2017). "Deep learning for finance: deep portfolios". In: *Applied Stochastic Models in Business and Industry* 33.1, pp. 3–12.

Herremans, Dorien and Kah Wee Low (2022). "Forecasting Bitcoin volatility spikes from whale transactions and CryptoQuant data using Synthesizer Transformer models". In: *arXiv preprint arXiv:2211.08281*.

Hochreiter, Sepp and Jürgen Schmidhuber (Nov. 1997). "Long Short-Term Memory". In: *Neural Computation* 9.8, pp. 1735–1780. ISSN: 0899-7667. DOI: 10.1162/neco.1997.9.8.1735.

Hurst, Brian, Yao Hua Ooi, and Lasse Heje Pedersen (2017). "A Century of Evidence on Trend-Following Investing". In: *The Journal of Portfolio Management* 44.1, pp. 15–29.

Idilbi-Bayaa, Yasmeen and Mahmoud Qadan (2021). "Forecasting Commodity Prices Using the Term Structure". In: *Journal of Risk and Financial Management* 14.12. ISSN: 1911-8074. DOI: 10.3390/jrfm14120585. URL: https://www.mdpi.com/1911-8074/14/12/585.

Israel, Ronen, Bryan Kelly, and Tobias Moskowitz (2020). "Can Machines "Learn" Finance?" In: *Journal of Investment Management* 18.2. URL: https://joim.com/article/can-machines-learn-finance/.

Jacobs, Robert A. et al. (1991). "Adaptive Mixtures of Local Experts". In: *Neural Computation* 3.1, pp. 79–87. DOI: 10.1162/neco.1991.3.1.79.

Jansen, Roel and Ronald Van Dijk (2002). "Optimal benchmark tracking with small portfolios". In: *Journal of Portfolio Management* 28.2, p. 33.

Jegadeesh, Narasimhan and Sheridan Titman (1993). "Returns to Buying Winners and Selling Losers: Implications for Stock Market Efficiency". In: *The Journal of Finance* 48.1, pp. 65–91.

— (2001). "Profitability of Momentum Strategies: An Evaluation of Alternative Explanations". In: *The Journal of Finance* 56.2, pp. 699–720.

Jorion, Philippe (2003). "Portfolio Optimization with Tracking-Error Constraints". In: *Financial Analysts Journal* 59.5, pp. 70–82. DOI: 10.2469/faj.v59.n5.2565.

Jurczenko, Emmanuel and Jerome Teiletche (2015). "Active Risk-Based Investing". In: *SSRN Electronic Journal*. DOI: 10.2139/ssrn.2592904.

Kang, WenJin, K. Geert Rouwenhorst, and Ke Tang (2020). "A Tale of Two Premiums: The Role of Hedgers and Speculators in Commodity Futures Markets". In: *The Journal of Finance* 75.1, pp. 377–417. ISSN: 00221082, 15406261. URL: http://www.jstor.org/stable/45277794 (visited on 08/03/2024).

Kang, Yanzhe et al. (2022). "A CWGAN-GP-based multi-task learning model for consumer credit scoring". In: *Expert Systems with Applications* 206, p. 117650. ISSN: 0957-4174. DOI: https://doi.org/10.1016/j.eswa.2022.117650. URL: https://www.sciencedirect.com/science/article/pii/S0957417422009538.

Khalid Ghayur, Ronan Heaney and Stephen Platt (2018). "Constructing Long-Only Multifactor Strategies: Portfolio Blending vs. Signal Blending". In: *Financial Analysts Journal* 74.3, pp. 70–85. DOI: 10.2469/faj.v74.n3.5. URL: https://doi.org/10.2469/faj.v74.n3.5.

Kim, Kyoung-Jae (2003). "Financial time series forecasting using support vector machines". In: *Neurocomputing* 55.1. Support Vector Machines, pp. 307–319. ISSN: 0925-2312. DOI: 10.1016/S0925-2312(03)00372-2.

Kishore, Runeet et al. (2008). "Earnings Announcements are Full of Surprises". In: *SSRN Electronic Journal*.

Kremer, Philipp J., Andreea Talmaciu, and Sandra Paterlini (2018). "Risk minimization in multi-factor portfolios: What is the best strategy?" In: *Annals of Operations Research* 266.1, pp. 255–291. DOI: 10.1007/s10479-017-2467-6. URL: https://ideas.repec.org/a/spr/annopr/v266y2018i1d10.1007_s10479-017-2467-6.html.

Krizhevsky, Alex, Ilya Sutskever, and Geoffrey E Hinton (2012). "ImageNet Classification with Deep Convolutional Neural Networks". In: *Advances in Neural Information Processing Systems*. Ed. by F. Pereira et al. Vol. 25. Curran Associates, Inc. URL: https://proceedings.neurips.cc/paper_files/paper/2012/file/c399862d3b9d6b76c8436e924a68c45b-Paper.pdf.

Kwak, Yuyeong, Junho Song, and Hongchul Lee (2021). "Neural network with fixed noise for index-tracking portfolio optimization". In: *Expert Systems with Applications* 183, p. 115298. ISSN: 0957-4174. DOI: https://doi.org/10.1016/j.

eswa.2021.115298. URL: https://www.sciencedirect.com/science/article/pii/S0957417421007284.

Lakkapragada, Anish et al. (2023). "Mitigating negative transfer in multi-task learning with exponential moving average loss weighting strategies (student abstract)". In: *Proceedings of the Thirty-Seventh AAAI Conference on Artificial Intelligence and Thirty-Fifth Conference on Innovative Applications of Artificial Intelligence and Thirteenth Symposium on Educational Advances in Artificial Intelligence*. AAAI'23/IAAI'23/EAAI'23. AAAI Press. ISBN: 978-1-57735-880-0. DOI: 10.1609/aaai.v37i13.26983. URL: https://doi.org/10.1609/aaai.v37i13.26983.

Larsen, Glen A. and Bruce G. Resnick (1998). "Empirical Insights on Indexing". In: *The Journal of Portfolio Management* 25.1, pp. 51–60. ISSN: 0095-4918. DOI: 10.3905/jpm.1998.409656. eprint: https://jpm.pm-research.com/content/25/1/51.full.pdf. URL: https://jpm.pm-research.com/content/25/1/51.

Law, Timothy and J. Shawe-Taylor (Mar. 2017). "Practical Bayesian support vector regression for financial time series prediction and market condition change detection". In: *Quantitative Finance* 17, pp. 1–14. DOI: 10.1080/14697688.2016.1267868.

Ledoit, Olivier and Michael Wolf (2004). "A well-conditioned estimator for large-dimensional covariance matrices". In: *Journal of Multivariate Analysis* 88.2, pp. 365–411. ISSN: 0047-259X. DOI: https://doi.org/10.1016/S0047-259X(03)00096-4. URL: https://www.sciencedirect.com/science/article/pii/S0047259X03000964.

— (2012). "Nonlinear shrinkage estimation of large-dimensional covariance matrices". In: *The Annals of Statistics* 40.2, pp. 1024–1060. DOI: 10.1214/12-AOS989. URL: https://doi.org/10.1214/12-AOS989.

— (June 2017). "Nonlinear Shrinkage of the Covariance Matrix for Portfolio Selection: Markowitz Meets Goldilocks". In: *The Review of Financial Studies* 30.12, pp. 4349–4388. ISSN: 0893-9454. DOI: 10.1093/rfs/hhx052. eprint: https://academic.oup.com/rfs/article-pdf/30/12/4349/24433779/hhx052.pdf. URL: https://doi.org/10.1093/rfs/hhx052.

Levine, Ari and Lasse Heje Pedersen (2016). "Which Trend Is Your Friend?" In: *Financial Analysts Journal* 72.3, pp. 51–66.

Li, Qian, Linyan Sun, and Liang Bao (2011). "Enhanced index tracking based on multi-objective immune algorithm". In: *Expert Systems with Applications* 38.5, pp. 6101–6106. ISSN: 0957-4174. DOI: https://doi.org/10.1016/j.eswa.2010.11.001. URL: https://www.sciencedirect.com/science/article/pii/S0957417410012388.

Liebel, Lukas and Marco Körner (2018). "Auxiliary Tasks in Multi-task Learning". In: *CoRR* abs/1805.06334. arXiv: 1805.06334.

Lim, Bryan, Sercan Arık, et al. (June 2021). "Temporal Fusion Transformers for interpretable multi-horizon time series forecasting". In: *International Journal of Forecasting* 37. DOI: 10.1016/j.ijforecast.2021.03.012.

Lim, Bryan, Stefan Zohren, and Stephen Roberts (2019). "Enhancing Time Series Momentum Strategies Using Deep Neural Networks". In: *arXiv preprint arXiv:1904.04912*. DOI: 10.48550/ARXIV.1904.04912.

Lin, Yu-Cen et al. (2022). "Multiagent-based deep reinforcement learning for risk-shifting portfolio management". In: *Applied Soft Computing* 123, p. 108894. ISSN: 1568-4946. DOI: https://doi.org/10.1016/j.asoc.2022.108894. URL: https://www.sciencedirect.com/science/article/pii/S1568494622002678.

Lintner, John (1969). "The Valuation of Risk Assets and the Selection of Risky Investments in Stock Portfolios and Capital Budgets: A Reply". In: *The Review of Economics and Statistics* 51.2, pp. 222–224. ISSN: 00346535, 15309142. URL: http://www.jstor.org/stable/1926735 (visited on 08/01/2024).

Lo, Andrew (Jan. 2004). "Reconciling Efficient Markets with Behavioral Finance: The Adaptive Markets Hypothesis". In: *Journal of Investment Consulting* 7.

Lopez de Prado, Marcos (2016). "Building Diversified Portfolios that Outperform Out of Sample:" in: *The Journal of Portfolio Management* 42, pp. 59–69. DOI: 10.3905/jpm.2016.42.4.059.

López de Prado, Marcos (2018). *Advances in Financial Machine Learning*. Wiley.

Lundberg, Scott M. and Su-In Lee (2017). "A unified approach to interpreting model predictions". In: *Proceedings of the 31st International Conference on Neural Information Processing Systems*. NIPS'17. Long Beach, California, USA: Curran Associates Inc., pp. 4768–4777. ISBN: 9781510860964.

Luong, Minh-Thang, Hieu Pham, and Christopher D. Manning (2015). *Effective Approaches to Attention-based Neural Machine Translation*. arXiv: 1508.04025 [cs.CL].

Ma, Jiaqi et al. (2018). "Modeling Task Relationships in Multi-task Learning with Multi-gate Mixture-of-Experts". In: *Proceedings of the 24th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining*. KDD '18. London, United Kingdom: Association for Computing Machinery, pp. 1930–1939. ISBN: 9781450355520. DOI: 10.1145/3219819.3220007. URL: https://doi.org/10.1145/3219819.3220007.

Ma, Tao and Ying Tan (2022). "Stock Ranking with Multi-Task Learning". In: *Expert Systems with Applications* 199, p. 116886. ISSN: 0957-4174.

Malitskaia, Yulia (2020). "Uncovering Momentum". In: *SSRN Electronic Journal*.

Markowitz, Harry (1952). "Portfolio Selection". In: *The Journal of Finance* 7.1, pp. 77–91. ISSN: 00221082, 15406261.

Martins, André F. T. and Ramón F. Astudillo (2016). "From Softmax to Sparsemax: A Sparse Model of Attention and Multi-Label Classification". In: *Proceedings of the 33rd International Conference on International Conference on Machine Learning - Volume 48*. ICML'16. New York, NY, USA: JMLR.org, pp. 1614–1623.

Mazur, Mieszko, Man Dang, and Miguel Vega (2021). "COVID-19 and the march 2020 stock market crash. Evidence from S&P1500". In: *Finance Research Letters* 38, p. 101690. ISSN: 1544-6123. DOI: https://doi.org/10.1016/j.frl.2020.101690. URL: https://www.sciencedirect.com/science/article/pii/S1544612320306668.

Michaud, Richard and Robert Michaud (2007). "Estimation Error and Portfolio Optimization: A Resampling Solution". In: *Journal of Investment Management* Vol. 6, pp. 8 –28.

Min, Liangyu et al. (2021). "Robust mean-risk portfolio optimization using machine learning-based trade-off parameter". In: *Applied Soft Computing* 113, p. 107948. ISSN: 1568-4946. DOI: https://doi.org/10.1016/j.asoc.2021.107948. URL: https://www.sciencedirect.com/science/article/pii/S156849462100870X.

Montfort, Kees, Laurens Fijn van Draat, and Elout Visser (Dec. 2008). "Index Tracking by Means of Optimized Sampling". In: *Journal of Portfolio Management - J PORTFOLIO MANAGE* 34, pp. 143–151. DOI: 10.3905/jpm.2008.701625.

Moskowitz, Tobias J., Yao Hua Ooi, and Lasse Heje Pedersen (2012). "Time Series Momentum". In: *Journal of Financial Economics* 104.2, pp. 228–250.

Nelson, Charles R. and Andrew F. Siegel (1987). "Parsimonious Modeling of Yield Curves". In: *The Journal of Business* 60.4, pp. 473–489. ISSN: 00219398, 15375374. URL: http://www.jstor.org/stable/2352957 (visited on 08/04/2024).

Nilsson, Linus (2015). "Trend Following - Expected Returns". In: *SSRN Electronic Journal*.

Nunes, Manuel et al. (2019). "A comparison of multitask and single task learning with artificial neural networks for yield curve forecasting". In: *Expert Systems with Applications* 119, pp. 362–375. ISSN: 0957-4174. DOI: https://doi.org/10.1016/j.eswa.2018.11.012. URL: https://www.sciencedirect.com/science/article/pii/S0957417418307322.

Ong, Joel and Dorien Herremans (2023). "Constructing time-series momentum portfolios with deep multi-task learning". In: *Expert Systems with Applications* 230, p. 120587. ISSN: 0957-4174.

— (2024). *DeepUnifiedMom: Unified Time-series Momentum Portfolio Construction via Multi-Task Learning with Multi-Gate Mixture of Experts*. arXiv: 2406.08742 [q-fin.CP]. URL: https://arxiv.org/abs/2406.08742.

Ouyang, Hongbing, Xiaowei Zhang, and Hongju Yan (2019a). "Index tracking based on deep neural network". In: *Cognitive Systems Research* 57, pp. 107–114.

— (2019b). "Index tracking based on deep neural network". In: *Cognitive Systems Research* 57, pp. 107–114. ISSN: 1389-0417. DOI: https://doi.org/10.1016/j.cogsys.2018.10.022. URL: https://www.sciencedirect.com/science/article/pii/S138904171830439X.

Ozbayoglu, Ahmet Murat, Mehmet Ugur Gudelek, and Omer Berat Sezer (2020). "Deep learning for financial applications : A survey". In: *Applied Soft Computing* 93, p. 106384. ISSN: 1568-4946. DOI: https://doi.org/10.1016/j.asoc.2020.106384. URL: https://www.sciencedirect.com/science/article/pii/S1568494620303240.

Pagliaro, Cynthia A. et al. (2021). "Investor behavior modeling by analyzing financial advisor notes: a machine learning perspective". In: *Proceedings of the Second ACM International Conference on AI in Finance*. URL: https://api.semanticscholar.org/CorpusID:235795736.

Parkinson, Michael (1980). "The Extreme Value Method for Estimating the Variance of the Rate of Return". In: *The Journal of Business* 53.1, pp. 61–65. ISSN: 00219398, 15375374.

Pauwels, Ruben, Evaggelia Tsiligianni, and Nikos Deligiannis (2021). "HCGM-Net: A Deep Unfolding Network for Financial Index Tracking". In: *ICASSP 2021 - 2021 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pp. 3910–3914. DOI: 10.1109/ICASSP39728.2021.9414430.

Peng, Xianhua, Chenyin Gong, and Xue Dong He (2023). "Reinforcement Learning for Financial Index Tracking". In: *arXiv preprint arXiv:2308.02820*.

Peters, Ben, Vlad Niculae, and André F. T. Martins (2019). *Sparse Sequence-to-Sequence Models*. arXiv: 1905.05702 [cs.CL].

Pooter, Michiel De (2007). *Examining the Nelson-Siegel Class of Term Structure Models*. Tinbergen Institute Discussion Papers 07-043/4. Tinbergen Institute. URL: https://ideas.repec.org/p/tin/wpaper/20070043.html.

Prigent, Jean-Luc (2007). *Portfolio optimization and performance analysis*. CRC Press.

Pu, Xingyue et al. (2023). *Network Momentum across Asset Classes*. arXiv: 2308.11294 [q-fin.PM].

Rau-Bredow, Hans (Jan. 2022). "Contango and Backwardation in Arbitrage-Free Futures-Markets". In: *SSRN Electronic Journal*. DOI: 10.2139/ssrn.3978901.

Ribeiro, Marco Tulio, Sameer Singh, and Carlos Guestrin (2016). ""Why Should I Trust You?": Explaining the Predictions of Any Classifier". In: *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*. KDD '16. San Francisco, California, USA: Association for Computing Machinery, pp. 1135–1144. ISBN: 9781450342322. DOI: 10.1145/2939672.2939778. URL: https://doi.org/10.1145/2939672.2939778.

Robinson, Jon and Brandon Langley (2017). *The 60/40 problem: Examining the traditional 60/40 portfolio in an uncertain rate environment*. URL: https://papers.ssrn.com/sol3/papers.cfm?abstract_id=2959015.

Rogers, L. C. G. and S. E. Satchell (1991). "Estimating Variance From High, Low and Closing Prices". In: *The Annals of Applied Probability* 1.4, pp. 504–512. ISSN: 10505164.

Roll, Richard (1992). "A Mean/Variance Analysis of Tracking Error". In: *The Journal of Portfolio Management* 18.4, pp. 13–22. ISSN: 0095-4918. DOI: 10.3905/jpm.1992.701922. eprint: https://jpm.pm-research.com/content/18/4/13.full.pdf. URL: https://jpm.pm-research.com/content/18/4/13.

Rombach, Robin et al. (2022). *High-Resolution Image Synthesis with Latent Diffusion Models*. arXiv: 2112.10752 [cs.CV].

Roon, Frans A. de, Theo E. Nijman, and Chris Veld (2000). "Hedging Pressure Effects in Futures Markets". In: *The Journal of Finance* 55.3, pp. 1437–1456. ISSN: 00221082, 15406261. URL: http://www.jstor.org/stable/222458 (visited on 08/03/2024).

Rossi, Matteo (2015). "The efficient market hypothesis and calendar anomalies: a literature review". In: *International Journal of Managerial and Financial Accounting* 7.3/4, p. 285.

Ruder, Sebastian (2017). "An Overview of Multi-Task Learning in Deep Neural Networks". In: *CoRR* abs/1706.05098. arXiv: 1706.05098.

S&P Global (2021). *Invited Companies | S&P Global*. Accessed: 2024-07-26. URL: https://www.spglobal.com/esg/csa/invited-companies.

Sant'Anna, Leonardo Riegel et al. (2017). "Index tracking with controlled number of assets using a hybrid heuristic combining genetic algorithm and non-linear programming". In: *Annals of Operations Research* 258, pp. 849–867.

Sapankevych, Nicholas I. and Ravi Sankar (2009). "Time Series Prediction Using Support Vector Machines: A Survey". In: *IEEE Computational Intelligence Magazine* 4.

Sawik, Bartosz (Jan. 2011). "Multi-Objective Portfolio Optimization by Mixed Integer Programming". In: *SSRN Electronic Journal*. DOI: 10.2139/ssrn.2799940.

Schmidhuber, Jürgen (2015). "Deep learning in neural networks: An overview". In: *Neural Networks* 61, pp. 85–117. ISSN: 0893-6080. DOI: https://doi.org/10.1016/j.neunet.2014.09.003. URL: https://www.sciencedirect.com/science/article/pii/S0893608014002135.

Sebastian Thrun, Lorien Pratt (1998). "Learning to Learn: Introduction and Overview". In: *Learning to Learn*, pp. 3–17.

Sharpe, William F. (1964). "Capital Asset Prices: A Theory of Market Equilibrium under Conditions of Risk". In: *The Journal of Finance* 19.3, pp. 425–442. ISSN: 00221082, 15406261. URL: http://www.jstor.org/stable/2977928 (visited on 08/01/2024).

— (1994). "The Sharpe Ratio". In: *The Journal of Portfolio Management* 21.1, pp. 49–58.

Shen, Sheng et al. (2023). *Mixture-of-Experts Meets Instruction Tuning:A Winning Combination for Large Language Models*. arXiv: 2305.14705 [cs.CL].

Shi, Fangquan et al. (2023). "High-dimensional sparse index tracking based on a multistep convex optimization approach". In: *Quantitative Finance* 23.9, pp. 1361–1372.

Silva, Julio Cezar Soares, Diogo Ferreira de Lima Silva, and Adiel Teixeira de Almeida Filho (2022). "An enhanced GRASP approach for the index tracking problem". In: *International Transactions in Operational Research*.

Silva, Thiago Christiano, Benjamin Miranda Tabak, and Idamar Magalhães Ferreira (2019). "Modeling Investor Behavior Using Machine Learning: Mean-Reversion and Momentum Trading Strategies". In: *Complex.* 2019, 4325125:1–4325125:14. URL: https://api.semanticscholar.org/CorpusID:210117768.

Stevens Analytics (2020). *TREND: Stevens Analytics. Continuous Futures: Future Daily Open Price | Symbol: – | Exchange: All Exchanges | Symbol: ED, 09/28/1983 - 10/23/2020. Data Planet™ Statistical Datasets: A SAGE Publishing Resource Dataset-ID: 095-001-006*. en. DOI: 10.6068/DP17560842C1658.

Sutcliffe, Charles MS (2018). *Stock index futures*. Routledge.

Szymanowska, Marta et al. (2014). "An Anatomy of Commodity Futures Risk Premia". In: *The Journal of Finance* 69.1, pp. 453–482. ISSN: 00221082, 15406261. URL: http://www.jstor.org/stable/43611066 (visited on 08/03/2024).

Tay, Francis E.H and Lijuan Cao (2001). "Application of support vector machines in financial time series forecasting". In: *Omega* 29.4, pp. 309–317. ISSN: 0305-0483. DOI: 10.1016/S0305-0483(01)00026-3.

Toy, William W. and Mark A. Zurack (1989). "Tracking the Euro—Pac Index". In: *The Journal of Portfolio Management* 15.2, pp. 55–58. ISSN: 0095-4918. DOI: 10.3905/jpm.1989.409186. eprint: https://jpm.pm-research.com/content/15/2/55.full.pdf. URL: https://jpm.pm-research.com/content/15/2/55.

Tsallis, Constantino (July 1988). "Possible generalization of Boltzmann-Gibbs statistics". In: *Journal of Statistical Physics* 52, pp. 479–487. DOI: 10.1007/BF01016429.

Tzotchev, Dobromir (2018). "Designing Robust Trend-following System: Behind the Scenes of Trend-following". In: *SSRN Electronic Journal*.

Vaswani, Ashish et al. (2017). "Attention is All you Need". In: *Advances in Neural Information Processing Systems*. Ed. by I. Guyon et al. Vol. 30. Curran Associates, Inc.

Vitells, O. and E. Gross (2011). "Estimating the significance of a signal in a multidimensional search". In: *Astroparticle Physics* 35, pp. 230–234. DOI: 10.1016/j.astropartphys.2011.08.005.

Wang, Jianzhou, Haipeng Zhang, and Hua Luo (2022). "Research on the construction of stock portfolios based on multiobjective water cycle algorithm and KMV algorithm". In: *Applied Soft Computing* 115, p. 108186. ISSN: 1568-4946. DOI: https:

//doi.org/10.1016/j.asoc.2021.108186. URL: https://www.sciencedirect.com/science/article/pii/S1568494621010346.

Wood, Kieran et al. (2021). *Trading with the Momentum Transformer: An Intelligent and Interpretable Architecture*. DOI: 10.48550/ARXIV.2112.08534.

— (2022). *Trading with the Momentum Transformer: An intelligent and interpretable architecture*. URL: https://arxiv.org/abs/2112.08534.

Wu, Liang-Chuan et al. (2007). "Enhanced Index Investing Based on Goal Programming". In: *The Journal of Portfolio Management* 33.3, pp. 49–56. ISSN: 0095-4918. DOI: 10.3905/jpm.2007.684753. eprint: https://jpm.pm-research.com/content/33/3/49.full.pdf. URL: https://jpm.pm-research.com/content/33/3/49.

Xia, Siwei, Yuehan Yang, and Hu Yang (2023). "High-dimensional sparse portfolio selection with nonnegative constraint". In: *Applied Mathematics and Computation* 443, p. 127766. ISSN: 0096-3003. DOI: https://doi.org/10.1016/j.amc.2022.127766. URL: https://www.sciencedirect.com/science/article/pii/S0096300322008347.

Xidonas, Panos and Eric Essner (2022). "On ESG Portfolio Construction: A Multi-Objective Optimization Approach". In: *Computational Economics*, pp. 1–25. URL: https://api.semanticscholar.org/CorpusID:252965424.

Xie, Ning et al. (2020). "Explainable Deep Learning: A Field Guide for the Uninitiated". In: *ArXiv* abs/2004.14545. URL: https://api.semanticscholar.org/CorpusID:216867502.

Xiong, James and Thomas Idzorek (Apr. 2011). "The Impact of Skewness and Fat Tails on the Asset Allocation Decision". In: *Financial Analysts Journal* 67. DOI: 10.2307/23031987.

Xu, Fengmin, Zhaosong Lu, and Zongben Xu (2016). "An efficient optimization approach for a cardinality-constrained index tracking problem". In: *Optimization Methods and Software* 31.2, pp. 258–271.

Yang, Dennis and Qiang Zhang (2000). "Drift-Independent Volatility Estimation Based on High, Low, Open, and Close Prices". In: *The Journal of Business* 73.3, pp. 477–492. ISSN: 00219398, 15375374.

Yang, Fan (2013). "Investment shocks and the commodity basis spread". In: *Journal of Financial Economics* 110.1, pp. 164–184. ISSN: 0304-405X. DOI: https://doi.org/10.1016/j.jfineco.2013.04.012. URL: https://www.sciencedirect.com/science/article/pii/S0304405X13001360.

Yu, Pengqian, Laura Wynter, and Shiau Hong Lim (2022). "Federated Reinforcement Learning for Portfolio Management". In: *Federated Learning: A Comprehensive Overview of Methods and Applications*. Ed. by Heiko Ludwig and Nathalie Baracaldo. Cham: Springer International Publishing, pp. 467–482. ISBN: 978-3-030-96896-0. DOI: 10.1007/978-3-030-96896-0_21. URL: https://doi.org/10.1007/978-3-030-96896-0_21.

Yuan, Chenxun et al. (2023). "COVID19-MLSF: A multi-task learning-based stock market forecasting framework during the COVID-19 pandemic". In: *Expert Systems with Applications* 217, p. 119549. ISSN: 0957-4174. DOI: https://doi.org/10.1016/j.eswa.2023.119549. URL: https://www.sciencedirect.com/science/article/pii/S0957417423000507.

Yun, Hyungbin et al. (2020). "Portfolio management via two-stage deep learning with a joint cost". In: *Expert Systems with Applications* 143, p. 113041. ISSN: 0957-4174. DOI: https://doi.org/10.1016/j.eswa.2019.113041. URL: https://www.sciencedirect.com/science/article/pii/S0957417419307584.

Zambrano, Enrique A. and Carlos Rizzolo (2022). "Long-Only Multi-Asset Momentum: Searching for Absolute Returns". In: *SSRN Electronic Journal*.

Zhang, Yi, Yu Zhang, and Wei Wang (2021). "Multi-Task Learning via Generalized Tensor Trace Norm". In: *Proceedings of the 27th ACM SIGKDD Conference on Knowledge Discovery and Data Mining*. KDD '21. Virtual Event, Singapore: Association for Computing Machinery, pp. 2254–2262. ISBN: 9781450383325. DOI: 10.1145/3447548.3467329.

Zhang, Zepeng and Ziping Zhao (2021). "Scalable Financial Index Tracking with Graph Neural Networks". In: *2021 IEEE Statistical Signal Processing Workshop (SSP)*, pp. 546–550. DOI: 10.1109/SSP49050.2021.9513742.

Zhang, Zihao, Stefan Zohren, and Stephen Roberts (2020). *Deep learning for portfolio optimisation*. URL: https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3613600.

Zhao, Yanli and Guang Yang (2023). "Deep Learning-based Integrated Framework for stock price movement prediction". In: *Applied Soft Computing* 133, p. 109921. ISSN: 1568-4946. DOI: https://doi.org/10.1016/j.asoc.2022.109921. URL: https://www.sciencedirect.com/science/article/pii/S156849462200970X.

Zheng, Yu et al. (2020). "Index tracking with cardinality constraints: A stochastic neural networks approach". In: *Proceedings of the AAAI conference on artificial intelligence*. Vol. 34. 01, pp. 1242–1249.

Zoph, Barret et al. (2022). *ST-MoE: Designing Stable and Transferable Sparse Expert Models*. arXiv: 2202.08906 [cs.CL].

Zou, Yanzhao and Dorien Herremans (2023). "PreBit-A multimodal model with Twitter FinBERT embeddings for extreme price movement prediction of Bitcoin". In: *Expert Systems with Applications*, p. 120838.